

In Confidence

Office of the Minister of Health
Chair, Cabinet Business Committee

Medicines Amendment Regulations (No 2) 2021

Proposal

- 1 This paper seeks authorisation for submission to the Executive Council of the Medicines Amendment Regulations (No 2) 2021.

Policy

- 2 Medicines are scheduled in New Zealand as prescription, restricted (pharmacist-only), or pharmacy-only by listing them in Schedule 1 of the Medicines Regulations 1984.
- 3 The Minister of Health may temporarily classify medicines in one of those categories for up to six months, by notice in the *New Zealand Gazette*. The Amendment Regulations incorporate recent classification decisions into the Medicines Regulations, making them permanent.
- 4 This amendment is a routine update. There are no new policy issues to be considered.
- 5 There are however two classifications that deserve mention.
 - 5.1 The COVID-19 vaccine classification and other vaccine classifications proposed to be put into Schedule 1 of the Regulations are different from the already gazetted wording. However, the amended wording preserves the status quo but provides improved clarification, and
 - 5.2 The classifications for measles vaccine, mumps vaccine and rubella vaccine are similar to that gazetted but were originally intended to be temporary classifications to cover a catch-up campaign for those people who had not received their scheduled MMR (measles-mumps-rubella) vaccine. By placing them in the Regulations, the classifications become permanent (unless amended by future regulations). This has been agreed by the Ministry of Health and in consultation with affected vaccinator groups.

Timing and 28-day rule

- 6 A waiver of the 28 day rule is sought due to the amendments having little or no effect on the public as the classifications are already in effect.

Compliance

- 7 The Regulations comply with:
- 7.1 the principles of the Treaty of Waitangi;
 - 7.2 the rights and freedoms contained in the New Zealand Bill of Rights Act 1990 or the Human Rights Act 1993;
 - 7.3 the principles and guidelines set out in the Privacy Act 2020 (if the regulations raise privacy issues, indicate whether the Privacy Commissioner agrees that they comply with all relevant principles);
 - 7.4 relevant international standards and obligations;
 - 7.5 the Legislation Guidelines (2018 edition), which are maintained by the Legislation Design and Advisory Committee.
- 8 Before recommending to the Governor-General that she makes an Order in Council amending regulations pursuant to section 105(1)(j) of the Medicines Act, consultation is required with such organisations or bodies as appear to the Minister to be representative of persons likely to be substantially affected by the regulations. I am satisfied that consultation was undertaken with pharmaceutical companies, health professional bodies, and other affected parties on changes to the classification of medicines.

Regulations Review Committee

- 9 There are no grounds for the Regulations Review Committee to draw Regulations to the attention of the House of Representatives under Standing Order 327.

Certification by Parliamentary Counsel

- 10 Parliamentary Counsel has certified the Regulations as being in order for submission to Cabinet.

Impact Analysis

- 11 The Regulatory Quality Team at The Treasury agrees that no formal Regulatory Impact Assessment is required in support of this proposal. The proposal is of a machinery of government or technical nature that does not substantially alter existing arrangements, and therefore likely to have no or very low impacts.

Publicity

- 12 The Ministry of Health will publish notification of the Regulations and their effect on the Medsafe website. The website is Medsafe's primary means of communication with pharmaceutical companies, health professional bodies and other interested parties over matters relating to medicines scheduling.

Proactive release

13 I propose to release the paper proactively.

Consultation

14 The Department of the Prime Minister and Cabinet has been consulted.

15 Consultation was undertaken with pharmaceutical companies, health professional bodies, and other affected parties on all changes to the classification of medicines prior issuing *Gazette* notices.

Recommendations

I recommend that the Business Committee:

- 1 **note** that the Minister of Health has classified certain medicines as prescription, restricted, or pharmacy-only by notice in the *New Zealand Gazette*, but such notices are valid only for six months;
- 2 **note** that the Medicines Amendment Regulations (No 2) 2021 will incorporate the temporary classifications into the Medicines Regulation 1984, making them permanent;
- 3 note that the Amendment Regulations make technical changes to the classifications of some vaccines, to preserve the status quo and provide clarification;
- 4 **note** that a waiver of the 28-day rule is sought:
 - 4.1 so that the regulations can come into force as soon as possible;
 - 4.2 on the grounds that these amendments have little or no effect on the public;
- 5 **agree** to waive the 28-day rule so that the regulations can come into force on as soon as possible;
- 6 **note** that in accordance with the requirements of section 105 of the Medicines Act 1981, I am satisfied that consultation has occurred with such organisations or bodies as appear to me to be representative of persons likely to be substantially affected by the regulations;
- 7 **authorise** the submission to the Executive Council of the Medicines Amendment Regulations (No 2) 2021.

Authorised for lodgement

Hon Andrew Little
Minister of Health

Medicines Amendment Regulations (No 2) 2021

Order in Council

At Wellington this day of 2021

Present:
in Council

These regulations are made under section 105(1)(j) of the Medicines Act 1981—

- (a) on the advice and with the consent of the Executive Council; and
- (b) on the advice of the Minister of Health tendered after consultation with the organisations or bodies appearing to the Minister to be representative of persons likely to be substantially affected.

Contents

	Page
1 Title	1
2 Commencement	2
3 Principal regulations	2
4 Schedule 1 replaced	2
5 Regulations revoked	2
Schedule	3
Schedule 1 replaced	

Regulations

1 Title

These regulations are the Medicines Amendment Regulations (No 2) 2021.

2 Commencement

These regulations come into force on 1 September 2021.

3 Principal regulations

These regulations amend the Medicines Regulations 1984.

4 Schedule 1 replaced

Replace Schedule 1 with the Schedule 1 set out in the Schedule of these regulations.

5 Regulations revoked

The Medicines Amendment Regulations 2018 (LI 2018/179) are revoked.

PROACTIVELY RELEASED

Schedule Schedule 1 replaced

r 4

Schedule 1 Prescription, restricted, and pharmacy-only medicines

r 3

Every reference to a medicine in this schedule applies whether the medicine is synthetic in origin or is from biological or mineral sources.

Unless specific reference is made otherwise, every reference applies also to medicines that are—

- preparations and admixtures containing any proportion of any substance listed in this schedule:
- salts and esters of any substance listed in this schedule:
- preparations or extracts of biological materials listed in this schedule:
- salts or oxides of elements listed in this schedule.

Unless specific reference is made otherwise, every reference to a medicine in this schedule applies,—

- if the medicine is an injection or eye preparation, to any concentration of that medicine; and
- if the medicine is not an injection or eye preparation, only if the concentration of the medicine is greater than 10 milligrams per litre or per kilogram.

Where any reference is modified by a statement of the strength of the medicine, the strength is calculated using the free acid, base, alcohol, or element unless specifically stated otherwise.

Part 1 Prescription medicines

Amending or replacing this Part may affect designated prescriber regulations under section 105(1)(q) of the Act.

- 1 19-norandrostenedione
- 2 2,4-dinitrochlorobenzene
- 3 4-aminopyridine
- 4 4-chloromethandienone
- 5 4-chlorotestosterone
- 6 5-aminolevulinic acid
- 7 Abacavir

3

8	Abatacept
9	Abciximab
10	Abemaciclib
11	Abiraterone
12	Abrus precatorius; at all strengths
13	Acamprosate
14	Acarbose
15	Acebutolol
16	Acepromazine
17	Acetanilides
18	Acetarsol
19	Acetazolamide
20	Acetohexamide
21	Acetylcarbromal
22	Acetylcholine; except in medicines containing 1 milligram or less per litre or per kilogram
23	Acetylcysteine; for injection or inhalation
24	Acetyldigitoxin
25	Acetylmethyldimethyloximidophenylhydrazine
26	Acetylstrophanthidin
27	Aciclovir; except when specified elsewhere in this schedule
28	Acipimox
29	Acitretin
30	Aclidinium bromide
31	Acokanthera ouabaio
32	Acokanthera schimperi
33	Aconitum spp; except when specified elsewhere in this schedule
34	Acrivastine
35	Adalimumab
36	Adapalene; except in medicines containing 1 milligram or less per millilitre or gram and when supplied by a pharmacist in a pack containing not more than 30 grams for the treatment of comedo, popular, and pustular acne (acne vulgaris) of the face, chest, or back
37	Adefovir
38	Adenosine; for injection

39	Adinazolam
40	Adiphenine
41	Adonis vernalis
42	Adrafinil
43	Adrenal extract; except for dermal use in medicines containing 0.02% or less of ketosteroids
44	Adrenaline; in medicines containing more than 1%
45	Adrenocortical hormones; except adrenal extract for dermal use containing 0.02% or less of ketosteroids
46	Afamelanotide
47	Afatinib
48	Aflibercept
49	Agalsidase
50	Agomelatine
51	Alatrofloxacin
52	Albendazole
53	Albumin; except human albumin
54	Alclofenac
55	Alclometasone; except when specified elsewhere in this schedule
56	Alcohol; for injection in medicines containing more than 20%
57	Alcuronium
58	Aldesleukin
59	Aldosterone; except in medicines containing 10 micrograms or less per litre or per kilogram
60	Alectinib
61	Alefacept
62	Alemtuzumab
63	Alendronic acid
64	Alfacalcidol
65	Alfentanil
66	Alfuzosin
67	Alglucerase
68	Alglucosidase
69	Alirocumab
70	Aliskiren

71	Alitretinoin
72	Alkyl nitrites
73	Alkyl sulfonals
74	Allergens
75	Allopurinol
76	Allylisopropylacetylurea; at all strengths
77	Allyloestrenol
78	Alogliptin
79	Aloracetam
80	Alosetron
81	Alpelisib
82	Alpha ₁ -proteinase inhibitor
83	Alphadolone
84	Alphaxalone
85	Alprazolam
86	Alprenolol
87	Alprostadil
88	Alseroxylon
89	Alteplase
90	Altretamine
91	Amantadine
92	Amбенonium
93	Ambrisentan
94	Ambucetamide
95	Ambutonium
96	Amcinonide
97	Amethocaine; except when specified elsewhere in this schedule; for ophthalmic use except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
98	Amfebutamone
99	Amfepramone
100	Amidopyrine
101	Amifampridine
102	Amifostine
103	Amikacin

104	Amiloride
105	Aminocaproic acid
106	Aminoglutethimide
107	Aminometradine
108	Aminophenazone; at all strengths
109	Aminophylline; except when specified elsewhere in this schedule
110	Aminopterin
111	Aminorex
112	Aminosalicyclic acid
113	Amiodarone
114	Amiphenazole
115	Amisometradine
116	Amisulpride
117	Amitriptyline
118	Amlodipine
119	Ammi visnaga
120	Ammonium bromide
121	Amobarbital
122	Amodiaquine
123	Amorolfine; except when specified elsewhere in this schedule; except in preparations for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
124	Amoxapine
125	Amoxicillin
126	Amphomycin
127	Amphotericin
128	Ampicillin
129	Amprenavir
130	Amrinone
131	Amsacrine
132	Amygdalin; at all strengths
133	Amyl nitrite; except when sold to a person who is appropriately authorised under the Health and Safety at Work Act 2015
134	Amylocaine
135	Anabolic steroids

- 136 Anagrelide
137 Anakinra
138 Anastrozole
139 Ancestim
140 Anchusa officinalis; at all strengths
141 Ancrod and its immunoglobulin antidote
142 Androgenic and anabolic steroidal agents
143 Androgens
144 Androisoxazole
145 Androstanolone
146 Androstenediol
147 Androstenedione
148 Anecortave
149 Angiotensinamide
150 Anidulafungin
151 Aniracetam
152 Anistreplase
153 Antazoline; except for ophthalmic use
154 Antibiotic substances; except when specified elsewhere in this schedule
155 Antigens
156 Antihistamines; except when specified elsewhere in this schedule
157 Antimony; except in medicines containing 1 milligram or less per litre or per kilogram
158 Antisera; for injection
159 AOD-9604
160 Apalutamide
161 Apixaban
162 Apocynum spp
163 Apomorphine; except in medicines containing 1 milligram or less per litre or per kilogram
164 Apraclonidine
165 Apremilast
166 Aprepitant
167 Apronal
168 Aprotinin

- 169 Arecoline
- 170 Aripiprazole
- 171 Aristolochia spp; at all strengths
- 172 Aristolochic acid; at all strengths
- 173 Armodafinil
- 174 Arsenic; except in medicines containing 1 milligram or less per litre or per kilogram
- 175 Artemether
- 176 Artemisia annua extract
- 177 Artesunate
- 178 Articaine; except when used as a local anaesthetic in practice by a dental therapist or oral health therapist registered with the Dental Council
- 179 Asenapine
- 180 Asfotase alfa
- 181 Asparaginase
- 182 Aspirin; except when specified elsewhere in this schedule; for injection; when combined with caffeine, paracetamol, or salicylamide
- 183 Astemizole
- 184 Asunaprevir
- 185 Atamestane
- 186 Atazanavir
- 187 Atenolol
- 188 Atezolizumab
- 189 Atomoxetine
- 190 Atorvastatin
- 191 Atosiban
- 192 Atovaquone
- 193 Atracurium
- 194 Atropa belladonna; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less of total solanaceous alkaloids per litre or per kilogram
- 195 Atropine; except when specified elsewhere in this schedule; except when used as an antidote in a device designed for self-injection; except in medicines containing 300 micrograms or less per litre or per kilogram
- 196 Atropine methonitrate
- 197 Auranofin

198	Aurothiomalate sodium
199	Avanafil
200	Avelumab
201	Avibactam
202	Aviptadil
203	Axitinib
204	Azacitidine
205	Azacyclonol
206	Azapropazone
207	Azaribine
208	Azatadine; except when specified elsewhere in this schedule
209	Azathioprine
210	Azelaic acid; except when specified elsewhere in this schedule
211	Azelastine; except when specified elsewhere in this schedule
212	Azithromycin
213	Azlocillin
214	Aztreonam
215	Bacampicillin
216	Bacitracin
217	Baclofen
218	Baloxavir marboxil
219	Balsalazide
220	Bambuterol
221	Bamethan
222	Bamipine
223	Bamlanivimab
224	Barbital
225	Barbiturates
226	Baricitinib
227	Basiliximab
228	Bazedoxifene
229	Becaplermin
230	Beclamide
231	Beclomethasone; except when specified elsewhere in this schedule
232	Bedaquiline

233	Belatacept
234	Belimumab
235	Bemegride
236	Benactyzine
237	Benazepril
238	Bendamustine
239	Bendrofluazide
240	Benethamine penicillin
241	Benorylate
242	Benoxaprofen
243	Benperidol
244	Benralizumab
245	Benserazide
246	Benzathine penicillin
247	Benzatropine
248	Benzbromarone
249	Benzhexol
250	Benzilium
251	Benzocaine; except when specified elsewhere in this schedule
252	Benzodiazepine derivatives; except when specified elsewhere in this schedule
253	Benzodiazepines; except when specified elsewhere in this schedule
254	Benzoyl metronidazole
255	Benzoyl peroxide; except when specified elsewhere in this schedule
256	Benzthiazide
257	Benzydamine; except when specified elsewhere in this schedule
258	Benzylpenicillin
259	Bepriidil
260	Beractant
261	Besifloxacin
262	Beta carotene; in medicines containing more than 18 milligrams per recommended daily dose
263	Betahistine
264	Betaine; for the treatment of homocystinuria
265	Betamethasone
266	Betaxolol

267	Bethanechol
268	Bethanidine
269	Bevacizumab
270	Bevantolol
271	Bexarotene
272	Bezafibrate
273	Bezlotoxumab
274	Bicalutamide
275	Bictegravir
276	Bifonazole; except when specified elsewhere in this schedule
277	Bilastine; except when specified elsewhere in this schedule
278	Bimatoprost
279	Binimetinib
280	Biperiden
281	Bismuth; except for external use in medicines containing 3% or less
282	Bisoprolol
283	Bithionol; at all strengths
284	Bivalirudin
285	Bleomycin
286	Blinatumomab
287	Boceprevir
288	Bolandiol
289	Bolasterone
290	Bolazine
291	Boldenone
292	Bolenol
293	Bolmantalate
294	Boron, including borax and boric acid; except in medicines for internal use containing 6 milligrams or less per recommended daily dose; except in medicines for dermal use other than paediatric use containing 0.35% or less; except when present as an excipient
295	Bortezomib
296	Bosentan
297	Bosutinib
298	Botulinum toxins

299	Brentuximab vedotin
300	Bretylium
301	Brexpiprazole
302	Brigatinib
303	Brimonidine
304	Brinzolamide
305	Brivaracetam (and its stereoisomers)
306	Brolucizumab
307	Bromazepam
308	Bromocriptine
309	Bromoform
310	Brompheniramine; except when specified elsewhere in this schedule
311	Bromvaletone
312	Brotizolam
313	Brugmansia spp
314	Buclizine; except for oral use
315	Budesonide; except when specified elsewhere in this schedule
316	Bufexamac; except in suppositories; except for dermal use in medicines containing 5% or less
317	Bumetanide
318	Buniodyl sodium; at all strengths
319	Buphenine
320	Bupivacaine
321	Buprenorphine
322	Bupropion
323	Buserelin
324	Buspirone
325	Busulphan
326	Butacaine
327	Butobarbital
328	Butoconazole; except for vaginal use
329	Butorphanol
330	Butyl aminobenzoate; except in medicines for dermal use containing 2% or less
331	Butyl nitrite

332	Butylchloral hydrate
333	Cabazitaxel
334	Cabergoline
335	Cabotegravir
336	Cabozantinib
337	Cacalia spp; at all strengths
338	Cadmium
339	Calcipotriol; except in medicines containing not more than 50 micrograms per gram or per millilitre and when sold in a pack of not more than 30 grams or 30 millilitres by a pharmacist to an adult with mild to moderate psoriasis previously diagnosed by a doctor
340	Calcitonin
341	Calcitriol
342	Calcium carbimide
343	Calcium polystyrene sulphonate
344	Calotropis gigantea
345	Calotropis procera
346	Calusterone
347	Camazepam
348	Camphorated oil
349	Camphotamide
350	Canagliflozin
351	Canakinumab
352	Candesartan
353	Candicidin
354	Cannabidiol
355	Capecitabine
356	Capreomycin
357	Captodiame
358	Captopril
359	Capuride
360	Caramiphen
361	Carbachol
362	Carbamazepine
363	Carbaryl; except for external use in medicines containing 2% or less

364	Carbazochrome
365	Carbenicillin
366	Carbenoxolone; except for external use
367	Carbetocin
368	Carbidopa
369	Carbimazole
370	Carbocromen
371	Carboplatin
372	Carboprost
373	Carbromal
374	Carbutamide
375	Carbuterol
376	Carfilzomib
377	Carglumic acid
378	Carindacillin
379	Carisoprodol
380	Carmustine
381	Carprofen
382	Carvedilol
383	Caspofungin
384	Catumaxomab
385	Cebaracetam (and its stereoisomers)
386	Cedazuridine
387	Cefacetrile
388	Cefaclor
389	Cefaloridine
390	Cefamandole
391	Cefapirin
392	Cefazolin
393	Cefepime
394	Cefetamet
395	Cefixime
396	Cefodizime
397	Cefonicid
398	Cefoperazone

399	Cefotaxime
400	Cefotetan
401	Cefotiam
402	Cefoxitin
403	Cefpirome
404	Cefpodoxime
405	Cefsulodin
406	Ceftaroline fosamil
407	Ceftazidime
408	Ceftibuten
409	Ceftolozane
410	Ceftriaxone
411	Cefuroxime
412	Celecoxib
413	Celiprolol
414	Cenegermin
415	Cephaelis acuminata; except in medicines containing less than 0.2% of emetine
416	Cephaelis ipecacuanha; except in medicines containing less than 0.2% of emetine
417	Cephalexin
418	Cephalothin
419	Cephradine
420	Ceritinib
421	Cerivastatin
422	Cerliponase alfa
423	Certolizumab pegol
424	Ceruletide
425	Cetirizine; except when specified elsewhere in this schedule
426	Cetrorelix
427	Cetuximab
428	Chenodeoxycholic acid
429	Chloral hydrate; except for dermal use in medicines containing 2% or less
430	Chloralformamide
431	Chloralose
432	Chlorambucil

- 433 Chloramphenicol; except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; except when specified elsewhere in this schedule
- 434 Chlorandrostenolone
- 435 Chlorazanyl
- 436 Chlorcyclizine
- 437 Chlordiazepoxide
- 438 Chlormerodrin
- 439 Chlormethiazole
- 440 Chlormezanone
- 441 Chloroform; for anaesthesia; except when specified elsewhere in this schedule
- 442 Chloroquine
- 443 Chlorothiazide
- 444 Chlorotrianisene
- 445 Chloroxydienone
- 446 Chloroxymesterone
- 447 Chlorpheniramine; except when specified elsewhere in this schedule
- 448 Chlorphentermine
- 449 Chlorpromazine
- 450 Chlorpropamide
- 451 Chlorprothixene
- 452 Chlorquinaldol
- 453 Chlortetracycline
- 454 Chlorthalidone
- 455 Chlorzoxazone
- 456 Cholera vaccine; except in the form of an oral liquid containing vibrio cholerae when sold in a pharmacy by a registered pharmacist
- 457 Cholic acid
- 458 Choline salicylate; except in medicines containing 10% or less and in pack sizes of 15 grams or less
- 459 Chorionic gonadotrophin; except in pregnancy test kits
- 460 Chymopapain
- 461 Ciclacillin
- 462 Ciclesonide
- 463 Ciclopirox; except when specified elsewhere in this schedule

464	Cidofovir
465	Cilastatin
466	Cilazapril
467	Cilnidipine
468	Cilostazol
469	Cimetidine; except when specified elsewhere in this schedule
470	Cinacalcet
471	Cinchocaine; for injection; for ophthalmic use; for external use in medicines containing more than 0.5%
472	Cinchophen
473	Cinnarizine
474	Cinoxacin
475	Ciprofloxacin
476	Cisapride
477	Cisatracurium
478	Cisplatin
479	Citalopram
480	CJC-1295
481	Cladribine
482	Clarithromycin
483	Clavulanic acid
484	Clemastine; except for oral use
485	Clemizole
486	Clenbuterol
487	Clevidipine
488	Clidinium
489	Clindamycin
490	Clioquinol; at all strengths
491	Clobazam
492	Clobetasol
493	Clobetasone; except when specified elsewhere in this schedule
494	Clocortolone
495	Clodronic acid
496	Clofarabine
497	Clofazimine

498	Clofenamide
499	Clofibrate
500	Clomiphene
501	Clomipramine
502	Clomocycline
503	Clonazepam
504	Clonidine
505	Clopamide
506	Clopidogrel
507	Clorazepic acid
508	Clorexolone
509	Clorprenaline
510	Clostebol
511	Clotiazepam
512	Clotrimazole; except when specified elsewhere in this schedule
513	Cloxacillin
514	Cloxazolam
515	Clozapine
516	Cobalt
517	Cobicistat
518	Cobimetinib
519	Cocaine; except when specified elsewhere in this schedule
520	Codeine
521	Co-dergocrine
522	Colaspase
523	Colchicine
524	Colchicum
525	Colecalciferol; except in medicines containing 25 micrograms or less per recommended daily dose; except in parenteral nutrition replacement preparations
526	Colestipol
527	Colestyramine
528	Colfosceril
529	Colistin
530	Collagen; in injections or implants for tissue augmentation or cosmetic use
531	Collagenase clostridium histolyticum

- 532 Coluracetam
- 533 Conium maculatum; at all strengths
- 534 Convallaria keiski
- 535 Convallaria majalis
- 536 Corifollitropin alfa
- 537 Coronilla spp
- 538 Corticosterone
- 539 Corticotrophin
- 540 Cortisone and other steroidal hormones of the adrenal cortex; except when specified elsewhere in this schedule; except adrenal extract for dermal use in medicines containing 0.02% or less of ketosteroids
- 541 Cotarnine; at all strengths
- 542 Co-trimoxazole
- 543 Coumarin
- 544 COVID-19 vaccines; except when administered by vaccinators, registered pharmacists, or registered intern pharmacists who have successfully completed the COVID-19 Vaccinator Education Course (or any equivalent training course on COVID-19 vaccination approved by the Ministry of Health) and who comply with the immunisation standards of the Ministry of Health (but excluding vaccinators who have completed the Provisional Vaccinator Foundation Course or the COVID-19 Vaccinator - Working under Supervision Course)
- 545 Crisaborole
- 546 Crizotinib
- 547 Crofelemer
- 548 Crotalaria spp; at all strengths
- 549 Croton tiglium; except in medicines containing 1 milligram or less per litre or per kilogram
- 550 Crystal violet
- 551 Curare
- 552 Cyclandelate
- 553 Cyclizine; except when specified elsewhere in this schedule
- 554 Cyclobenzaprine
- 555 Cyclofenil
- 556 Cycloheximide
- 557 Cyclopenthiiazide
- 558 Cyclopentolate; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board

559	Cyclophosphamide
560	Cyclopropane
561	Cycloserine
562	Cyclosporin
563	Cyclothiazide
564	Cycrimine
565	Cymarin
566	Cynoglossum spp; at all strengths
567	Cyproheptadine; except for oral use
568	Cyproterone
569	Cysteamine
570	Cytarabine
571	Dabigatran
572	Dabrafenib mesilate
573	Dacarbazine
574	Daclatasvir
575	Daclizumab
576	Dactinomycin
577	Dalfopristin
578	Dalteparin
579	Danaparoid
580	Danazol
581	Danthron
582	Dantrolene
583	Dapagliflozin
584	Dapoxetine
585	Dapsone
586	Daptomycin
587	Daratumumab
588	Darbepoetin
589	Darifenacin
590	Darolutamide
591	Darunavir
592	Dasabuvir
593	Dasatinib

- 594 Datura spp; except for oral use when specified elsewhere in this schedule; except datura stramonium or datura tatula for smoking or burning
- 595 Daunorubicin
- 596 Deanol
- 597 Debrisoquine
- 598 Decamethonium
- 599 Decitabine
- 600 Deferasirox
- 601 Deferiprone
- 602 Defibrotide
- 603 Deflazacort
- 604 Degarelix
- 605 Dehydrochloromethyltestosterone
- 606 Dehydrocorticosterone
- 607 Delavirdine
- 608 Delorazepam
- 609 Demecarium
- 610 Demeclocycline
- 611 Denosumab
- 612 Deoxycortone
- 613 Deoxycholic acid; for injection; except for oral use
- 614 Deoxyribonuclease; except for external use
- 615 Dermatophagoides farina allergen extract
- 616 Dermatophagoides pteronyssinus allergen extract
- 617 Desferrioxamine
- 618 Desflurane
- 619 Desipramine
- 620 Desirudin
- 621 Deslanoside
- 622 Desloratadine; except for oral use
- 623 Deslorelin
- 624 Desmopressin
- 625 Desogestrel; except when supplied for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on

oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme

- 626 Desonide
- 627 Desoximetasone
- 628 Desvenlafaxine
- 629 Dexamethasone
- 630 Dexamfetamine
- 631 Dexchlorpheniramine; except when specified elsewhere in this schedule
- 632 Dexfenfluramine
- 633 Dexmedetomidine
- 634 Dextromethorphan; except when specified elsewhere in this schedule
- 635 Dextromoramide
- 636 Dextropropoxyphene
- 637 Dextrorphan
- 638 Di-iodohydroxy quinoline; except when specified elsewhere in this schedule
- 639 Di-isopropylamine dichloroacetate
- 640 Diazepam
- 641 Diazoxide
- 642 Dibenzepin
- 643 Dibotermine
- 644 Dibrompropamide; except for ophthalmic use
- 645 Dichloralphenazone
- 646 Dichlorophen
- 647 Dichlorphenamide
- 648 Diclofenac; in preparations for the treatment of solar keratosis; except when specified elsewhere in this schedule; except in preparations for topical use other than for the treatment of solar keratosis
- 649 Dicloxacillin
- 650 Dicyclomine
- 651 Didanosine
- 652 Dienoestrol
- 653 Dienogest
- 654 Diethazine
- 655 Diethylcarbamazine

656	Diethylstilbestrol
657	Diflorasone
658	Diflucortolone
659	Diflunisal
660	Digitalis lanata
661	Digitalis purpurea
662	Digitoxin
663	Digoxin
664	Digoxin-specific antibody fragment
665	Dihydralazine
666	Dihydrocodeine
667	Dihydroergotoxine
668	Dihydrolone
669	Dihydrotachysterol
670	Diltiazem
671	Dimenhydrinate; except when specified elsewhere in this schedule
672	Dimercaprol
673	Dimethandrostanolone
674	Dimethazine
675	Dimethindene; except for oral use
676	Dimethothiazine
677	Dimethoxanate
678	Dimethyl fumarate
679	Dimethyl sulphoxide
680	Dimiracetam (and its stereoisomers)
681	Dinitrocresols
682	Dinitronaphthols
683	Dinitrophenols
684	Dinitrothymols
685	Dinoprost
686	Dinoprostone
687	Diperodon
688	Diphemanil; except for dermal use
689	Diphenhydramine; except when specified elsewhere in this schedule
690	Diphenidol

- 691 Diphenoxylate; except when specified elsewhere in this schedule
- 692 Diphenylpyraline
- 693 Diphtheria, tetanus, and pertussis (acellular, component) vaccine; except when administered in a single dose to a person 18 years of age or over or to a pregnant woman aged 13 years or over by a registered pharmacist who has successfully completed the Vaccinator Foundation Course (or any equivalent training course approved by the Ministry of Health) and who complies with the immunisation standards of the Ministry of Health (but excluding a vaccinator who has completed the Provisional Vaccinator Foundation Course)
- 694 Diphtheria toxoid
- 695 Diphtheria vaccine
- 696 Dipivefrin
- 697 Dipyridamole
- 698 Dirithromycin
- 699 Disopyramide
- 700 Distigmine
- 701 Disulfiram
- 702 Disulphamide
- 703 Ditiocarb
- 704 DMHA, including the isomers 2-amino-6-methylheptane (also known as 1,5-dimethylhexylamine, and octodrine) and 2-amino-5-methylheptane (also known as 1,4-dimethylhexylamine)
- 705 Dobutamine
- 706 Docetaxel
- 707 Dofetilide
- 708 Dolasetron
- 709 Doliracetam (and its stereoisomers)
- 710 Dolutegravir
- 711 Domperidone
- 712 Donepezil
- 713 Dopamine
- 714 Dopexamine
- 715 Doravirine
- 716 Doripenem
- 717 Dornase
- 718 Dorzolamide

719	Dothiepin
720	Doxantrazole
721	Doxapram
722	Doxazosin
723	Doxepin
724	Doxorubicin
725	Doxycycline
726	Doxylamine; except when specified elsewhere in this schedule
727	Dronedarone
728	Droperidol
729	Drospirenone
730	Drostanolone
731	Drotrecogin
732	Duboisia leichhardtii; except when specified elsewhere in this schedule
733	Duboisia myoporides; except when specified elsewhere in this schedule
734	Dulaglutide
735	Dulcin; at all strengths
736	Duloxetine
737	Dupilumab
738	Dupracetam
739	Durvalumab
740	Dutasteride
741	Dydrogesterone
742	Econazole; except when specified elsewhere in this schedule
743	Ecothiopate
744	Ectylurea
745	Eculizumab
746	Edetic acid; except in medicines containing 0.25% or less; except in contact lens preparations; except dicobalt edetate for the treatment of cyanide poisoning
747	Edoxudine
748	Edrophonium
749	Efalizumab
750	Efavirenz
751	Eflornithine

752	Elbasvir
753	Eletriptan
754	Elosulfase alfa
755	Elotuzumab
756	Eltrombopag olamine
757	Eluxadoline
758	Elvitegravir
759	Emepronium
760	Emetine; except in medicines containing 0.2% or less
761	Emicizumab
762	Empagliflozin
763	Emtricitabine
764	Enalapril
765	Enasidenib
766	Encorafenib
767	Enestebol
768	Enflurane
769	Enfuvirtide
770	Enobosarm
771	Enoxacin
772	Enoxaparin
773	Enoximone
774	Enprostil
775	Entacapone
776	Entecavir
777	Entrectinib
778	Enzalutamide
779	Ephedrine
780	Epicillin
781	Epinastine
782	Epirubicin
783	Epitiostanol
784	Eplerenone
785	Epoetins
786	Epoprostenol

787	Eprosartan
788	Eptifibatide
789	Erenumab
790	Ergocalciferol; except in medicines containing 25 micrograms or less per recommended daily dose
791	Ergometrine
792	Ergot
793	Ergotamine
794	Ergotoxine
795	Eribulin
796	Erlotinib
797	Ertapenem
798	Ertugliflozin
799	Erysimum spp; except in medicines containing 1 milligram or less per litre or per kilogram
800	Erythromycin
801	Erythropoietin
802	Escitalopram
803	Esketamine
804	Esmolol
805	Esomeprazole; except when specified elsewhere in this schedule
806	Estazolam
807	Estramustine
808	Estropipate
809	Etanercept
810	Ethacrynic acid
811	Ethambutol
812	Ethamivan
813	Ethanolamine; for injection
814	Ethchlorvynol
815	Ether; for anaesthesia; except when specified elsewhere in this schedule
816	Ethinamate
817	Ethinylestradiol; except when supplied at a strength of 35 micrograms or less in combination with either levonorgestrel or norethisterone for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated

approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme

- 818 Ethionamide
- 819 Ethisterone
- 820 Ethoglucid
- 821 Ethoheptazine
- 822 Ethopropazine
- 823 Ethosuximide
- 824 Ethotoin
- 825 Ethoxzolamide
- 826 Ethyl chloride; for inhalation
- 827 Ethyl loflazepate
- 828 Ethyldienolone
- 829 Ethylhexanediol; at all strengths
- 830 Ethyloestrenol
- 831 Ethynodiol
- 832 Etidocaine
- 833 Etidronic acid; except in medicines for external use containing 1% or less
- 834 Etilefrine
- 835 Etiracetam
- 836 Etodolac
- 837 Etofenamate; except for external use
- 838 Etomidate
- 839 Etonogestrel
- 840 Etoposide
- 841 Etoricoxib
- 842 Etravirine
- 843 Etrexinate
- 844 Everolimus
- 845 Evolocumab
- 846 Exemestane
- 847 Exenatide

848	Ezetimibe
849	Factor VIII inhibitor bypassing fraction
850	Famciclovir; except when specified elsewhere in this schedule
851	Famotidine; except when specified elsewhere in this schedule
852	Fampridine
853	Farfugium japonicum; at all strengths
854	Fasoracetam (and its stereoisomers)
855	Febuxostat
856	Felbamate
857	Felbinac; except for external use
858	Felodipine
859	Felypressin; except when combined with a local anaesthetic and used in practice by a dental therapist or oral health therapist registered with the Dental Council
860	Fenbufen
861	Fenclofenac
862	Fenfluramine
863	Fenofibrate
864	Fenoldopam
865	Fenoprofen
866	Fenoterol
867	Fenpipramide
868	Fenpiprane
869	Fentanyl
870	Ferric carboxymaltose
871	Ferric derisomaltose
872	Fexofenadine; except when specified elsewhere in this schedule
873	Fibrin
874	Fibrinolysin; except for external use
875	Fibroblast growth factor
876	Fidaxomicin
877	Filgrastim
878	Finasteride
879	Fingolimod
880	Flecainide

881	Fleroxacin
882	Floctafenine
883	Fluanisone
884	Flubromazolam
885	Fluclorolone
886	Flucloxacillin
887	Fluconazole; except when specified elsewhere in this schedule
888	Flucytosine
889	Fludarabine
890	Fludiazepam
891	Fludrocortisone
892	Flufenamic acid
893	Flumazenil
894	Flumethasone
895	Flumethiazide
896	Flunarizine
897	Flunisolide
898	Flunitrazepam
899	Fluocinolone
900	Fluocinonide
901	Fluocortin
902	Fluocortolone
903	Fluorescein; for injection
904	Fluorides; for internal use in medicines containing more than 0.5 milligrams per dose unit except in medicines containing 15 milligrams or less per litre or per kilogram; except in parenteral nutrition replacement preparations; for external use in medicines containing more than 5.5 grams per litre or per kilogram except when supplied to a dental professional registered with the Dental Council
905	Fluorometholone
906	Fluorouracil
907	Fluoxetine
908	Fluoxymesterone
909	Flupenthixol
910	Fluphenazine
911	Flurandrenolone

912	Flurazepam
913	Flurbiprofen; except when specified elsewhere in this schedule
914	Fluroxene
915	Fluspirilene
916	Flutamide
917	Fluticasone; except when specified elsewhere in this schedule
918	Fluvastatin
919	Fluvoxamine
920	Folic acid; except when specified elsewhere in this schedule
921	Folinic acid; except when specified elsewhere in this schedule
922	Follicle-stimulating hormone; except in medicines containing 100 micrograms or less per litre or per kilogram
923	Follistatin
924	Follitropin
925	Follitropin delta
926	Fomepizole
927	Fomivirsen
928	Fondaparinux
929	Fonturacetam (and its stereoisomers)
930	Formebolone
931	Formestane
932	Formoterol
933	Fosamprenavir
934	Fosaprepitant
935	Foscarnet
936	Fosfestrol
937	Fosfomycin
938	Fosinopril
939	Fosnetupitant
940	Fosphenytoin
941	Fotemustine
942	Framycetin
943	Fremanezumab
944	Fulvestrant
945	Furaltadone

946	Furazabol
947	Furazolidone
948	Furosemide
949	Fusidic acid
950	Gabapentin
951	Galantamine
952	Galanthus spp
953	Galcanezumab
954	Gallamine
955	Galsulfase
956	Ganciclovir
957	Ganirelix
958	Gatifloxacin
959	Gefitinib
960	Gemcitabine
961	Gemprost
962	Gemfibrozil
963	Gemifloxacin
964	Gemtuzumab ozogamicin
965	Gentamicin
966	Gestodene
967	Gestonorone
968	Gestrinone
969	Ghrelin
970	Gilteritinib
971	Gitalin
972	Glatiramer acetate
973	Glecaprevir
974	Glibenclamide
975	Glibornuride
976	Gliclazide
977	Glimepiride
978	Glipizide
979	Glisoxepide
980	Glutathione; for injection

- 981 Glyceryl trinitrate; for injection; for transdermal use; except in medicines containing 100 micrograms or less per litre or per kilogram
- 982 Glycopyrronium
- 983 Glymidine
- 984 Golimumab
- 985 Gonadorelin
- 986 Gonadotrophic hormones; except when specified elsewhere in this schedule
- 987 Goserelin
- 988 Gramicidin
- 989 Granisetron
- 990 Grazoprevir
- 991 Grepafloxacin
- 992 Griseofulvin
- 993 Growth hormone releasing hormones
- 994 Growth hormone releasing peptide-6
- 995 Growth hormone releasing peptides
- 996 Guaifenesin; except when specified elsewhere in this schedule
- 997 Guanabenz
- 998 Guanethidine
- 999 Guanfacine
- 1000 Guanidine
- 1001 Guselkumab
- 1002 Hachimycin
- 1003 Haematin
- 1004 Haemophilus influenzae vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
- 1005 Halazepam
- 1006 Halcinonide
- 1007 Halofantrine
- 1008 Halofenate
- 1009 Haloperidol; except in medicines containing 1 milligram or less per litre or per kilogram
- 1010 Halothane
- 1011 Haloxazolam
- 1012 Halquinol; except for external use

- 1013 Heliotropium spp; at all strengths
- 1014 Hemerocallis
- 1015 Heparins; except when present as an excipient; except for external use
- 1016 Hepatitis A vaccine
- 1017 Hepatitis B vaccine
- 1018 Hetacillin
- 1019 Hexachlorophane; in medicines containing more than 3%; except when specified elsewhere in this schedule
- 1020 Hexamethonium
- 1021 Hexarelin
- 1022 Hexetidine; except for external use
- 1023 Hexobendine
- 1024 Hexocyclium
- 1025 Hexoprenaline
- 1026 Hexaminolevulinate
- 1027 Histamine; except in medicines containing 0.5% or less
- 1028 Homatropine
- 1029 Human chorionic gonadotrophin; except in pregnancy test kits
- 1030 Human growth hormone secretagogues
- 1031 Human papillomavirus vaccine; except when administered by a registered pharmacist or registered intern pharmacist who has successfully completed the Vaccinator Foundation Course (or any equivalent training course approved by the Ministry of Health) and who complies with the immunisation standards of the Ministry of Health (but excluding a vaccinator who has completed the Provisional Vaccinator Foundation Course)
- 1032 Human protein C
- 1033 Hyaluronic acid; in injections or implants for tissue augmentation or cosmetic use
- 1034 Hydralazine
- 1035 Hydrargaphen
- 1036 Hydrochlorothiazide
- 1037 Hydrocortisone; except when specified elsewhere in this schedule
- 1038 Hydrocyanic acid; except when specified elsewhere in this schedule
- 1039 Hydroflumethiazide
- 1040 Hydromorphone
- 1041 Hydroquinone; except when specified elsewhere in this schedule

- 1042 Hydroxychloroquine
- 1043 Hydroxyephedrine
- 1044 Hydroxyphenamate
- 1045 Hydroxyprogesterone
- 1046 Hydroxystenozol
- 1047 Hydroxyurea
- 1048 Hydroxyzine
- 1049 Hylan polymer; in injections or implants for tissue augmentation or cosmetic use
- 1050 Hyoscine; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less per litre or per kilogram
- 1051 Hyoscine butylbromide; except when specified elsewhere in this schedule
- 1052 Hyoscyamine; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less per litre or per kilogram
- 1053 Hyoscyamus niger; except when specified elsewhere in this schedule
- 1054 Hypothalamic releasing factors
- 1055 Hypromellose; for injection; except in intraocular viscoelastic products
- 1056 Ibandronic acid
- 1057 Ibogaine
- 1058 Ibritumomab tiuxetan
- 1059 Ibrutinib
- 1060 Ibufenac
- 1061 Ibuprofen; except when specified elsewhere in this schedule
- 1062 Ibutamoren
- 1063 Ibuterol
- 1064 Ibutilide
- 1065 Icatibant
- 1066 Idarubicin
- 1067 Idarucizumab
- 1068 Idebenone
- 1069 Idelalisib
- 1070 Idoxuridine; except for dermal use in medicines containing 0.5% or less
- 1071 Idursulfase
- 1072 Ifosfamide
- 1073 Iloprost

- 1074 Imatinib
- 1075 Imiglucerase
- 1076 Imipenem
- 1077 Imipramine
- 1078 Imiquimod
- 1079 Immunoglobulins
- 1080 Imuracetam
- 1081 Indacaterol
- 1082 Indapamide
- 1083 Indinavir
- 1084 Indocyanine green
- 1085 Indomethacin; except when specified elsewhere in this schedule
- 1086 Indoprofen
- 1087 Indoramin
- 1088 Infliximab
- 1089 Influenza and coryza vaccines; for injection; for nasal use
- 1090 Influenza vaccine; except when administered to a person 13 years of age or over by vaccinators, registered pharmacists, or registered intern pharmacists who have successfully completed the Vaccinator Foundation Course (or any equivalent training course approved by the Ministry of Health) and who comply with the immunisation standards of the Ministry of Health (but excluding vaccinators who have completed the Provisional Vaccinator Foundation Course)
- 1091 Ingenol mebutate
- 1092 Inotuzumab ozogamicin
- 1093 Insulin degludec
- 1094 Insulin-like growth factors; except when specified elsewhere in this schedule
- 1095 Insulins
- 1096 Interferons
- 1097 Interleukins
- 1098 Iodothiouracil
- 1099 Ipamorelin
- 1100 Ipecacuanha; except when specified elsewhere in this schedule
- 1101 Ipilimumab
- 1102 Ipratropium; except for nasal use
- 1103 Ipriflavone

- 1104 Iprindole
1105 Iproniazid
1106 Irbesartan
1107 Irinotecan
1108 Iron; except when specified elsewhere in this schedule
1109 Isatuximab
1110 Isavuconazole
1111 Isoaminile
1112 Isoamyl nitrite
1113 Isobutyl nitrite
1114 Isocarboxazid
1115 Isoconazole; except when specified elsewhere in this schedule
1116 Isoetarine
1117 Isoflurane
1118 Isometheptene
1119 Isoniazid
1120 Isoprenaline
1121 Isoprinosine
1122 Isopropamide; except when specified elsewhere in this schedule
1123 Isosorbide dinitrate
1124 Isosorbide mononitrate
1125 Isotretinoin
1126 Isoxicam
1127 Isoxsuprine
1128 Isradipine
1129 Itraconazole
1130 Ivabradine
1131 Ivacaftor
1132 Ivermectin
1133 Ixabepilone
1134 Ixazomib
1135 Ixekizumab
1136 Japanese encephalitis vaccine
1137 Juniperus sabina; at all strengths
1138 Kanamycin

1139	Ketamine
1140	Ketanserin
1141	Ketazolam
1142	Ketoconazole; except when specified elsewhere in this schedule
1143	Ketoprofen; except when specified elsewhere in this schedule
1144	Ketorolac
1145	Ketotifen; except for ophthalmic use in medicines containing 0.025% or less
1146	Khellin
1147	Labetalol
1148	Lacidipine
1149	Lacosamide
1150	Lamivudine
1151	Lamotrigine
1152	Lanadelumab
1153	Lanatosides
1154	Lanreotide
1155	Lansoprazole; except when specified elsewhere in this schedule
1156	Lanthanum
1157	Lapatinib
1158	Laronidase-rch
1159	Laropiprant
1160	Larotrectinib
1161	Latamoxef
1162	Latanoprost
1163	Laudexium
1164	Lauromacrogols; for injection
1165	Lead
1166	Ledipasvir
1167	Lefetamine
1168	Leflunomide
1169	Lenalidomide
1170	Lenograstim
1171	Lenvatinib
1172	Lepirudin
1173	Leptazol

- 1174 Lercanidipine
- 1175 Lesinurad
- 1176 Letemovir
- 1177 Letrozole
- 1178 Leucovorin; for injection
- 1179 Leuprorelin
- 1180 Levallorphan
- 1181 Levamisole
- 1182 Levetiracetam
- 1183 Levobunolol
- 1184 Levobupivacaine
- 1185 Levocabastine; except for nasal or ophthalmic use
- 1186 Levocetirizine; except for oral use
- 1187 Levodopa
- 1188 Levomepromazine
- 1189 Levomilnacipran
- 1190 Levonorgestrel; except when specified elsewhere in this schedule; except in medicines for use as emergency post-coital contraception when sold by nurses recognised by their professional body as having competency in the field of sexual and reproductive health; except when sold by nurses recognised by their professional body as having competency in the field of sexual and reproductive health; except when supplied for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme
- 1191 Levosimendan
- 1192 Lidoflazine
- 1193 Lidocaine; for injection except when used as a local anaesthetic in practice by a nurse whose scope of practice permits the performance of general nursing functions or by a podiatrist registered with the Podiatrists Board or by a dental therapist or an oral health therapist registered with the Dental Council; for ophthalmic use except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; for oral use except in throat lozenges containing 30 milligrams or less per dose form; for external use in medicines containing more than 10%; except in throat sprays in medicines containing 2% or less; except when specified elsewhere in this schedule

- 1194 Lifitegrast
- 1195 Ligularia dentata; at all strengths
- 1196 Linaclotide
- 1197 Linagliptin
- 1198 Lincomycin
- 1199 Lindane; except for external use in medicines containing 2% or less
- 1200 Linezolid
- 1201 Liothyronine
- 1202 Lipegfilgrastim
- 1203 Liraglutide
- 1204 Lisdexamfetamine
- 1205 Lisinopril
- 1206 Lisuride
- 1207 Lithium; except when specified elsewhere in this schedule; except when present as an excipient in dermal medicines containing 0.25% or less
- 1208 Lixisenatide
- 1209 Lodoxamide; except in medicines for ophthalmic use
- 1210 Lofexidine
- 1211 Lomefloxacin
- 1212 Lomustine
- 1213 Loperamide; except when specified elsewhere in this schedule
- 1214 Lopinavir
- 1215 Loprazolam
- 1216 Loracarbef
- 1217 Loratadine; except when specified elsewhere in this schedule
- 1218 Lorazepam
- 1219 Lorlatinib
- 1220 Lormetazepam
- 1221 Losartan
- 1222 Loteprednol
- 1223 Lovastatin; except when present as an unmodified, naturally occurring substance in a food that has not been subject to a manufacturing process other than heating, freezing, drying, preserving, bottling, canning, or packaging in retort pouches
- 1224 Loxapine

- 1225 Lumacaftor
- 1226 Lumefantrine
- 1227 Lumiracoxib
- 1228 Lurasidone
- 1229 Luteinising hormone
- 1230 Lymecline
- 1231 Macitentan
- 1232 Mafenide
- 1233 Mannomustine
- 1234 Maprotiline
- 1235 Maraviroc
- 1236 Mazindol
- 1237 Measles vaccine; except when administered, in combination with mumps and rubella vaccines in a combination product the supply of which the Minister of Health has consented to, by vaccinators, registered pharmacists, or registered intern pharmacists who have successfully completed the Vaccinator Foundation Course (or any equivalent training course approved by the Ministry of Health) and who comply with the immunisation standards of the Ministry of Health (but excluding vaccinators who have completed the Provisional Vaccinator Foundation Course)
- 1238 Mebanazine
- 1239 Mebeverine
- 1240 Mebhydrolin
- 1241 Mebolazine
- 1242 Mebutamate
- 1243 Mecamylamine
- 1244 Mecasermin
- 1245 Mecillinam
- 1246 Meclozine
- 1247 Meclofenamate
- 1248 Meclofenoxate
- 1249 Meclozine; except when specified elsewhere in this schedule
- 1250 Medazepam
- 1251 Medigoxin
- 1252 Medroxyprogesterone
- 1253 Medrysone

- 1254 Mefenamic acid; except when specified elsewhere in this schedule
- 1255 Mefloquine
- 1256 Mefruside
- 1257 Megestrol
- 1258 Melagatran
- 1259 Melanocyte stimulating compounds
- 1260 Melatonin; except when supplied in medicines for oral use containing 3 milligrams or less per immediate release dose unit, or 2 milligrams or less per modified release dose unit, when sold in the manufacturer's original pack that has received consent from the Minister of Health or the Director General for the treatment of primary insomnia for adults aged 55 years or older for up to 13 weeks by a registered pharmacist
- 1261 Meldonium
- 1262 Melengestrol
- 1263 Melia azedarach; at all strengths
- 1264 Meloxicam
- 1265 Melphalan
- 1266 Memantine
- 1267 Meningococcal vaccine; except when administered to a person 16 years of age or over by a registered pharmacist who has successfully completed the Vaccinator Foundation Course (or any equivalent training course approved by the Ministry of Health) and who complies with the immunisation standards of the Ministry of Health (but excluding a vaccinator who has completed the Provisional Vaccinator Foundation Course)
- 1268 Menotrophin
- 1269 Mepacrine
- 1270 Mepenzolate
- 1271 Mephesisin
- 1272 Mephentermine
- 1273 Mepindolol
- 1274 Mepitiostane
- 1275 Mepivacaine
- 1276 Mepolizumab
- 1277 Meprobamate
- 1278 Meptazinol
- 1279 Mepyramine; except when specified elsewhere in this schedule
- 1280 Mequitazine

1281	Mercaptomerin
1282	Mercaptopurine
1283	Mercurochrome; except when specified elsewhere in this schedule
1284	Mercury; except when specified elsewhere in this schedule
1285	Meropenem
1286	Mersalyl
1287	Mesabolone
1288	Mesalazine
1289	Mesna
1290	Mestanolone
1291	Mesterolone
1292	Mestranol
1293	Metamfetamine
1294	Metamizole
1295	Metandienone
1296	Metaraminol
1297	Metenolone
1298	Metergoline
1299	Metformin
1300	Methacholine
1301	Methacycline
1302	Methadone
1303	Methallenoestril
1304	Methandriol
1305	Methanthelinium
1306	Methazolamide
1307	Methdilazine; except for oral use
1308	Methicillin
1309	Methimazole
1310	Methisazone
1311	Methixene
1312	Methocarbamol
1313	Methohexitone
1314	Methoin
1315	Methotrexate

- 1316 Methoxamine; except when specified elsewhere in this schedule
- 1317 Methoxsalen
- 1318 Methoxyflurane
- 1319 Methsuximide
- 1320 Methyclothiazide
- 1321 Methyl aminolevulinate
- 1322 Methyl androstanolone
- 1323 Methyl clostebol
- 1324 Methyl mercury; except in medicines containing 300 micrograms or less per litre or per kilogram
- 1325 Methyl salicylate; except for external use; except for internal use when present as an excipient in medicines containing 1.04% or less per dose form
- 1326 Methyl trienolone
- 1327 Methyldopa
- 1328 Methylene blue; for injection
- 1329 Methylergometrine
- 1330 Methylhexanamine (1,3-dimethylamylamine (DMAA)); except when present as an unmodified, naturally occurring substance
- 1331 Methylnaltrexone
- 1332 Methylpentynol
- 1333 Methylphenidate
- 1334 Methylphenobarbital
- 1335 Methylphenylpiracetam
- 1336 Methylprednisolone
- 1337 Methyltestosterone
- 1338 Methylthiouracil
- 1339 Methyprylon
- 1340 Methysergide
- 1341 Metoclopramide; except when specified elsewhere in this schedule
- 1342 Metolazone
- 1343 Metoprolol
- 1344 Metribolone
- 1345 Metrifonate
- 1346 Metronidazole
- 1347 Metyrapone

- 1348 Mexiletine
1349 Mezlocillin
1350 Mianserin
1351 Mibefradil
1352 Mibolerone
1353 Micafungin
1354 Miconazole; except when specified elsewhere in this schedule
1355 Midazolam
1356 Midodrine
1357 Midostaurin
1358 Mifepristone
1359 Migalastat
1360 Miglitol
1361 Miglustat
1362 Milnacipran
1363 Milrinone
1364 Minocycline
1365 Minoxidil; except for dermal use in medicines containing 5% or less
1366 Mirabegron
1367 Mirtazapine
1368 Misoprostol
1369 Mitobronitol
1370 Mitomycin
1371 Mitoxantrone
1372 Mitragyna speciosa
1373 Mitragynine
1374 Mivacurium
1375 Moclobemide
1376 Modafinil
1377 Molgramostim
1378 Molindone
1379 Molracetam
1380 Mometasone; except when specified elsewhere in this schedule
1381 Monobenzene
1382 Monoclonal antibodies; except in pregnancy test kits

- 1383 Montelukast
- 1384 Moperone
- 1385 Morazone
- 1386 Moricizine
- 1387 Morphine; except when specified elsewhere in this schedule
- 1388 Motrazepam
- 1389 Motretinide
- 1390 Moxifloxacin
- 1391 Mumps vaccine; except when administered, in combination with measles and rubella vaccines in a combination product the supply of which the Minister of Health has consented to, by vaccinators, registered pharmacists, or registered intern pharmacists who have successfully completed the Vaccinator Foundation Course (or any equivalent training course approved by the Ministry of Health) and who comply with the immunisation standards of the Ministry of Health (but excluding vaccinators who have completed the Provisional Vaccinator Foundation Course)
- 1392 Mupirocin
- 1393 Muraglitazar
- 1394 Muromonab
- 1395 Mustine
- 1396 Mycophenolic acid
- 1397 Nabilone
- 1398 Nabumetone
- 1399 Nadolol
- 1400 Nadroparin
- 1401 Nafarelin
- 1402 Naftidrofuryl
- 1403 Nalbuphine
- 1404 Nalidixic acid
- 1405 Nalmefene
- 1406 Nalorphine
- 1407 Naloxegol
- 1408 Naloxone; except when provided as part of an approved emergency kit for the treatment of opioid overdose
- 1409 Naltrexone
- 1410 Nandrolone

- 1411 Naproxen; except when specified elsewhere in this schedule
- 1412 Naratriptan
- 1413 Natalizumab
- 1414 Natamycin
- 1415 Nateglinide
- 1416 Nebacumab
- 1417 Nebivolol
- 1418 Nebracetam (and its stereoisomers)
- 1419 Nedocromil
- 1420 Nefazodone
- 1421 Nefiracetam
- 1422 Nefopam
- 1423 Nelfinavir
- 1424 Neomycin
- 1425 Neostigmine
- 1426 Nepafenac
- 1427 Nepidermin
- 1428 Neratinib
- 1429 Nerium oleander
- 1430 Nesiritide
- 1431 Netilmicin
- 1432 Netupitant
- 1433 Nevirapine
- 1434 Nialamide
- 1435 Nicardipine
- 1436 Nicergoline
- 1437 Nicofuranose
- 1438 Nicoracetam
- 1439 Nicorandil
- 1440 Nicotine; except when specified elsewhere in this schedule; except in preparations for oromucosal or transdermal absorption; for nasal use except when sold from a smoking cessation clinic run under the auspices of a registered medical practitioner; in medicines other than for smoking cessation
- 1441 Nicotinic acid except nicotinamide; except when specified elsewhere in this schedule

1442	Nicoumalone
1443	Nifedipine
1444	Nifenazone
1445	Nikethamide
1446	Nilotinib
1447	Nilutamide
1448	Nimesulide
1449	Nimetazepam
1450	Nimodipine
1451	Nimorazole
1452	Nintedanib
1453	Niraparib
1454	Niridazole
1455	Nisoldipine
1456	Nitazoxanide
1457	Nitisinone
1458	Nitrazepam
1459	Nitrendipine
1460	Nitric oxide
1461	Nitrofurantoin
1462	Nitrofurazone
1463	Nitrous oxide; when supplied for inhalation
1464	Nitroxoline
1465	Nivolumab
1466	Nizatidine; except when specified elsewhere in this schedule
1467	Nomegestrol
1468	Nomifensine
1469	Noopept (and its stereoisomers)
1470	Noradrenaline
1471	Norandrostenolone
1472	Norbolethone
1473	Norclostebol
1474	Nordazepam
1475	Norelgestromin
1476	Norethandrolone

- 1477 Norethisterone; except when supplied for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme
- 1478 Norfloxacin
- 1479 Norgestrel
- 1480 Noribogaine
- 1481 Normethandrone
- 1482 Nortriptyline
- 1483 Noxiptyline
- 1484 Nusinersen
- 1485 Nux vomica; except in medicines containing 1 milligram or less per litre or per kilogram of strychnine
- 1486 Nystatin; except when specified elsewhere in this schedule
- 1487 Obeticholic acid
- 1488 Obinutuzumab
- 1489 Ocrelizumab
- 1490 Ocriplasmin
- 1491 Octamylamine
- 1492 Octatropine
- 1493 Octreotide
- 1494 Octyl nitrite
- 1495 Oestradiol; except in medicines containing 10 micrograms or less per litre or per kilogram
- 1496 Oestriol
- 1497 Oestrogens
- 1498 Oestrone; except in medicines containing 1 milligram or less per litre or per kilogram
- 1499 Ofatumumab
- 1500 Ofloxacin
- 1501 Olanzapine
- 1502 Olaparib
- 1503 Olaratumab
- 1504 Oleandomycin

1505	Oleandrin
1506	Olmesartan
1507	Olodaterol
1508	Olopatadine
1509	Olsalazine
1510	Omalizumab
1511	Omberacetam
1512	Ombitasvir
1513	Omeprazole; except when specified elsewhere in this schedule
1514	Ondansetron
1515	Opipramol
1516	Opium
1517	Orciprenaline
1518	Orlistat; except in medicines for weight control containing 120 milligrams or less per dose form
1519	Ornidazole
1520	Ornipressin
1521	Orphenadrine
1522	Orthopterin
1523	Oseltamivir; except when specified elsewhere in this schedule
1524	Osimertinib
1525	Otilonium bromide
1526	Ouabain
1527	Ovandrotone
1528	Oxabolone
1529	Oxacillin
1530	Oxaliplatin
1531	Oxandrolone
1532	Oxaprozin
1533	Oxazepam
1534	Oxazolam
1535	Oxcarbazepine
1536	Oxedrine; except in medicines containing 30 milligrams or less per recommended daily dose
1537	Oxetacaine; except for internal use

- 1538 Oxiconazole; except when specified elsewhere in this schedule
- 1539 Oxiracetam (and its stereoisomers)
- 1540 Oxitropium
- 1541 Oxolamine
- 1542 Oxolinic acid
- 1543 Oxpentifylline
- 1544 Oxprenolol
- 1545 Oxybuprocaine; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 1546 Oxybutynin
- 1547 Oxycodone
- 1548 Oxymesterone
- 1549 Oxymetholone
- 1550 Oxyphenbutazone
- 1551 Oxyphenyclimine
- 1552 Oxyphenisatin; at all strengths
- 1553 Oxyphenonium
- 1554 Oxytetracycline
- 1555 Oxytocin; except in medicines containing 1 microgram or less per litre or per kilogram
- 1556 Ozanimod
- 1557 Paclitaxel
- 1558 Palbociclib
- 1559 Palifermin
- 1560 Paliperidone
- 1561 Palivizumab
- 1562 Palonosetron
- 1563 Pamaquin
- 1564 Pamidronic acid
- 1565 Pancreatic enzymes; except in medicines containing 20 000 BP units or less of lipase activity
- 1566 Pancuronium
- 1567 Panitumumab
- 1568 Panobinostat
- 1569 Pantoprazole; except when specified elsewhere in this schedule

- 1570 Papaveretum
1571 Papaverine; for injection
1572 Paracetamol; except when specified elsewhere in this schedule
1573 Paraldehyde
1574 Paramethadione
1575 Paramethasone
1576 Parecoxib
1577 Paricalcitol
1578 Paritabprevir
1579 Paromomycin
1580 Paroxetine
1581 Pasireotide
1582 Patent blue V; for injection when used in diagnostic procedures
1583 Patiomer sorbitex calcium
1584 Pazopanib
1585 Pecazine
1586 Pefloxacin
1587 Pegaptanib
1588 Pegaspargase
1589 Pegfilgrastim
1590 Peginterferon
1591 Peginterferon beta-1a
1592 Pegvisomant
1593 Pembrolizumab
1594 Pemetrexed
1595 Pemoline
1596 Pempidine
1597 Penbutolol
1598 Penciclovir; except when specified elsewhere in this schedule
1599 Penicillamine
1600 Pentaerythrityl tetranitrate
1601 Pentagastrin
1602 Pentamethonium
1603 Pentamidine
1604 Pentazocine

- 1605 Penthienate
1606 Pentolinium
1607 Pentosan polysulfate sodium
1608 Pentostatin
1609 Pentoxifylline
1610 Peramivir
1611 Perampanel
1612 Pergolide
1613 Perhexiline
1614 Pericyazine
1615 Perindopril
1616 Permethrin; except in medicines containing 5% or less
1617 Perphenazine
1618 Pertussis antigen
1619 Pertussis (whooping cough) vaccine
1620 Pertuzumab
1621 Pethidine
1622 Phenacemide
1623 Phenacetin; except when present as an excipient
1624 Phenaglycodol
1625 Phenazone; except for external use
1626 Phenazopyridine
1627 Phenzine
1628 Pheneticillin
1629 Phenformin
1630 Phenglutarimide
1631 Phenibut
1632 Phenindione
1633 Pheniramine; except when specified elsewhere in this schedule
1634 Phenisatin
1635 Phenobarbital
1636 Phenol; for injection
1637 Phenolphthalein
1638 Phenoperidine
1639 Phenoxybenzamine

1640	Phenoxymethylpenicillin
1641	Phensuximide
1642	Phentermine
1643	Phenthimentionium
1644	Phentolamine
1645	Phenylbutazone
1646	Phenylephrine; except when specified elsewhere in this schedule
1647	Phenylpiracetam
1648	Phenylpropanolamine
1649	Phenyltoloxamine
1650	Phenytol
1651	Phleum pratense extract
1652	Pholcodine; except when specified elsewhere in this schedule
1653	Phosphodiesterase type 5 inhibitors; except when present as an unmodified, naturally occurring substance; except when specified elsewhere in this schedule
1654	Phthalylsulfathiazole
1655	Physostigmine
1656	Pibrentasvir
1657	Picibanil
1658	Picric acid
1659	Picrotoxin
1660	Pilocarpine; except in medicines containing 0.025% or less
1661	Pimecrolimus
1662	Pimozide
1663	Pinacidil
1664	Pinazepam
1665	Pindolol
1666	Pioglitazone
1667	Pipecuronium
1668	Pipemidic acid
1669	Pipenzolate
1670	Piperacetam
1671	Piperacillin
1672	Piperidine

- 1673 Piperidolate
- 1674 Pipobroman
- 1675 Pipothiazine
- 1676 Pipradrol
- 1677 Piracetam
- 1678 Pirbuterol
- 1679 Pirenoxine
- 1680 Pirenzepine
- 1681 Piretanide
- 1682 Pirfenidone
- 1683 Piroxicam; except for external use
- 1684 Pirprofen
- 1685 Pitavastatin
- 1686 Pituitary hormones
- 1687 Pivampicillin
- 1688 Pizotifen
- 1689 Plerixafor
- 1690 Plicamycin
- 1691 Plitidepsin
- 1692 Pneumococcal vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
- 1693 Podophyllotoxin; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 1%; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 1694 Podophyllum emodi; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 20% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 1695 Podophyllum peltatum; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 20% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 1696 Polatuzumab vedotin
- 1697 Polidexide
- 1698 Poliomyelitis vaccine

1699	Polyacrylamide; in injections or implants for tissue augmentation or cosmetic use
1700	Polyestradiol
1701	Polylactic acid; in injections or implants for tissue augmentation or cosmetic use
1702	Polymyxin
1703	Polysulfated glycosaminoglycans; for injection except in intraocular viscoelastic products
1704	Polythiazide
1705	Pomalidomide
1706	Ponatinib
1707	Poractant alfa
1708	Posaconazole
1709	Potassium bromide
1710	Potassium perchlorate
1711	Practolol
1712	Pradofloxacin
1713	Pralatrexate
1714	Pralidoxime
1715	Pralmorelin
1716	Pramipexole
1717	Pramiracetam
1718	Pramocaine
1719	Prampine
1720	Prasterone
1721	Prasugrel
1722	Pravastatin
1723	Prazepam
1724	Praziquantel
1725	Prazosin
1726	Prednisolone
1727	Prednisone
1728	Pregabalin
1729	Pregnenolone
1730	Prenalterol

- 1731 Prenylamine
- 1732 Prilocaine; for injection except when used as a local anaesthetic in practice by a dental therapist or an oral therapist registered with the Dental Council; except when specified elsewhere in this schedule
- 1733 Primaquine
- 1734 Primidone
- 1735 Probenecid
- 1736 Probucol
- 1737 Procainamide
- 1738 Procaine
- 1739 Procaine penicillin
- 1740 Procarbazine
- 1741 Prochlorperazine; except when specified elsewhere in this schedule; except when sold for the treatment of nausea associated with emergency contraception by pharmacists or nurses accredited to sell levonorgestrel for emergency contraception
- 1742 Procyclidine; except for dermal use in medicines containing 5% or less
- 1743 Progesterone; except in medicines containing 1 milligram or less per litre or per kilogram
- 1744 Progestogens
- 1745 Proglumide
- 1746 Proguanil
- 1747 Prolintane
- 1748 Promazine
- 1749 Promethazine; except when specified elsewhere in this schedule
- 1750 Promoxolane
- 1751 Propafenone
- 1752 Propamidine; except for ophthalmic use
- 1753 Propanidid
- 1754 Propantheline
- 1755 Propetandrol
- 1756 Propionibacterium acnes
- 1757 Propofol
- 1758 Propranolol; except in medicines containing 1 milligram or less per litre or per kilogram
- 1759 Propylthiouracil

1760	Propyphenazone
1761	Proquazone
1762	Proscillaridin
1763	Prostaglandins
1764	Protamine
1765	Prothionamide
1766	Prothipendyl
1767	Protirelin
1768	Protoveratrines
1760	Protriptyline
1770	Proxymetacaine; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
1771	Prucalopride
1772	Pseudoephedrine
1773	Pulmonaria spp; at all strengths
1774	Pyrazinamide
1775	Pyridinolcarbamate
1776	Pyridostigmine
1777	Pyridoxal; except in medicines containing 200 milligrams or less per recommended daily dose
1778	Pyridoxamine; except in medicines containing 200 milligrams or less per recommended daily dose
1779	Pyridoxine; except in medicines containing 200 milligrams or less per recommended daily dose
1780	Pyrimethamine
1781	Pyrvinium
1782	Quazepam
1783	Quetiapine
1784	Quinagolide
1785	Quinapril
1786	Quinbolone
1787	Quinethazone
1788	Quinidine
1789	Quinine; except in medicines containing 50 milligrams or less per recommended daily dose
1790	Quinisocaine

1791	Quinupristin
1792	Rabeprazole
1793	Rabies vaccine
1794	Racetams; except when specified elsewhere in this schedule
1795	Raloxifene
1796	Raltegravir
1797	Raltitrexed
1798	Ramipril
1799	Ramucirumab
1800	Ranibizumab
1801	Ranitidine; except when specified elsewhere in this schedule
1802	Ranolazine
1803	Rapacuronium
1804	Rasagiline
1805	Rasburicase
1806	Rauwolfia serpentina
1807	Rauwolfia vomitoria
1808	Razoxane
1809	Reboxetine
1810	Recombinant human epidermal growth factor
1811	Recombinant varicella zoster virus glycoprotein E antigen
1812	Regorafenib
1813	Remdesivir
1814	Remestemcel-L
1815	Remifentanyl
1816	Remoxipride
1817	Repaglinide
1818	Reserpine
1819	Reslizumab
1820	Retapamulin
1821	Reteplase
1822	Retigabine
1823	Ribavirin
1824	Ribociclib
1825	Ridaforolimus

1826	Rifabutin
1827	Rifampicin
1828	Rifamycin
1829	Rifapentine
1830	Rifaximin
1831	Rilmazafone
1832	Rilpivirine
1833	Riluzole
1834	Rimexolone
1835	Rimiterol
1836	Rimonabant
1837	Riociguat
1838	Ripretinib
1839	Risankizumab
1840	Risedronic acid
1841	Risperidone
1842	Ritodrine
1843	Ritonavir
1844	Rituximab
1845	Rivaroxaban
1846	Rivastigmine
1847	Rizatriptan; except when specified elsewhere in this schedule
1848	Rocuronium
1849	Rofecoxib
1850	Roflumilast
1851	Rolipram (and its stereoisomers)
1852	Rolitetracycline
1853	Rolziracetam
1854	Romidepsin
1855	Romiplostim
1856	Romosozumab
1857	Ropinirole
1858	Ropivacaine
1859	Rosiglitazone
1860	Rosoxacin

- 1861 Rosuvastatin
- 1862 Rotavirus vaccine
- 1863 Rotigotine
- 1864 Roxibolone
- 1865 Roxithromycin
- 1866 Rubella vaccine; except when administered, in combination with measles and mumps vaccines in a combination product the supply of which the Minister of Health has consented to, by vaccinators, registered pharmacists, or registered intern pharmacists who have successfully completed the Vaccinator Foundation Course (or any equivalent training course approved by the Ministry of Health) and who complies with the immunisation standards of the Ministry of Health (but excluding vaccinators who have completed the Provisional Vaccinator Foundation Course)
- 1867 Ruboxistaurin
- 1868 Rufinamide
- 1869 Rupatadine
- 1870 Ruxolitinib
- 1871 Sabadilla; except in preparations containing 10 milligrams or less of total alkaloids of *schoenocaulon officinale* per litre or per kilogram
- 1872 Sacubitril
- 1873 Safinamide
- 1874 Safrole; for internal use except in medicines containing 0.1% or less
- 1875 Salbutamol
- 1876 Salcatonin
- 1877 Salmeterol
- 1878 Sapropterin
- 1879 Saquinavir
- 1880 Sargramostim
- 1881 Sarilumab
- 1882 Saxagliptin
- 1883 *Schoenocaulon officinale*; except in preparations containing 10 milligrams or less of total alkaloids of *schoenocaulon officinale* per litre or per kilogram
- 1884 *Scopolia carniolica*
- 1885 Sebelipase alfa
- 1886 Secbutabarbital
- 1887 Secobarbital
- 1888 Secukinumab

- 1889 Selective androgen receptor modulators
- 1890 Seletracetam (and its stereoisomers)
- 1891 Selegiline
- 1892 Selenium; except when specified elsewhere in this schedule; except for oral use in medicines containing 150 micrograms or less per recommended daily dose
- 1893 Selexipag
- 1894 Semaglutide
- 1895 Serelaxin
- 1896 Sermorelin
- 1897 Sertindole
- 1898 Sertraline
- 1899 Serum, dried human
- 1900 Sevelamer
- 1901 Sevoflurane
- 1902 Sex hormones and all substances having sex hormone activity
- 1903 Sialoepoetin
- 1904 Sibutramine
- 1905 Silandrone
- 1906 Sildenafil and its structural analogues; except sildenafil in medicines for oral use containing 100 milligrams or less per dose unit when sold in the manufacturer's original pack containing not more than 12 solid dosage units for the treatment of erectile dysfunction in males aged 35–70 years by a registered pharmacist who has successfully completed a training programme endorsed by the Pharmaceutical Society of New Zealand Incorporated
- 1907 Silicones; for injection
- 1908 Silodosin
- 1909 Siltuximab
- 1910 Silver sulfadiazine; except for external use in packs containing 50 grams or less
- 1911 Simeprevir
- 1912 Simvastatin
- 1913 Siponimod
- 1914 Sirolimus
- 1915 Sisomicin
- 1916 Sitagliptin
- 1917 Sitaxentan
- 1918 Sodium bromide

- 1919 Sodium cellulose phosphate; for internal use
- 1920 Sodium cromoglycate; except for nasal and ophthalmic use
- 1921 Sodium morrhuate; for injection
- 1922 Sodium nitroprusside
- 1923 Sodium phenylbutyrate
- 1924 Sodium phosphate; in oral laxative preparations
- 1925 Sodium polystyrene sulphonate
- 1926 Sodium tetradecyl sulphate; for injection
- 1927 Sodium zirconium cyclosilicate
- 1928 Sofosbuvir
- 1929 Solasadin
- 1930 Solifenacin
- 1931 Somatostatin
- 1932 Somatropin
- 1933 Sonidegib
- 1934 Sontoquine
- 1935 Sorafenib
- 1936 Sotalol
- 1937 Sparfloxacin
- 1938 Sparteine
- 1939 Spectinomycin
- 1940 Spiramycin
- 1941 Spirapril
- 1942 Spironolactone
- 1943 Squill
- 1944 Stanolone
- 1945 Stanozolol
- 1946 Staphylococcus aureus vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
- 1947 Stavudine
- 1948 Stenabolic (SR9009) and other synthetic REV-ERB agonists
- 1949 Stenbolone
- 1950 Steroid hormones
- 1951 Stilboestrol
- 1952 Stiripentol

- 1953 Stramonium; except for oral use when specified elsewhere in this schedule; except datura stramonium or datura tatula for smoking or burning
- 1954 Streptococcus beta-haemolyticus vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
- 1955 Streptodornase
- 1956 Streptokinase
- 1957 Streptomycin
- 1958 Streptozocin
- 1959 Strontium ranelate
- 1960 Strophanthins
- 1961 Strophanthus spp
- 1962 Strychnos spp; except in medicines containing 1 milligram or less per litre or per kilogram of strychnine
- 1963 Styramate
- 1964 Succimer
- 1965 Sufentanil
- 1966 Sugammadex
- 1967 Sulbactam
- 1968 Sulconazole; except for dermal use
- 1969 Sulfacetamide; except for ophthalmic use in medicines containing 10% or less
- 1970 Sulfadiazine; except silver sulfadiazine for external use in pack sizes of 50 grams or less
- 1971 Sulfadimethoxine
- 1972 Sulfadimidine
- 1973 Sulfadoxine
- 1974 Sulfafurazole
- 1975 Sulfaguanidine
- 1976 Sulfamerazine
- 1977 Sulfamethizole
- 1978 Sulfamethoxazole
- 1979 Sulfamethoxydiazine
- 1980 Sulfamethoxypyridazine
- 1981 Sulfametrole
- 1982 Sulfamonomethoxine
- 1983 Sulfamoxole

1984	Sulfaphenazole
1985	Sulfapyridine
1986	Sulfasalazine
1987	Sulfathiazole
1988	Sulfatroxazole
1989	Sulfinpyrazone
1990	Sulfomyxin
1991	Sulfonmethane
1992	Sulindac
1993	Sultamicillin
1994	Sulthiame
1995	Sumatriptan; except when specified elsewhere in this schedule
1996	Sunifiram
1997	Sunitinib
1998	Suprofen
1999	Suvorexant
2000	Sutilains
2001	Suxamethonium
2002	Suxethonium
2003	T cell receptor antibody
2004	Tacrine
2005	Tacrolimus
2006	Tadalafil and its structural analogues
2007	Tafamidis
2008	Tafenoquine succinate
2009	Tafluprost
2010	Talazoparib
2011	Taliglucerase alfa
2012	Talimogene laherparepvec
2013	Tamoxifen
2014	Tamsulosin
2015	Tanacetum vulgare; except in medicines containing 0.8% or less of oil of tansy
2016	Tapentadol
2017	Tasonermin
2018	Tazarotene

2019	Tazobactam
2020	Teduglutide
2021	Tegafur
2022	Tegaserod
2023	Teicoplanin
2024	Telaprevir
2025	Telbivudine
2026	Telithromycin
2027	Telmisartan
2028	Telotristat ethyl
2029	Temazepam
2030	Temozolomide
2031	Temsirolimus
2032	Tenecteplase
2033	Teniposide
2034	Tenofovir
2035	Tenoxicam
2036	Terazosin
2037	Terbinafine; except when specified elsewhere in this schedule
2038	Terbutaline
2039	Terfenadine
2040	Teriflunomide
2041	Teriparatide
2042	Terlipressin
2043	Terodiline
2044	Teropterin
2045	Tesamorelin
2046	Testolactone
2047	Testosterone; except in medicines containing 1 milligram or less per litre or per kilogram
2048	Tetanus antitoxin
2049	Tetanus toxoid
2050	Tetanus vaccine
2051	Tetrabenazine
2052	Tetracosactrin

2053	Tetracycline
2054	Tetraethylammonium
2055	Tetrahydrocannabinol
2056	Tetrazepam
2057	Tetroxoprim
2058	Thalidomide
2059	Thenyldiamine
2060	Theophylline; except when specified elsewhere in this schedule
2061	Thevetia peruviana
2062	Thevetin
2063	Thiambutosine
2064	Thiazosulfone
2065	Thiethylperazine
2066	Thioacetazone
2067	Thiocarlide
2068	Thioguanine
2069	Thiomesterone
2070	Thiopentone
2071	Thiopropazate
2072	Thiopropazine
2073	Thioridazine
2074	Thiotepa
2075	Thiothixene
2076	Thiouracil
2077	Thiourea; except in medicines containing 0.1% or less
2078	Thymosin beta-4
2079	Thymoxamine
2080	Thyroid
2081	Thyrotrophin
2082	Thyrotrophin-releasing factor
2083	Thyroxine; except in medicines containing 10 micrograms or less per litre or per kilogram
2084	Tiagabine
2085	Tianeptine
2086	Tiaprofenic acid

2087	Tiaramide
2088	Tibolone
2089	Ticagrelor
2090	Ticarcillin
2091	Ticlopidine
2092	Tiemonium
2093	Tienilic acid
2094	Tigecycline
2095	Tigloidine
2096	Tiletamine
2097	Tilidine
2098	Tilmanocept
2099	Tiludronic acid
2100	Timbetasin
2101	Timolol
2102	Tinidazole
2103	Tinzaparin
2104	Tioconazole; except when specified elsewhere in this schedule
2105	Tiotropium
2106	Tipepidine
2107	Tipiracil
2108	Tiprinavir
2109	Tirilazad
2110	Tirofiban
2111	Tivozanib
2112	Tizanidine
2113	Tobramycin
2114	Tocainide
2115	Tocilizumab
2116	Tofacitinib
2117	Tolazamide
2118	Tolazoline
2119	Tolbutamide
2120	Tolcapone
2121	Tolfenamic acid

2122	Tolmetin
2123	Tolonium
2124	Tolpropamine
2125	Tolrestat
2126	Tolterodine
2127	Tolvaptan
2128	Topiramate
2129	Topotecan
2130	Torasemide
2131	Toremifene
2132	Toxoids; for injection
2133	Tramadol
2134	Trametinib dimethyl sulfoxide
2135	Trandolapril
2136	Tranexamic acid
2137	Tranylcypromine
2138	Trastuzumab
2139	Trastuzumab emtansine
2140	Travoprost
2141	Trazodone
2142	Trenbolone
2143	Treosulphan
2144	Treprostinil
2145	Trestolone
2146	Tretamine
2147	Tretinoin
2148	Triacetyloleandomycin
2149	Triamcinolone; except when specified elsewhere in this schedule
2150	Triamterene
2151	Triaziquone
2152	Triazolam
2153	Trichlormethiazide
2154	Trichloroacetic acid; except for external use in medicines containing 12.5% or less for the treatment of warts other than anogenital warts
2155	Trichloroethylene

- 2156 Trichodesma africana; at all strengths
- 2157 Triclofos
- 2158 Tricyclamol
- 2159 Tridihexethyl
- 2160 Trientine
- 2161 Trifluoperazine
- 2162 Trifluperidol
- 2163 Triflupromazine
- 2164 Trifluridine
- 2165 Trimeprazine; except when specified elsewhere in this schedule
- 2166 Trimetaphan
- 2167 Trimethoprim; except in medicines for oral use containing 300 milligrams or less per dose unit when sold in a pack of 3 solid dosage units to a woman aged 16–65 years for the treatment of an uncomplicated urinary tract infection by a registered pharmacist who has successfully completed the New Zealand College of Pharmacists' training in the treatment of urinary tract infections
- 2168 Trimipramine
- 2169 Trimustine
- 2170 Trinitrophenol
- 2171 Trioxysalen
- 2172 Triparanol; at all strengths
- 2173 Triple antigen vaccine
- 2174 Triprolidine; except when specified elsewhere in this schedule
- 2175 Triptorelin
- 2176 Troglitazone
- 2177 Trometamol; for injection in medicines containing more than 3%
- 2178 Tropicamide; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 2179 Tropisetron
- 2180 Trovafloxacin
- 2181 Troxidone
- 2182 Tryptophan; except in medicines containing 100 milligrams or less per recommended daily dose; except in parenteral nutrition replacement preparations
- 2183 Tuberculin
- 2184 Tuberculosis vaccine
- 2185 Tubocurarine

- 2186 Tucatinib
- 2187 Tulobuterol
- 2188 Typhoid vaccine
- 2189 Ulipristal
- 2190 Umeclidinium bromide
- 2191 Unifiram
- 2192 Unoprostone
- 2193 Upadacitinib
- 2194 Uracil
- 2195 Urapidil
- 2196 Urethane
- 2197 Urofollitropin
- 2198 Urokinase
- 2199 Ursodeoxycholic acid
- 2200 Ustekinumab
- 2201 Vaccines; except when specified elsewhere in this schedule
- 2202 Vaccinia virus vaccine
- 2203 Valaciclovir
- 2204 Valdecoxib
- 2205 Valganciclovir
- 2206 Valnoctamide
- 2207 Valproic acid
- 2208 Valsartan
- 2209 Vancomycin
- 2210 Vandetanib
- 2211 Vardenafil and its structural analogues
- 2212 Varenicline
- 2213 Varicella vaccine; except when administered for the prevention of herpes zoster (shingles) to a person 50 years of age or over by a registered pharmacist who has successfully completed the Vaccinator Foundation Course (or any equivalent training course approved by the Ministry of Health) and who complies with the immunisation standards of the Ministry of Health (but excluding a vaccinator who has completed the Provisional Vaccinator Foundation Course)
- 2214 Vasopressin
- 2215 Vecuronium
- 2216 Vedolizumab

2217	Velaglucerase alfa
2218	Velpatasvir
2219	Vemurafenib
2220	Venetoclax
2221	Venlafaxine
2222	Verapamil
2223	Veratrum spp
2224	Vernakalant
2225	Verteporfin
2226	Veruprevir
2227	Vidarabine
2228	Vigabatrin
2229	Vilanterol
2230	Vildagliptin
2231	Viloxazine
2232	Vinblastine
2233	Vincamine
2234	Vincristine
2235	Vindesine
2236	Vinflunine
2237	Vinorelbine
2238	Vinyl ether
2239	Virginiamycin
2240	Vismodegib
2241	Visnadine
2242	Vitamin A; except for internal use in medicines containing 3 milligrams or less of retinol equivalents per recommended daily dose; except in parenteral nutrition replacement preparations; except for external use in medicines containing 1% or less
2243	Vitamin D; except for external use; except for internal use in medicines containing 25 micrograms or less per recommended daily dose; except in parenteral nutrition replacement preparations
2244	Voglibose
2245	Vorapaxar
2246	Voretigene neparvovec
2247	Voriconazole

- 2248 Vorinostat
- 2249 Vortioxetine
- 2250 Voxilaprevir
- 2251 Warfarin
- 2252 Xamoterol
- 2253 Xanthinol nicotinate
- 2254 Ximelagatran
- 2255 Xipamide
- 2256 Yellow fever vaccine
- 2257 Yohimbine
- 2258 Zafirlukast
- 2259 Zalcitabine
- 2260 Zaleplon
- 2261 Zanamivir
- 2262 Zidovudine
- 2263 Zimeldine
- 2264 Zinc; except for internal use in medicines containing 25 milligrams or less per recommended daily dose; except for internal use in medicines containing 50 milligrams or less and more than 25 milligrams per recommended daily dose in packs that have received the consent of the Minister or the Director-General to their distribution as general sale medicines, when sold in the manufacturer's original pack and when labelled with a statement that the product may be dangerous if taken in large amounts or for long periods; except for external use when in medicines containing 5% or less; except in parenteral nutrition replacement preparations
- 2265 Ziprasidone
- 2266 Zoledronic acid
- 2267 Zolmitriptan; except when specified elsewhere in this schedule
- 2268 Zolpidem
- 2269 Zonisamide
- 2270 Zopiclone
- 2271 Zoster immunoglobulin, human
- 2272 Zoxazolamine
- 2273 Zuclopenthixol

Part 2

Restricted medicines

- 1 Adrenaline; in medicines containing 1% or less except in medicines for injection containing 0.02% or less
- 2 Alclometasone; for dermal use in medicines containing 0.05% or less and in packs containing not more than 30 grams that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack
- 3 Aminophylline; for oral use in liquid form in medicines containing 2% or less
- 4 Amorolfine; for external use in medicines containing more than 0.25%
- 5 Aspirin; in slow-release forms; in enteric coated forms containing more than 300 milligrams per dose form
- 6 Azatadine; for oral use in adults and children over 2 years of age
- 7 Azelastine; in medicines for ophthalmic use containing 0.05% or less
- 8 Brompheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 9 Buclizine; for oral use
- 10 Butoconazole; for vaginal use
- 11 Chloramphenicol; for ophthalmic use; except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 12 Chlorbutol; except when specified elsewhere in this schedule
- 13 Chlorpheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 14 Ciclopirox; for external use in medicines containing more than 2%; in preparations for application to the nails containing more than 8%
- 15 Cimetidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 16 Clemastine; for oral use
- 17 Clobetasone; for dermal use in medicines containing 0.05% or less and in packs containing not more than 30 grams that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack
- 18 Clotrimazole; for vaginal use

- 19 Cyclizine; for oral use other than in medicines used for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 6 dosage units; for oral use in medicines used for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 20 Cyproheptadine; for oral use
- 21 Dexchlorpheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 22 Dextromethorphan; in liquid form when in packs containing not more than 600 milligrams and with a recommended daily dose of not more than 120 milligrams; in medicines for the treatment of symptoms of cough and cold in adults and children aged six years and over
- 23 Di-iodohydroxy quinoline; for vaginal use
- 24 Diclofenac; in solid dose form in medicines containing 25 milligrams or less and more than 12.5 milligrams per dose form in packs containing not more than 30 tablets or capsules
- 25 Dimenhydrinate; for oral use in medicines for adults and children over 2 years of age; except when specified elsewhere in this schedule
- 26 Dimethindene; for oral use
- 27 Diphenhydramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 28 Dithranol
- 29 Doxylamine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 30 Econazole; for vaginal use
- 31 Erythrityl tetranitrate
- 32 Famciclovir; in divided solid dosage forms for oral use containing 500 milligrams or less for the treatment of recurrent herpes labialis when sold in the manufacturer's original pack containing up to 3 dosage units
- 33 Flavoxate
- 34 Fluconazole; for oral use in medicines that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack containing 150 milligrams or less as a single dose for the treatment of vaginal candidiasis

- 35 Fluorides; for external use in liquid form in medicines containing 5.5 grams or less and more than 1 gram per litre or per kilogram and when sold in packs approved by the Minister or the Director-General for distribution as restricted medicines; for external use in non-liquid form in medicines containing 5.5 grams or less and more than 1 gram per litre or per kilogram, except in medicines containing 1.5 grams or less and more than 1 gram per litre or per kilogram; except when supplied to a dental professional registered with the Dental Council
- 36 Glucagon; except in medicines containing 100 micrograms or less per litre or per kilogram
- 37 Glyceryl trinitrate; for oral or sublingual use; for rectal use
- 38 Guaifenesin; for oral use in modified release form with a maximum recommended daily dose of not more than 2.4 grams when sold in the manufacturer's original pack containing more than 10 days' supply but not more than 30 days' supply; except for oral use in modified release form with a maximum recommended daily dose of not more than 2.4 grams when sold in the manufacturer's original pack containing not more than 10 days' supply; except for oral use in medicines containing 2% or less or 200 milligrams or less per dose form
- 39 Haemophilus influenzae vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 40 Hydrocortisone and hydrocortisone acetate but no other esters of hydrocortisone; for dermal use in medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base with no other active ingredient except an anti-fungal and in a quantity of 30 grams or less or 30 millilitres or less per container; for dermal use in medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base with no other active ingredient except 5% or less by weight of aciclovir and in a quantity of 2 grams or less or 2 millilitres or less per container in adults and children 12 years of age and older; in rectal medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base and in combination with a local anaesthetic and in a quantity of 35 grams or less per container or up to 12 suppositories per pack
- 41 Hyoscine butylbromide; for oral use in medicines containing not more than 20 milligrams per dose form and in packs containing not more than 10 tablets or capsules for the relief of muscle spasm of the gastrointestinal tract
- 42 Ibuprofen; for oral use in tablets or capsules containing up to 400 milligrams per dose form and in packs containing not more than 50 dose units and that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack labelled for use by adults or children over 12 years of age
- 43 Inositol nicotinate
- 44 Isoconazole; for vaginal use

- 45 Ketoprofen; in solid dose form containing 25 milligrams or less per dose form in packs of not more than 30 capsules or tablets
- 46 Lansoprazole; in divided solid dosage forms for oral use containing 15 milligrams or less with a maximum daily dose of 15 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over for the relief of heartburn when sold in the manufacturer's original pack containing not more than 14 dosage units
- 47 Levonorgestrel; in medicines for use as emergency post-coital contraception when in packs containing not more than 1.5 milligrams
- 48 Macrogols; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 49 Malathion; except for external use in medicines containing 2% or less
- 50 Mannityl hexanitrate
- 51 Meclozine; in a pack size of up to 10 dosage units for the treatment of insomnia
- 52 Mepyramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 53 Methdilazine; for oral use
- 54 Metoclopramide; when compounded with paracetamol in packs of not more than 10 tablets or capsules for the treatment of nausea associated with migraine
- 55 Miconazole; for the treatment of oral candidiasis; for vaginal use
- 56 Nicotinic acid except nicotinamide; in medicines containing 250 milligrams or less but more than 100 milligrams per dose form; except in medicines containing 100 milligrams or less per dose form
- 57 Nicotiny alcohol; except in medicines containing 100 milligrams or less per dose form
- 58 Nystatin; for the treatment of oral candidiasis; for vaginal use
- 59 Orlistat; in medicines for weight control containing 120 milligrams or less per dose form
- 60 Oseltamivir; in solid dosage forms for oral use containing 75 milligrams in a pack size of up to 10 dosage units for the treatment or prophylaxis of influenza in adults and children aged 13 years and older who have been exposed to the influenza virus
- 61 Oxiconazole; for vaginal use
- 62 Paracetamol; in modified-release forms containing 665 milligrams or less
- 63 Pheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for

- the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 64 Pneumococcal vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 65 Podophyllotoxin; for external use for the treatment of warts other than anogenital warts in medicines containing 1% or less and more than 0.5%; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 66 Podophyllum emodi; for external use for the treatment of warts other than anogenital warts in medicines containing 20% or less and more than 10% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 67 Podophyllum peltatum; for external use for the treatment of warts other than anogenital warts in medicines containing 20% or less and more than 10% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 68 Prochlorperazine; in packs containing not more than 10 tablets or capsules for the treatment of nausea associated with migraine
- 69 Promethazine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 70 Rizatriptan; for oral use in medicines for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms, when in wafers containing 5 milligrams or less per wafer and when sold in a pack containing not more than 2 wafers approved by the Minister or the Director-General for distribution as a restricted medicine
- 71 Salicylic acid; except in medicines for dermal use containing 40% or less
- 72 Santonin
- 73 Sodium phosphate; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 74 Sodium picosulphate; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 75 Staphylococcus aureus vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 76 Stramonium; for oral use in liquid form; in solid dose form in medicines containing more than 0.3 milligrams per dose or more than 1.2 milligrams per recommended daily dose
- 77 Streptococcus beta-haemolyticus vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds

- 78 Sulfacetamide; for ophthalmic use in medicines containing 10% or less
- 79 Sumatriptan; for oral use in medicines for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms when in tablets containing 50 milligrams or less per tablet and when sold in a pack containing not more than 2 tablets that has received the consent of the Minister or the Director-General to its sale as a restricted medicine
- 80 Theophylline; in liquid form for oral use in medicines containing 2% or less
- 81 Tioconazole; for vaginal use
- 82 Triamcinolone; for buccal use in medicines containing 0.1% or less of triamcinolone acetonide and in pack sizes of 5 grams or less
- 83 Trimeprazine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 84 Triprolidine; for oral use in medicines for adults and children over 2 years of age; except when specified elsewhere in this schedule
- 85 Zolmitriptan; in a pre-filled nasal spray device containing not more than 5 milligrams of zolmitriptan, for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms and when sold in a pack of not more than 2 devices approved by the Minister or the Director-General for distribution as a restricted medicine

Part 3

Pharmacy-only medicines

- 1 8-hydroxyquinoline and its non-halogenated derivatives; in medicines containing more than 1% of such substances; except for hydroxyquinoline sulphate for external use
- 2 Acetic acid and preparations containing more than 80% of acetic acid (CH₃COOH); excluding its salts and derivatives
- 3 Acetylcysteine; for oral use in medicines containing more than 1 gram per recommended daily dose
- 4 Aciclovir; for external use for the treatment of herpes labialis except in medicines containing 5% or less and in tubes containing 10 grams or less
- 5 Aconitum spp; for oral use in packs containing 0.2 milligrams or less and more than 0.02 milligrams of total alkaloids; for dermal use in concentrations of 0.02% or less and in packs containing 0.2 milligrams or less and more than 0.02 milligrams of total alkaloids
- 6 Aloes; for internal use; except when obtained solely from the mucilaginous gel of the leaf
- 7 Aloin

- 8 Aloxiprin
- 9 Amethocaine; for external use in medicines containing 10% or less and more than 2%; except in medicines for external use containing 2% or less
- 10 Amorolfine; in preparations for topical use; except in preparations for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 11 Antazoline; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 12 Atropa belladonna; for external use in medicines containing 0.03% or less of the alkaloids of belladonna; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of the alkaloids of belladonna or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of the alkaloids of belladonna
- 13 Atropine; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose; in medicines containing atropine sulphate for the treatment of organophosphorus poisoning either in packs of not more than 20 dose units containing 0.6 milligrams or less per dose unit or in injections in packs of not more than 5 vials containing 0.6 milligrams per millilitre; except when sold as an antidote in a device designed for self-injection from outlets licensed to sell organophosphorus poisons; except in medicines containing 300 micrograms or less per litre or per kilogram
- 14 Azelaic acid; for dermal use
- 15 Azelastine; in preparations for nasal use containing 0.15% azelastine hydrochloride or less; in topical eye preparations containing 0.05% or less
- 16 Beclomethasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 400 micrograms (200 micrograms per nostril) in a pack containing 200 actuations or less
- 17 Benzocaine; in preparations for topical use, other than eye drops, containing 10% or less of total anaesthetic substances except in dermal preparations containing 2% or less of total anaesthetic substances; in divided preparations containing 200 milligrams or less of total anaesthetic substances per dosage unit except in lozenges containing 30 milligrams or less of total anaesthetic substances per dosage unit
- 18 Benzoyl peroxide; for external use in medicines containing more than 5% and not more than 10%; except for medicines for external use containing 5% or less

- 19 Benzydamine; for external use except for oromucosal or topical use
- 20 Bephenium
- 21 Bifonazole; except when specified elsewhere in this schedule; except for dermal use in medicines for tinea pedis only or in shampoos containing 1% or less or when sold in practice by a podiatrist registered with the Podiatrists Board
- 22 Bilastine; in divided solid dosage forms for oral use containing 20 milligrams or less for the treatment of the symptoms of allergic rhinoconjunctivitis (seasonal and perennial)
- 23 Bisacodyl
- 24 Bromhexine
- 25 Brompheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing brompheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 26 Budesonide; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 64 micrograms per actuation and when the maximum recommended daily dose is no greater than 400 micrograms (200 micrograms per nostril)
- 27 Carbetapentane; except in medicines containing 0.5% or less
- 28 Carbocisteine
- 29 Cetirizine; for oral use except in divided solid dosage forms for oral use containing 10 milligrams or less of cetirizine hydrochloride per dose form for the treatment of seasonal allergic rhinitis when sold in the manufacturer's original pack containing not more than 5 days' supply
- 30 Chlophedianol
- 31 Chlorbutol; in medicines containing 5% or less and more than 0.5%; except in medicines containing 0.5% or less
- 32 Chloroform; in medicines other than for anaesthesia containing more than 0.5%; except in medicines containing 0.5% or less
- 33 Chlorpheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing chlorpheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 34 Ciclopirox; for external use in medicines containing 2% or less except when for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board; in preparations for application to the nails containing 8% or less
- 35 Cinchocaine; for external use in medicines containing 0.5% or less

- 36 Cinnamedrine
- 37 Clotrimazole; for external use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 38 Cocaine; in medicines for oral use, containing not more than 0.1% of cocaine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, and when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 39 Colocynth
- 40 Creosote; except in medicines containing 10% or less
- 41 Cresols; except in medicines containing 3% or less
- 42 *Datura* spp; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 43 Delphinium staphisagria; except in medicines containing 0.2% or less
- 44 Desloratadine; for oral use
- 45 Dexchlorpheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing dexchlorpheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 46 Dextromethorphan; in liquid form containing more than 0.25% or in solid dose form containing more than 15 milligrams per dose form when in packs containing not more than 600 milligrams and with a recommended daily dose of not more than 120 milligrams; in medicines for the treatment of the symptoms of cough and cold in children aged 6–12 years; except in liquid form containing 0.25% or less in solid dose form containing 15 milligrams or less per dose form when in packs containing not more than 600 milligrams and with a recommended daily dose of not more than 120 milligrams
- 47 Dibrompropamidine; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 48 Diclofenac; in solid dose form in medicines containing 12.5 milligrams or less per dose form in packs containing not more than 30 tablets or capsules and with a recommended daily dose of not more than 75 milligrams
- 49 Diphenoxylate; in liquid form containing in each millilitre not more than 0.5 milligrams of diphenoxylate calculated as base and not less than 5 micrograms of atropine sulphate; in solid dose form containing not more than 2.5 milligrams of diphenoxylate calculated as base and not less than 5 micrograms of atropine sulphate

- 50 Dimenhydrinate; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults or children over 2 years of age except when sold at a transport terminal or aboard a ship or an aircraft
- 51 Diphenhydramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing diphenhydramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults and children over 2 years of age except when sold at a transport terminal or aboard a ship or an aircraft
- 52 Doxylamine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing doxylamine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 53 *Duboisia leichhardtii*; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 54 *Duboisia myoporides*; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 55 Econazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 56 Esomeprazole; in oral preparations containing 20 milligrams or less per dosage unit for the relief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 14 days' supply
- 57 Etafedrine
- 58 Ether; in medicines containing more than 10%; except in medicines containing 10% or less
- 59 Etofenamate; for external use
- 60 Famotidine; for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply

- 61 Felbinac; for external use
- 62 Fexofenadine; for oral use except for the treatment of seasonal allergic rhinitis in adults and children 12 years of age and over when in capsules containing 60 milligrams or less of fexofenadine hydrochloride or in tablets containing 120 milligrams or less of fexofenadine hydrochloride with a maximum daily dose of 120 milligrams when sold in the manufacturer's original pack containing 20 dosage units or less and not more than 10 days' supply; for the treatment of seasonal allergic rhinitis in adults and children 12 years of age and over when in tablets containing 180 milligrams or less of fexofenadine hydrochloride with a maximum daily dose of 180 milligrams when sold in the manufacturer's original pack containing 5 dosage units or less and not more than 5 days' supply
- 63 Fluorides; for internal use in medicines containing 0.5 milligrams or less per dose unit; except in parenteral nutrition replacement preparations; for external use in liquid form in medicines containing 1 gram or less per litre or per kilogram and when sold in packs approved by the Minister or the Director-General for distribution as pharmacy-only medicines except in medicines containing 220 milligrams or less per litre or per kilogram and in packs containing not more than 120 milligrams of total fluoride; except when supplied to any dental professional registered with the Dental Council; except in medicines containing 15 milligrams or less per litre or per kilogram
- 64 Flurbiprofen; in locally acting oromucosal preparations containing 10 milligrams or less per dosage unit
- 65 Fluticasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age when in aqueous nasal sprays delivering up to 50 micrograms per actuation with a maximum recommended daily dose of 200 micrograms (as a single dose)
- 66 Folic acid; for oral use in medicines containing more than 500 micrograms per recommended daily dose; except for oral use in medicines containing 500 micrograms or less per recommended daily dose; except in parenteral nutrition replacement preparations
- 67 Folinic acid; for oral use in medicines containing more than 500 micrograms per recommended daily dose; except for oral use in medicines containing 500 micrograms or less per recommended daily dose
- 68 Formaldehyde; except in medicines containing 5% or less
- 69 Gelsemium sempervirens; except in medicines containing 1 milligram or less per litre or per kilogram
- 70 Glutaraldehyde
- 71 Hexachlorophane; in medicines containing 3% or less but more than 0.75%; except in medicines containing 0.75% or less

- 72 Hydrocortisone and hydrocortisone acetate but no other esters of hydrocortisone; for dermal use in medicines containing 0.5% or less by weight of hydrocortisone base with no other active ingredient except an antifungal and in a quantity of 30 grams or less or 30 millilitres or less per container; in rectal medicines containing 0.5% or less by weight of hydrocortisone base and in combination with a local anaesthetic and in a quantity of 35 grams or less per container or 12 suppositories or fewer per pack
- 73 Hydrocyanic acid; for oral use in packs containing 5 milligrams or less and more than 0.5 milligrams; except in medicines containing 1 microgram or less per litre or per kilogram; except for oral use in packs containing 0.5 milligrams or less
- 74 Hydroquinone; for external use in medicines containing 2% or less except in hair preparations containing 1% or less
- 75 Hyoscine; for transdermal use in medicines containing 2 milligrams or less of total solanaceous alkaloids per dose unit; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 76 Hyoscyamine; for external use in medicines containing 0.03% or less of total solanaceous alkaloids; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 77 Hyoscyamus niger; for oral use in liquid form in medicines containing 0.03% or less (300 micrograms or less of total solanaceous alkaloids per litre or per kilogram) and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose except in packs containing 30 micrograms or less of total solanaceous alkaloids
- 78 Ibuprofen; for oral use in liquid form with a recommended daily dose of not more than 1.2 grams for the relief of pain and reduction of fever or inflammation when sold in the manufacturer's original pack containing not more than 8 grams; for oral use in solid dose form containing not more than 200 milligrams per dose form and with a recommended daily dose of not more than 1.2 grams when sold in the manufacturer's original pack containing not more than 100 dose units; except in divided solid dosage forms for oral use containing 200 milligrams or less per dose form with a recommended daily dose of not

- more than 1.2 grams and when sold in the manufacturer's original pack containing not more than 25 dose units; except for external use
- 79 Indanazoline
- 80 Indomethacin; for external use in medicines containing 1% or less; except in medicines containing 1 milligram or less per litre or per kilogram
- 81 Iodine; except for external use in medicines containing 2.5% or less; for internal use in medicines containing less than 300 micrograms per recommended daily dose
- 82 Ipecacuanha; in medicines containing 0.2% or less of emetine and 40 micrograms or more of ipecacuanha alkaloids per recommended dose for the treatment of the symptoms of cough and cold in children aged 6–12 years; except in medicines containing less than 40 micrograms of ipecacuanha alkaloids per recommended dose for the treatment of the symptoms of cough and cold in children aged 6–12 years
- 83 Ipomoea spp; except ipomoea batatas
- 84 Ipratropium; for nasal use
- 85 Iron; for oral use either in medicines containing more than 24 milligrams per recommended daily dose or in medicines containing more than 5 milligrams per dose unit and more than 750 milligrams of iron per pack; except in parenteral nutrition replacement preparations; except for oral use in medicines containing 24 milligrams or less per recommended daily dose in medicines containing not more than 5 milligrams per dose unit; except for oral use in medicines containing 24 milligrams or less per recommended daily dose in medicines containing more than 5 milligrams per dose unit in packs containing not more than 750 milligrams of iron
- 86 Isoconazole; for dermal use except when sold in practice by a podiatrist registered with the Podiatrists Board
- 87 Isopropamide; for dermal use in preparations containing 2% or less
- 88 Jalap resin
- 89 Ketoconazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board; except in medicines for treatment of the scalp containing 1% or less
- 90 Ketotifen; for ophthalmic use in medicines containing 0.025% or less except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 91 Leucovorin; in medicines containing more than 500 micrograms per recommended daily dose
- 92 Levocabastine; for nasal use; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board

- 93 Levocetirizine; for oral use
- 94 Lignocaine; for urethral use; for external use in medicines containing 10% or less and more than 2%
- 95 Lindane; for external use in medicines containing 2% or less
- 96 Lithium; for dermal use in medicines containing 1% or less but more than 0.01%; except for dermal use in medicines containing 0.01% or less
- 97 Lobelia inflata; except in medicines for smoking or burning
- 98 Lobeline; except when in medicines for smoking or burning
- 99 Lodoxamide; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 100 Loperamide; in packs containing not more than 20 tablets or capsules; except in divided solid dosage forms for oral use containing 2 milligrams or less of loperamide per dosage form when sold in a pack containing not more than 8 dosage forms approved by the Minister or the Director-General for distribution as a general sales medicine for the symptomatic treatment of acute non-specific diarrhoea
- 101 Loratadine; for oral use; except in divided solid dosage forms for oral use containing 10 milligrams or less per dose form for the treatment of seasonal allergic rhinitis when sold in the manufacturer's original pack containing not more than 10 days' supply
- 102 Macrogols; in preparations for oral use as a liquid concentrate for laxative use
- 103 Mebendazole
- 104 Meclozine; in a sealed container of not more than 12 tablets or capsules for the prevention or treatment of travel sickness except when sold at a transport terminal or aboard a ship or aircraft
- 105 Mefenamic acid; in solid dose form in packs containing not more than 30 tablets or capsules for the treatment of dysmenorrhoea
- 106 Mepyramine; for dermal use; except for external use in medicines containing 2% or less in packs not exceeding 25 grams
- 107 Mercuric oxide; for ophthalmic use
- 108 Mercurochrome; in preparations for external use containing 2% or less
- 109 Mercury; for external use in medicines containing 0.5% or less; except in medicines containing 1 milligram or less per litre or per kilogram
- 110 Methoxamine; for external use in medicines containing more than 1%; except for external use in medicines containing 1% or less
- 111 Methoxyphenamine
- 112 Methylephedrine
- 113 Miconazole; for external use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board

- 114 Minoxidil; for dermal use in medicines containing 5% or less
- 115 Mometasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 200 micrograms (as a single dose) in a pack containing 200 actuations or less
- 116 Morphine; in medicines for oral use containing not more than 0.2% of morphine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 117 Naphazoline; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 118 Naproxen; in solid dose form containing 250 milligrams or less per dose form in packs of not more than 30 tablets or capsules
- 119 Niclosamide
- 120 Nicotine; for inhalation except when sold from a smoking cessation clinic run under the auspices of a registered medical practitioner, nurse, pharmacist, or psychologist
- 121 Nizatidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 122 Noscapine
- 123 Nystatin; for dermal use except when sold in practice by a podiatrist registered with the Podiatrists Board; except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 124 Omeprazole; in divided solid dosage forms for oral use containing 20 milligrams or less with a maximum daily dose of 20 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over when sold in the manufacturer's original pack containing not more than 28 dosage units
- 125 Opium; in medicines for oral use containing not more than 0.2% of morphine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means, or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 126 Oxetacaine; for internal use
- 127 Oxiconazole; for dermal use except in medicines for tinea pedis only

- 128 Oxymetazoline; except for nasal use when sold at an airport; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; except for nasal use in medicines containing 0.05% or less when sold in the manufacturer's original pack with a pack size of 20 millilitres or less
- 129 Pantoprazole; in divided solid dosage forms for oral use containing 20 milligrams or less with a maximum daily dose of 20 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over when sold in the manufacturer's original pack containing not more than 28 dosage units
- 130 Papaverine; except for injection
- 131 Paracetamol; in liquid form; in suppositories; in tablets or capsules containing 500 milligrams or less and in packs containing more than 10 grams and not more than 50 grams; in powder form containing not more than 1 gram per sachet and more than 10 grams per pack; except in tablets or capsules containing 500 milligrams or less and in packs containing not more than 10 grams; except in powder form in sachets containing 1 gram or less and in packs of not more than 10 grams
- 132 Paraformaldehyde; except in medicines containing 5% or less
- 133 Penciclovir; for external use for the treatment of herpes labialis; except in medicines for external use containing 1% or less in a pack containing 10 grams or less for the treatment of herpes labialis
- 134 Phedrazine
- 135 Phenazone; for external use
- 136 Pheniramine; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing pheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 137 Phenol; except in medicines other than for injection containing 3% or less
- 138 Phenylephrine; for nasal use in medicines containing more than 1%; for ophthalmic use in medicines containing 5% or less and more than 1%; for oral use in medicines containing more than 50 milligrams per recommended daily dose or in packs containing more than 250 milligrams of phenylephrine per pack; in medicines for the treatment of the symptoms of cough and cold in children aged 6–12 years; except for nasal or ophthalmic use in medicines containing 1% or less; except for oral use in medicines containing 50 milligrams or less per recommended daily dose and in packs containing 250 milligrams or less of phenylephrine per pack

- 139 Pholcodine; in medicines for oral use containing not more than 15 milligrams of pholcodine per solid dosage unit or per dose of liquid with a maximum daily dose not exceeding 100 milligrams of pholcodine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means, or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 140 Piperazine
- 141 Podophyllotoxin; for external use for the treatment of warts other than anogenital warts in medicines containing 0.5% or less; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 142 Podophyllum emodi; for external use for the treatment of warts other than anogenital warts in medicines containing 10% or less of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 143 Podophyllum peltatum; for external use for the treatment of warts other than anogenital warts in medicines containing 10% or less of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 144 Potassium; for internal use: in slow-release or enteric coated forms; except for internal use: in medicines containing 100 milligrams or less per recommended dose; in medicines containing more than 100 milligrams per recommended dose except in medicines for oral rehydration therapy, parenteral nutrition replacement, or dialysis; except in glucosamine sulphate complexed products containing 600 milligrams or less of potassium chloride per recommended dose; except for external use
- 145 Potassium chlorate; except in medicines containing 10% or less
- 146 Prilocaine; for dermal use in medicines containing 10% or less of local anaesthetic substances
- 147 Procyclidine; for dermal use in medicines containing 5% or less
- 148 Promethazine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing promethazine or when at least 1 of the other active ingredients is a sympathomimetic decongestant; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults and children over 2 years of age except when sold at a transport terminal or aboard a ship or aircraft
- 149 Propamidine; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 150 Pyrantel

- 151 Pyrethrins; except in medicines containing 10% or less
- 152 Pyrithione zinc; except in medicines for treatment of the scalp containing 2% or less
- 153 Ranitidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner when sold in the manufacturer's original pack containing not more than 14 days' supply; except in medicines containing 300 milligrams or less per dose unit when sold in the manufacturer's original pack containing not more than 7 days' supply
- 154 Salicylamide
- 155 Selenium; for oral use in medicines containing 300 micrograms or less and more than 150 micrograms per recommended daily dose; for external use except in medicines containing 3.5% or less of selenium sulphide
- 156 Sennosides
- 157 Silver; except in oral solutions containing 0.3% or less or other medicines containing 1% or less
- 158 Silver sulfadiazine; for external use in pack sizes of 50 grams or less
- 159 Sodium cromoglycate; for nasal use; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 160 Sodium nitrite; except for use as an excipient
- 161 Sodium picosulphate; in oral laxative preparations
- 162 Squill; except in medicines containing 1% or less
- 163 Stramonium; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 164 Sulconazole; for dermal use
- 165 Sulfadiazine, silver; for external use in pack sizes of 50 grams or less
- 166 Terbinafine; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 167 Tetrachloroethylene
- 168 Tetrahydrozoline; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 169 Thiabendazole
- 170 Tioconazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 171 Tramazoline

- 172 Triamcinolone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age and when in aqueous nasal sprays delivering up to 55 micrograms per actuation when the maximum recommended daily dose is no greater than 220 micrograms and the medicine has received the consent of the Minister or the Director-General to its distribution as a pharmacy-only medicine
- 173 Trimeprazine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing trimeprazine or when at least 1 of the other therapeutically active ingredients is a sympathomimetic decongestant
- 174 Triprolidine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing triprolidine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 175 Tuaminoheptane
- 176 Tymazoline
- 177 Xylenols; except in medicines containing 3% or less
- 178 Xylometazoline; except for nasal use when sold at an airport; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 179 Zinc chloride; for dermal use in medicines containing more than 5%

Clerk of the Executive Council.

Explanatory note

This note is not part of the regulations, but is intended to indicate their general effect.

These regulations, which come into force on 1 September 2021, replace Schedule 1 of the Medicines Regulations 1984 (the **principal regulations**). *New Schedule 1* sets out an updated list of specified medicines and classes of medicines that are declared to be prescription medicines, restricted medicines, or pharmacy-only medicines under the Medicines Act 1981 (the **Act**).

The updated list includes medicines that the Minister of Health has classified by *Gazette* notice made under section 106 of the Act (*see Classification of Medicines (Gazette 2021-go2170)*). *Gazette* notices made under section 106 override any inconsistent classification of medicines in the principal regulations, but they do not amend the principal regulations, and they cease to have effect after a period of 6 months (if not revoked sooner).

Medicines Amendment Regulations (No 2) 2021

Issued under the authority of the Legislation Act 2012.

Date of notification in *Gazette*:

These regulations are administered by the Ministry of Health.

PROACTIVELY RELEASED