

PHARMACEUTICAL CLAIMS DATA MART (PHARMS) BusinessObjects™ Universe Data Guide

Version 2.0 July 2006

nzhis
New Zealand Health Information Service

Reproduction of material

The New Zealand Health Information Service (NZHIS) permits the reproduction of material from this publication without prior notification, providing all the following conditions are met: the information must not be used for commercial gain, must not be distorted or changed, and NZHIS must be acknowledged as the source.

Disclaimer

The Ministry of Health gives no indemnity as to the correctness of the information or data supplied. The Ministry of Health shall not be liable for any loss or damage arising directly or indirectly from the supply of this publication.

All care has been taken in the preparation of this publication. The data presented was deemed to be accurate at the time of publication, but may be subject to change. It is advisable to check for updates to this publication on NZHIS's web site at http://www.nzhis.govt.nz.

New Zealand Health Information Service

The New Zealand Health Information Service (NZHIS) is a group within the Ministry of Health responsible for the collection and dissemination of health-related data. NZHIS has as its foundation the goal of making accurate information readily available and accessible in a timely manner throughout the health sector. The vision of NZHIS is to be recognised as a leader in the provision of health information services, and to support the health sector's ongoing effort to improve the health status of New Zealanders.

Publications

A complete list of NZHIS's publications is available from New Zealand Health Information Service, PO Box 5013, Wellington, or on NZHIS's web site at http://www.nzhis.govt.nz/publications/publications.htm.

Any enquiries about or comments on this publication should be directed to:

The Publications Officer

New Zealand Health Information Service

PO Box 5013

Wellington

Phone: (04) 922 1800 Fax: (04) 922-1899

Email: nzhis-pub@nzhis.govt.nz

Published by New Zealand Health Information Service © 2006, New Zealand Health Information Service

Introduction

Basis

This Pharms BusinessObjects™ Data Guide describes the classes and objects that comprise the Pharmaceutical Claims Data Mart BusinessObjects™ Universe.

This Data Guide should be read in conjunction with the Pharms Data Dictionary v2.0.

Objectives

The objectives of the New Zealand Health Information Service (NZHIS) BOU Data Guides are to:

- describe the information available within the BOU
- provide alphabetical listing of classes and objects
- link objects within the BOU to fields and elements within the Data Dictionaries.

Audiences

The target audiences for NZHIS BOU Data Guides are data users.

Format

The first part of the guide lists classes in alphabetical order, followed by an alphabetical list of objects.

- Objects are duplicated where they occur in more than one class.
- Appendix A provides a glossary of terms.
- Appendix B lists the constraints that apply to the universe.
- Appendix C lists the tables queried by the universe.
- Appendix D lists the joins between tables within the universe.
- Appendix E provides a complete list of classes and objects in the order in which they appear in the BOU.
- Appendix F provides the model for the Business Objects Universe.
- Appendix G is a guide for the collection of ethnicity data.

Table of Contents

able of Contents Dverview: Pharms BusinessObjects™ Data Guide	
Pata mart Overview	
Pata mart Monitoring	
Optimising Query Performance: Using the Aggregate table	
Optimising Query Performance: By Date Dispensed	
xporting Data	
4	
dexADD information	
Annotations	
Chemical	
Claim Extract	
Claim info	
Claimant	
Claimant Address	
Claimant Location	
Contract	
Cost	
Cost (excl GST)	
Date Approved	
Date Claimed	
Date Dispensed	
Dispensing Adjustments	
Dispensing Adjustments	
Dispensing Groupings	
Formulation	
Latest Level 0 Ethnicity (MPO)	
Latest Level 1 Ethnicity (MPOAEU)Latest Level 2 Ethnicity (10 - 99)	
Level 0 Ethnicity (MPO)	
Level 1 Ethnicity (MPO)	
Level 2 Ethnicity (10 - 99)	
Measures	
Medicode Details	
Patient	
Patient Age at Dispensing	
Patient Latest Ethnicity	
Patient Location	
Patient Transaction Ethnicity	
Payment Agency Versions	
Pharmaceutical Details	
Pharmaceutical Reference	
Prescriptions	
Provider	
Provider Address	
Provider Address	
Special Authority Reference	
Subsidy Details	
TG ID's	
Theraputic Group	
Threshholds	
THEOHIUM	
Time Series	

Object Ir	ndex	22
•	Address 1	
	Address 2	22
	Address1	23
	Address2	23
	Address3	
	Adjustment amount	
	Age at dispensing	
	Alternate subsidy	
	Approved month	
	Approved year	
	Area unit (patient)	
	Area unit code (patient)	
	Area unit description	
	Area unit number 1991	
	Area unit number 1996	
	Area unit number 2001	
	Average daily dose	32
	Average days supply	33
	Brand ID	
	Brand name	34
	Calendar month number approved	35
	Calendar month number claimed	
	Calendar month number dispensed	
	Calendar quarter approved	
	Calendar quarter claimed	
	Calendar quarter dispensed	
	Calendar quarter number approved	
	Calendar quarter number claimed	
	Calendar quarter number dispensed	
	Calendar year approved	41
	Calendar year claimed	
	Calendar year dispensed	
	Catnip batch number	43
	CBF funding age bands	45
	CBS	46
	CBS flag	47
	CBS unit price	48
	Change details	
	Chemical ID	50
	Chemical ID by TG 1	51
	Chemical ID by TG 2	
	Chemical ID by TG 3	52
	Chemical name	52
	Child resistant container	53
	City town	55
	Claim amount	56
	Claim approved date	57
	Claim date	59
	Claim month	61
	Claim value	
	Claim year	63
	Claimant name	
	Claimant number	
	Component grouping	
	Component number	69
	Compound group	71
	Compound identifier	
	Contract description	72
	COS code	
	Cost Brand Source (CBS)	
	Cost Brand Source (CBS) flag	76
	Cost breakdown	76

Cost ex supplier Cost ex supplier (GST excl.)	//
Cost ex supplier group	
Count SA (Special Authority)	70
CSC ind	
CSC ind (Community Services Card)	00
Daily dose	
Data grouping	
Data source	
Data type	
Date approved	
Date claimed	
Date dispensed	
Date of Birth	89
Date of Death	89
Date suffix	90
Day of month approved	92
Day of month claimed	
Day of month dispensed	93
Day of week approved	94
Day of week claimed	
Day of week dispensed	
Days supply	90
Deprivation index	
DHB (patient)	
DHB code	
DHB code (patient)	
DHB name	
Dispensing fee code	
Dispensing fee value	.101
Dispensing fee value (excl GST)	.103
Dispensings prescribed	.103
Distributor	
Domicile (Patient)	
Domicile 2001	
Domicile code (patient)	
Donicile code (patient)	
Dr Zero	
Drug cost (excl GST)	110
	1111
Effective date	
	.112
Encrypted HCU ID	.112 .112
Encrypted HCU IDEthnic code 1 (L0)	.112 .112 .113
Encrypted HCU IDEthnic code 1 (L0)Ethnic code 1 (L1)	.112 .112 .113 .114
Encrypted HCU ID	.112 .112 .113 .114 .114
Encrypted HCU IDEthnic code 1 (L0)Ethnic code 1 (L1)	.112 .112 .113 .114 .114
Encrypted HCU ID	.112 .112 .113 .114 .114
Encrypted HCU ID	.112 .113 .113 .114 .114 .115
Encrypted HCU ID	.112 .113 .114 .114 .115 .116
Encrypted HCU ID	.112 .113 .114 .114 .115 .116 .116
Encrypted HCU ID	.112 .113 .114 .114 .115 .116 .116
Encrypted HCU ID. Ethnic code 1 (L0) Ethnic code 1 (L1) Ethnic code 2 (L0) Ethnic code 2 (L1) Ethnic code 2 (L2) Ethnic code 3 (L0) Ethnic code 3 (L0) Ethnic code 3 (L1)	.112 .113 .114 .115 .116 .116 .117
Encrypted HCU ID	.112 .113 .114 .114 .115 .116 .117 .117
Encrypted HCU ID	.112 .113 .114 .115 .116 .116 .117 .117
Encrypted HCU ID	.112 .113 .114 .115 .116 .117 .117 .118 .119
Encrypted HCU ID	.112 .113 .114 .114 .115 .116 .117 .117 .118 .119 .120 .121
Encrypted HCU ID	.112 .113 .114 .115 .116 .117 .117 .118 .119 .120 .121
Encrypted HCU ID	.112 .113 .114 .114 .115 .116 .117 .117 .118 .119 .120 .121 .121 .121
Encrypted HCU ID	.112 .113 .114 .114 .115 .116 .117 .117 .118 .119 .120 .121 .121 .122 .123
Encrypted HCU ID	.112 .113 .114 .114 .115 .116 .117 .117 .118 .119 .121 .121 .122 .123
Encrypted HCU ID	.112 .113 .114 .114 .115 .116 .117 .117 .118 .119 .120 .121 .122 .123 .123 .124
Encrypted HCU ID Ethnic code 1 (L0) Ethnic code 1 (L1) Ethnic code 1 (L2) Ethnic code 2 (L0) Ethnic code 2 (L1) Ethnic code 2 (L2) Ethnic code 3 (L0) Ethnic code 3 (L1) Ethnic code 3 (L1) Ethnic code 3 (L2) Ethnic icode 3 (L2) Ethnic icode 3 (L2) Ethnicity 1 (L0) Ethnicity 1 (L1) Ethnicity 2 (L0) Ethnicity 2 (L0) Ethnicity 2 (L1) Ethnicity 3 (L0) Ethnicity 3 (L0) Ethnicity 3 (L1) Ethnicity 3 (L2) Ethnicity 3 (L2) Ethnicity 3 (L2) Ethnicity 3 (L2)	.112 .113 .114 .114 .115 .116 .117 .117 .118 .120 .121 .122 .123 .123 .124 .124
Encrypted HCU ID. Ethnic code 1 (L0) Ethnic code 1 (L1) Ethnic code 2 (L0) Ethnic code 2 (L1) Ethnic code 2 (L1) Ethnic code 3 (L2) Ethnic code 3 (L1) Ethnic code 3 (L1) Ethnic tode 3 (L2) Ethnic tode 3 (L2) Ethnic tode 3 (L2) Ethnicity 1 (L0) Ethnicity 1 (L1) Ethnicity 2 (L0) Ethnicity 2 (L0) Ethnicity 2 (L1) Ethnicity 3 (L0) Ethnicity 3 (L1) Ethnicity 3 (L2) Ethnicity 3 (L2) Ethnicity 3 (L2) Ethnicity 3 (L2) Expiry date File type	112 113 114 114 115 116 117 117 118 119 120 121 123 123 124 124
Encrypted HCU ID	112 113 114 114 115 116 117 117 118 119 120 121 123 123 124 124 125
Encrypted HCU ID. Ethnic code 1 (L0). Ethnic code 1 (L1). Ethnic code 1 (L2). Ethnic code 2 (L0). Ethnic code 2 (L0). Ethnic code 2 (L1). Ethnic code 3 (L0). Ethnic code 3 (L0). Ethnic code 3 (L1). Ethnic code 3 (L2). Ethnic code 3 (L2). Ethnicity 1 (L0). Ethnicity 1 (L0). Ethnicity 1 (L1). Ethnicity 1 (L2). Ethnicity 2 (L0). Ethnicity 2 (L1). Ethnicity 2 (L1). Ethnicity 3 (L0). Ethnicity 3 (L0). Ethnicity 3 (L1). Ethnicity 3 (L2). Expiry date. File type. Financial month number approved. Financial month number claimed.	112 113 114 114 115 116 117 117 118 119 120 121 123 123 124 124 125 126 127
Encrypted HCU ID	112 113 114 114 115 116 117 117 118 119 120 121 123 123 124 124 125 126 127

Financial quarter claimed	129
Financial quarter dispensed	
Financial quarter number approved	
Financial quarter number claimed	131
Financial quarter number dispensed	132
Financial year approved	132
Financial year claimed	
Financial year dispensed	
Five year age bands	
Form cost	
Form number	
Form pack BK	
Form type	
Formulation ID	
Formulation ID by TG 1	
Formulation ID by TG 2	
Formulation ID by TG 3	
Formulation ID by TGM	
Formulation name	
Full name	
Funding DHB Code	
Funding DHB name	
GMS age bands	1 4 0
HB subsidy grouping	1 .7 7
HBL cost ex supplier (incl GST)	148
HFA region	149
HUHC ind	
Item number	
Latest Ethnic code 1 (L0)	
Latest Ethnic code 1 (L1)	
Latest Ethnic code 1 (L2)	
Latest Ethnic code 2 (L0)	154
Latest Ethnic code 2 (L1)	
Latest Ethnic code 2 (L2)	
Latest Ethnic code 3 (L0)	
Latest Ethnic code 3 (L1)	
Latest Ethnic code 3 (L2)	
Latest Ethnicity 1 (L0)	
Latest Ethnicity 1 (L1)	
Latest Ethnicity 1 (L2)	
Latest Ethnicity 2 (L0)	
Latest Ethnicity 2 (L1)	
Latest Ethnicity 3 (L0)	
Latest Ethnicity 3 (L1)	
Latest Ethnicity 3 (L2)	
Latest Prioritised ethnic code (L0)	
Latest Prioritised ethnic code (L1)	
Latest Prioritised ethnic code (L2)	
Latest Prioritised ethnicity (L0)	
Latest Prioritised ethnicity (L1)	
Latest Prioritised ethnicity (L2)	
Life cycle stages bands	
Locum ID	169
Manufacturer	171
Max subsidy	
Medicode	
Meshblock number 1991	
Meshblock number 1996	
Meshblock number 2001	
Meshblock NZDep01	
Month approved	
Month claimed	
Month dispensed	
Multiple	1 / /

National adjustment	178
NHI reported	
No of dispensings	
No of items	
North health identifier	
NSS flag	
Number of claimants	
Number of Patients	
Number of providers	
Number safety net cards	
NZDep96	
Occupation code	
Oncology specialty patient group	
OP	
Order type	
Outliers	
Patient age in months at dispensing	
Patient age in years at dispensing Patient category	104
Patient category Patient contibution	
Patient contribution	
Patient contribution (excl GST)	
Patient flag	198
Patient RHA code	
Payment agency chemical ID	
Payment agency cost ex supplier inc	
Payment agency pack ID	204
Payment agency pack size	205
Payment agency presentation ID	
Payment agency product ID	
Payment agency product pack ID	208
Payment authority	210
Payment due date	
PEC - Prescription Form Number	
PEC and Claimant	
PEC form number	
PHA subsidy card ind	
PHA subsidy card indicator	
Pharmac provider code	
Pharmac provider type	
Practice address 1	
Practice address 2.	
Practice address 3	
Prescribed quantity	
Prescriber flag	
Prescription flag	
Prescription grouping	
Prescription ID	
Prescription number	
Presentation ID	
Price	
Prioritised ethnic code (L0)	
Prioritised ethnic code (L1)	
Prioritised ethnic code (L2)	
Prioritised ethnicity (L0)	233
Prioritised ethnicity (L1)	
Prioritised ethnicity (L2)	
Product ID	
Provider code	
Provider first names	
Provider name	
Provider number	
Provider Number (dispensing)	
Provider role type	
Provider type	240

Provider type description	241
Quantity	242
Quantity prescribed	
Quantity units	
Regional health authority	
Reimbursement cost	
Reimbursement cost group	
Reimbursment cost (excl GST)	250
Reimbursment cost (GST incl.)	
Repeat sequence grouping	
Repeat sequence number	
Requirement Item Name	
Requirement suffix	
Retail subsidy	
Retail subsidy (excl GST)	
RHA region (Patient)	
Rounding	
S patient cont remainder	
Scripts	
Sex	
Sex code	
Short Description	
Special authority grouping	
Special authority number	
Special authority type	270
Specialist ID	272
Specified	
Stat indicator	
Strength per unit	
Subsidy	
Subsidy grouping	
Subsidy type	
Subsidy value	
TA code (Patient) Ten year age bands	
Territorial authority (patient)	
TG 1 ID	283
TG 2 ID	
TG 3 ID	
TG ID	
TG level 1 name	285
TG level 2 name	
TG level 3 name	286
TGM	_
TLA name 1995	
TLA number 1995	
Total cost	
Total days supply	
Trading name	
Units dispensed	
Units grouping Ward name 1995.	
Ward number 1995	
ward number 1995	293
Appendix A: Glossary	i
Appendix B: Constraints	
Appendix C: Tables	
Appendix D: Joins	
Appendix E: List of Classes and Objects	
Appendix F: Universe Model	xii
Appendix G: Collection of Ethnicity Data	xiii

Related Documents

Related Documents

This document should be read in conjunction with the following documents:

Document Title	Location	Version
BO User Guide	See NZHIS Website: http://www.nzhis.govt.nz/documentation/dictionaries/index.html	V1.0
Pharms Data Dictionary	See NZHIS Website: http://www.nzhis.govt.nz/documentation/dictionaries/index.html	V2.0
SHARED DIMS Data Dictionary	See NZHIS Website: http://www.nzhis.govt.nz/documentation/dictionaries/index.html	V2.0

Related Sites

This document should be read in conjunction while referring to the following website:

Title	Location
Business Objects portal	http://bo/

Overview: Pharms BusinessObjects™ Data Guide

Scope

Purpose

The Pharmaceutical Collection (Pharms) is a data mart that supports the management of pharmaceutical subsidies. It is jointly owned by the Ministry of Health and Pharmac.

Content

The Pharmaceutical Collection contains claim and payment information from pharmacists for subsidised dispensings that have been processed by the HealthPAC General Transaction Processing System (GTPS).

As at June 2006, the Pharmaceutical Collection holds over 469 million claims. Approximately 3.5 million rows of data are added each month.

Start date

The Pharms collection was started in 1 July 1992.

Guide for use

The Pharmaceutical Collection has undergone two major changes since 1992:

- Repeat prescriptions were introduced in 1996.
- The major drug key changed from Medicode, allocated by HealthPAC, to Pharmacode (pharmacy stock code) in 1998.

Other small structural changes are made to the Pharmaceutical Collection each year. For more information, refer to the Pharms Data Dictionary.

All money values are assumed to be inclusive of GST, unless otherwise stated.

Identification of co-prescribing, which is the analysis of drugs being prescribed and taken together, has been a problem with historical data.

Contact information

For further information about this collection or to request specific datasets or reports, contact the NZHIS Analytical Services team on ph 04 922 1800, fax 04 922 1897, or e-mail inquiries@nzhis.govt.nz, or visit the NZHIS web site www.nzhis.govt.nz.

Collection methods

The main source of the data is HealthPAC's GTPS.

Additional data is provided by:

- Statistics NZ (Geographical and Census data; claimant data is geocoded by the NZHIS geocoding engine).
- HealthPAC (provider reference data).
- Pharmac (the Pharmac Schedule and mappings).

Frequency of updates

NZHIS receives monthly extracts from HealthPAC and Pharmac. Pharms is updated accordingly on or about the 10th of each month.

Security of data

The Pharmaceutical Collection is accessed by authorised NZHIS and Pharmac staff for maintenance, data quality, audit and analytical purposes.

Authorised members of the Ministry of Health and DHBs have access to the Pharmaceutical Collection for analytical purposes, via Business Objects and the secure Health Information Network. Business Objects contains a subset of the data described in the Data Dictionary.

Note: Access to the Pharms requires approval from Pharmac.

Privacy issues

The Ministry of Health is required to ensure that the release of information recognises any legislation related to the privacy of health information, in particular the Official Information Act 1982, the Privacy Act 1993 and the Health Information Privacy Code 1994.

Information available to the general public is of a statistical and non-identifiable nature. Researchers requiring identifiable data will usually need approval from an Ethics Committee.

NZHIS is responsible for the privacy of NHI-related information. NHI numbers have only been provided since April 2002, and only approximately one-third of dispensings have a valid NHI number.

Pharmac is responsible for the security of information relating to the practice of prescribing drugs.

National reports and publications

Pharmac releases monthly reports to the DHBs and Shared Support Agencies in MS Excel format.

Data provision

If approval is provided by Pharmac, customised datasets or summary reports are available on request, either electronically or on paper. Staff from the NZHIS Analytical Services team can help to define the specifications for a request and are familiar with the strengths and weaknesses of the data.

The NZHIS Analytical Services team also offer a peer review service to ensure that NZHIS data is reported appropriately when published by other organisations. There may be charges associated with data extracts.

Data Mart Overview

Design

The Pharms Data Mart design is based on the Kimball design philosophy, using star schemas and composed of fact and dimension tables.

The dimensions in the data mart are codes and descriptions, based on reference data. It may be unique to the datamart or it may be common across several systems. Dimension data includes items such as Provider IDs, Health Care User IDs, Ethnic Groups, etc.

In summary the Pharms Data Mart:

- Uses a star-schema to record all individual PHARMS events.
- Shares common dimensions with other primary care data marts.

Data Sources

Data is received from two sources:

- HealthPAC
- Pharmac

The primary source of event data is from HealthPAC files via FTP. Reference data is provided by Pharmac via an emailed MS Access database.

Data Volumes

The data mart contains pharmaceutical dispensing transaction data in production (as at 2 Feb 2006).

Year of Visit	Pharmaceutical Dispensings
1992	10,783,424
1993	22,213,834
1994	23,489,467
1995	24,941,964
1996	30,481,227
1997	35,155,013
1998	35,090,265
1999	37,917,285
2000	38,943,174
2001	41,265,600
2002	43,654,032
2003	44,579,279
2004	40,575,159
2005	40,674,137
TOTAL	469,763,860

Monthly Growth

The volume will grow by approximately 4,000,000 to 5,000,000 transactions each month.

Data mart Monitoring

Data mart Monitoring

All users accessing NZHIS data marts using BusinessObjects $^{\text{TM}}$ have their access logged and monitored. The following table shows what is recorded.

Capability	Description
User Sessions	Records who has connected, how often and for how long, from where, and by what method.
Query Tracking	Records who has sent what queries, how many rows returned and how long they took to complete.
Tables Used	Records which tables are being used and by whom.

Optimising Query Performance: Using the Aggregate table

Using the Aggregate table in Queries

The Pharms Standard and Pharms Encrypted BusinessObjects version 6.5 Universes have been updated to include an aggregate table (AGG_PHA_DISPENSING_CLM) which significantly reduces the time some aggregated gueries take to run.

Aggregate Table Objects

If all the objects contained in your query are in the following list then the aggregate table will be used and guery response times will be greatly reduced.

- Date Dispensed class any object at the level of Month or above.
- Claimant class and sub classes any object except: Contract / COS Code & **Contract Description**
- Prescriptions class and sub classes all measure objects except: Cost / Rounding, Volumes / Count SA, ADD Information / Average days supply, Average daily dose & Total days supply.
- Patient / NHI reported
- Patient / Patient Location / DHB (patient)
- Patient / Patient Location / DHB code (patient)
- Provider / Provider Location / DHB code
- **Dispensing Groupings / Subsidy type**
- Pharmaceutical Reference / Therapeutic Group / TG level 1 name

Your queries will automatically use this aggregate table if all the objects in your query are contained in the aggregate table.

Checking Aggregate table use in queries

If you are unsure as to whether your query will use the aggregate table and be sped accordingly do the following:

- Build your query.
- Select the SQL button on the BusinessObjects toolbar




- The SQL Viewer window will open.
- Check the content of the guery in SQL Viewer window.
- If you see the AGG PHA DISPENSING CLM used in the SQL then your query is using the aggregate table and accordingly will run much faster.

Continued Next Page

Using the Aggregate table - Continued

Checking Aggregate table use in queries -Continued



• If AGG_PHA_DISPENSING_CLM is not included in the SQL Viewer query code then you have used an object/s that are not included in the aggregate table. Your query will still run but performance and response time will be slower.

Optimising Query Performance: By Date Dispensed

Partitioning Queries by Date Dispensed

The Pharms fact table fact_pha_dispensing is partitioned monthly by dim_dispensed_date_key.

This monthly partitioning aids in the performance of the majority of queries that use date dispensed as part of the query definition.

Exporting Data

TO retrieve		THEN use	Result is
All records added or updated in the last load or from a selected period.		'Date Suffix equal to' or the 'Date Suffix equal to or after' conditions from the Extract class.	The results will include all new or updated records.
A range of records for a given year.		Calendar year object from the Date Approved, Date Claimed or Date Dispensed classes.	The results will include all records within that calendar year.
			See Note below.
A range of records for a given month and year.		Calendar year object and the Month object from the Date Approved, Date Claimed or Date Dispensed classes.	The results will include all records within that month and year.
			See Note below.
We recommend that you use the 'Date Suffix equal to' or the 'Date Suffix equal to or after conditions from the Dispensing Extract or Claims Extract classes or the date objects from the Date Approved, Date Claimed or Date Dispensed classes as part of the condition, rather than using objects from other classes.			

Pharms - Pharmaceutical Claims Collection Class Index

ADD information

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: ADD information

Class Definition:Information for Average Daily Dose calculations (ADD).Class Type:SubclassParent Class:Prescriptions

Class Objects:

Outliers
Daily dose
Dose
Frequency
Average days supply
Average daily dose
Total days supply

Annotations

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Annotations

Class Definition: This class contains additional items held at a prescription level.

Class Type: Subclass Parent Class: Prescriptions

Class Objects:

Cost Brand Source (CBS) flag

Prescriber flag Patient flag Prescription flag

PEC - Prescription Form Number

PEC and Claimant

Cost Brand Source (CBS)

Data type

Component number

Subsidy value Form number

Order type

Prescription number

Form type

Repeat sequence number Dispensings prescribed

Stat indicator NSS flag Prescription ID Child resistant container Catnip batch number

Chemical

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Chemical

Class Definition: Holds values for chemical id's, chemcial names and Therapeutic Groupings 1, 2, and 3.

Class Type: Subclass Parent Class: Pharmaceutical Reference

Class Objects:

Chemical name Chemical ID Chemical ID by TG 1 Chemical ID by TG 2 Chemical ID by TG 3

Claim Extract

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Claim Extract

Class Definition: Warning: The use of objects from this class with objects from another class will result in a

cartesian product.

This class contains fields on the Fact_PHA_Claim table and not the dimensionalized versions of those fields. There is no indexing on these fields so filtering by any fields in this class except the Date suffix object will be relatively slow. The objects in this class contain the raw values as

received from HealthPac.

Class Type: Class Parent Class:

Class Objects:

Date suffix
Adjustment amount
Catnip batch number
Claimant number
Claim approved date
Claim date
Claim value
File type
Number safety net cards
Payment due date

Claim info

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Claim info

Class Definition: Summarised information for each claim by claimant and date.

NOTE: Not joined to any tables.

Class Type: Class Parent Class:

Class Objects:

File type
Claim year
Claim month
Claim date
Claimant number
Approved year
Approved month
Claim approved date
Claim value
Adjustment amount
Payment due date
Regional health authority

Claimant

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Claimant

Class Definition: Details on the pharmacy making a claim.

Class Type: Class Parent Class:

Class Objects:

Claimant name
Claimant number
Funding DHB Code
Domicile 2001
Funding DHB name
Trading name
NZDep96

Meshblock NZDep01 Number of claimants

Child Classes:

Contract Claimant Location Claimant Address

Claimant Address

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Claimant Address

Class Definition: The address of the pharmacy or other institution making the claim.

Class Type: Subclass Parent Class: Claimant

Class Objects:

Address1 Address2 Address3

Claimant Location

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Claimant Location

Class Definition: Various geographical regions.

Class Type: Subclass Parent Class: Claimant

Class Objects:

HFA region
DHB code
DHB name
Regional health authority
TLA name 1995
TLA number 1995
Ward number 1995
Area unit number 1996
Area unit number 1991
Area unit number 2001
Meshblock number 1991
Meshblock number 1996
Meshblock number 2001

Ward name 1995 Area unit description

Contract

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Contract

Class Definition: Contains information on what contract the dispensing fee has been claimed under. Each contract

identifies the amount of mark-up and dispensing fee to charge.

Note:

Information on the dispensings table is incomplete by Cos code. Cos code was introduced with

electronic claiming so totals by contract will be lower than actual dispensings.

Class Type: Subclass Parent Class: Claimant

Class Objects:

July 2006

Contract description COS code

Cost

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Cost

Class Definition: This group contains the various costs after processing by HealthPac.

As a general rule Retail subsidy + Dispensing Fee Value - Patient Contribution should equal Reimbursement Cost. Retail Subsidy should equal HB cost ex supplier plus markups.

Class Type: Subclass Parent Class: Prescriptions

Class Objects:

Reimbursment cost (GST incl.)
Retail subsidy
HBL cost ex supplier (incl GST)
Cost ex supplier (GST excl.)
Dispensing fee value
Patient contribution
S patient cont remainder
Rounding
National adjustment

Child Classes:

Cost (excl GST)

Threshholds

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Cost (excl GST)

Class Definition:All pharmaceutical cost components (excluding GST).Class Type:SubclassParent Class:Prescriptions

Class Objects:

Reimbursment cost (excl GST) Drug cost (excl GST) Retail subsidy (excl GST) Dispensing fee value (excl GST) Patient contribution (excl GST)

Date Approved

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Date Approved

Class Definition: Date on which claim was paid.

NOT the preferred option for time series analyses. Processing the claim results in an variable

time lag which can distort the time series. See also comments on Date Claimed.

Class Type: Subclass Parent Class: Time Series

Class Objects:

Calendar year approved
Calendar quarter approved
Calendar quarter number approved
Month approved
Calendar month number approved
Day of month approved
Day of week approved
Financial year approved
Financial quarter approved
Financial quarter number approved
Financial month number approved
Date approved

Date Claimed

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Date Claimed

Class Definition: Date on which the liablilty to pay was incured.

This is the preferred option for time series analyses as the claim date much closer to the date

dispensed. See also comments on Date Approved.

Class Type: Subclass Parent Class: Time Series

Class Objects:

Calendar quarter claimed
Calendar year claimed
Calendar quarter number claimed
Month claimed
Calendar month number claimed
Day of month claimed
Day of week claimed
Financial year claimed
Financial quarter claimed
Financial quarter number claimed
Financial month number claimed
Date claimed

Date Dispensed

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Date Dispensed

Class Definition: Date on which the pharmacist dispensed the pharmaceutical data. Historically this has not been

very reliable, however under electronic claiming this information is improving.

Historically where not available this has been set to the claim date.

Class Type: Subclass Parent Class: Time Series

Class Objects:

Calendar year dispensed
Calendar quarter dispensed
Calendar quarter number dispensed
Month dispensed
Calendar month number dispensed
Day of month dispensed
Day of week dispensed
Financial year dispensed
Financial quarter dispensed
Financial quarter number dispensed

Financial month number dispensed Date dispensed

Dispensing Adjustments

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Dispensing Adjustments

Class Definition: Warning: The use of objects from this class with objects from another class will result in a

cartesian product.

This class contains credits and resubmits of claims.

Class Type: Class Parent Class:

Class Objects:

Catnip batch number

CBS flag CBS unit price

Child resistant container

Claimant number Claim amount Claim date

Component number

COS code
Daily dose
Data type
Date dispensed
Date suffix
Days supply

Dispensings prescribed Dispensing fee value

Dose

Encrypted HCU ID

Form number

Frequency

Payment agency chemical ID

Payment agency cost ex supplier inc

Payment agency pack ID
Payment agency pack size
Payment agency presentation ID
Payment agency product ID

Item number

Locum ID

National adjustment

NSS flag

Patient contribution

Patient flag

Pharmacode

PHA subsidy card ind

Prescribed quantity

Prescriber flag

Prescription flag

Prescription number

Quantity

Quantity prescribed

Quantity units

Reimbursement cost

Repeat sequence number

Requirement number

Requirement suffix

Retail subsidy

Rounding

Specialist ID

Special authority number

Special authority type

Stat indicator

Subsidy value

S patient cont remainder

Dispensing Extract

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Dispensing Extract

Class Definition: This class contains fields on the Fact_PHA_Dispensing table and not the dimensionalized

versions of those fields. There is no indexing on these fields so filtering by any fields in this class except the Date suffix object will be relatively slow. The objects in this class contain the raw

values as received from HealthPac.

Class Type: Class Parent Class:

Class Objects:

Encrypted HCU ID

Date suffix

Age at dispensing

Catnip batch number

CBS flag

CBS unit price

Child resistant container

Claimant number

Claim approved date

Claim date

Component number

Reimbursement cost

Cost ex supplier

COS code

Daily dose

Data source

Date dispensed

Days supply

Dispensings prescribed

Dispensing fee code

Dispensing fee value

Dose

PHA subsidy card indicator

Form cost

Form number

Form pack BK

Form type

Frequency

Payment agency chemical ID

Payment agency cost ex supplier inc

Payment agency pack size

Payment agency presentation ID

Payment agency product pack ID

HUHC ind CSC ind Item number Locum ID

National adjustment

NSS flag

Oncology specialty patient group

Order type

Patient category

Patient contribution

Claim amount

Patient flag

Payment authority

PEC form number

Quantity units

Pharmacode

Pharmac provider type

Prescriber flag

Prescription flag

Prescription ID

Prescription number

Provider number

Provider type

Quantity

Quantity prescribed

Repeat sequence number

Requirement number

Requirement suffix

Retail subsidy

Provider role type

Rounding

Special authority number

Special authority type

Stat indicator

Subsidy value

S patient cont remainder

Dispensing Groupings

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Dispensing Groupings

Class Definition: Use these objects to group data more conviently on the dispensings table.

Class Type: Class Parent Class:

Class Objects:

Drug cost grouping Compound identifier Dr Zero Cost breakdown Subsidy type North health identifier Special authority grouping
Prescription grouping
Repeat sequence grouping
Subsidy grouping
HB subsidy grouping
Compound group
Component grouping
Data grouping
Oncology specialty patient group

Formulation

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Formulation

Class Definition: Holds Pharmac Identifier values for each Formulation classification of a drug.
 Class Type: Subclass Parent Class: Pharmaceutical Reference

Class Objects:

Formulation name Formulation ID Formulation ID by TG 1 Formulation ID by TG 2 Formulation ID by TG 3 Formulation ID by TGM

Latest Level 0 Ethnicity (MPO)

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Latest Level 0 Ethnicity (MPO)

Class Definition: Level 0 groups ethnicities into: 1= Maori, 2= Pacific Island, 5= Other.

Class Type: Subclass Parent Class: Patient | Patient Latest Ethnicity

Class Objects:

Latest Prioritised ethnicity (L0)

Latest Prioritised ethnic code (L0)

Latest Ethnicity 1 (L0)

Latest Ethnicity 2 (L0)

Latest Ethnicity 3 (L0)

Latest Ethnic code 1 (L0)

Latest Ethnic code 2 (L0)

Latest Ethnic code 3 (L0)

Latest Level 1 Ethnicity (MPOAEU)

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Latest Level 1 Ethnicity (MPOAEU)

Class Definition: Level 1 groups ethnicities into: 1= European, 2 = Maori, 3 = Pacific Island, 4 = Asian, 5 = Other, 9

= Unspecified.

See Ethnicity & Ethnic Code in Shared Dimensions Data Dictionary for further information.

Class Type: Subclass Parent Class: Patient | Patient Latest Ethnicity

Class Objects:

Latest Prioritised ethnicity (L1)

Latest Prioritised ethnic code (L1)

Latest Ethnicity 1 (L1)

Latest Ethnicity 2 (L1) Latest Ethnicity 3 (L1)

Latest Ethnic code 1 (L1)

Latest Ethnic code 2 (L1)

Latest Ethnic code 3 (L1)

Latest Level 2 Ethnicity (10 - 99)

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Latest Level 2 Ethnicity (10 - 99)

Class Definition: Level 2 is the lowest (most detailed) level of ethnicity recored in the NZHIS data marts. E.g. 21 =

Maori, 32 = Cook Island Maori, 11 = NZ European / Pakeha.

See Ethnicity & Ethnic Code in Shared Dimensions Data Dictionary for further information.

Class Type: Subclass Parent Class: Patient | Patient Latest Ethnicity

Class Objects:

Latest Prioritised ethnicity (L2)

Latest Prioritised ethnic code (L2)

Latest Ethnicity 1 (L2)

Latest Ethnicity 2 (L2)

Latest Ethnicity 3 (L2)

Latest Ethnic code 1 (L2)

Latest Ethnic code 2 (L2)

Latest Ethnic code 3 (L2)

Level 0 Ethnicity (MPO)

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Level 0 Ethnicity (MPO)

Class Definition: Level 0 groups ethnicities into: 1= Maori, 2= Pacific Island, 5= Other.

See: Ethnicity & Ethnic Code in Shared Dimension Data Dictionary for further information on the

use of Ethnic Codes.

Class Type: Subclass Parent Class: Patient | Patient Transaction Ethnicity

Class Objects:

Prioritised ethnicity (L0) Prioritised ethnic code (L0)

Ethnicity 1 (L0) Ethnicity 2 (L0) Ethnicity 3 (L0) Ethnic code 1 (L0) Ethnic code 2 (L0) Ethnic code 3 (L0)

Level 1 Ethnicity (MPOAEU)

Version: 1.0 Version Date: 07-Jun-2006 **Class Attributes**

Name: Level 1 Ethnicity (MPOAEU)

Class Definition: Level 1 groups ethnicities into: 1= European, 2 = Maori, 3 = Pacific Island, 4 = Asian, 5 = Other, 9

= Unspecified.

Class Type: Subclass Parent Class: Patient | Patient Transaction Ethnicity

Class Objects:

Prioritised ethnicity (L1)

Prioritised ethnic code (L1)

Ethnicity 1 (L1)

Ethnicity 2 (L1) Ethnicity 3 (L1)

Ethnic code 1 (L1)

Ethnic code 2 (L1)

Ethnic code 3 (L1)

Level 2 Ethnicity (10 - 99)

Version: 1.0 **Class Attributes** Version Date: 07-Jun-2006

Level 2 Ethnicity (10 - 99) Name:

Class Definition: Level 2 is the lowest (most detailed) level of ethnicity recored in the NZHIS data marts. E.g. 21 =

Maori, 32 = Cook Island Maori, 11 = NZ European / Pakeha.

Class Type: Subclass Parent Class: Patient | Patient Transaction Ethnicity

Class Objects:

Prioritised ethnicity (L2)

Prioritised ethnic code (L2)

Ethnicity 1 (L2)

Ethnicity 2 (L2)

Ethnicity 3 (L2)

Ethnic code 1 (L2)

Ethnic code 2 (L2)

Ethnic code 3 (L2)

Measures

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Measures

Class Definition: x

Class Type: Subclass Parent Class: Pharmaceutical Reference | Subsidy Details

Class Objects:

Max subsidy Subsidy

Medicode Details

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Medicode Details

Class Definition: This class holds the Medicode (pharmaceutical identifier) details used by HealthPac.

Class Type: Subclass Parent Class: Pharmaceutical Reference

Class Objects:

Requirement Item Name Short Description Requirement Number Requirement Suffix

Medicode

Patient

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Patient

Class Definition: Contains patient related information.

Class Type: Class Parent Class:

Class Objects:

Date of Death
Date of Birth
Patient category
Patient contibution
HUHC ind
CSC ind (Community Services Card)
PHA subsidy card ind
NHI reported
Sex code

Sex Deprivation index Number of Patients

Child Classes:

Patient Location
Patient Age at Dispensing
Patient Transaction Ethnicity
Level 1 Ethnicity (MPOAEU)
Level 2 Ethnicity (10 - 99)
Level 0 Ethnicity (MPO)
Patient Latest Ethnicity
Latest Level 2 Ethnicity (10 - 99)
Latest Level 0 Ethnicity (MPO)
Latest Level 1 Ethnicity (MPOAEU)

Patient Age at Dispensing

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Patient Age at Dispensing

Class Definition: The age of the patient at the time of dispensing.

Class Type: Subclass Parent Class: Patient

Class Objects:

Patient age in months at dispensing Five year age bands Life cycle stages bands Ten year age bands CBF funding age bands GMS age bands Patient age in years at dispensing

Patient Latest Ethnicity

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Patient Latest Ethnicity

Class Definition: The most recent ethnicity of the patient according to the NHI.

Note that queries using the latest ethnicity will run slower than queries using the transaction

ethnicity.

See Ethnicity & Ethnic Code in Shared Dimensions Data Dictionary for further information.

Class Type: Subclass Parent Class: Patient

No Class Objects

Child Classes:

Latest Level 2 Ethnicity (10 - 99) Latest Level 0 Ethnicity (MPO)

Page 15

Latest Level 1 Ethnicity (MPOAEU)

Patient Location

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Patient Location

Class Definition: Holds detals of the patient (health care user) location i.e. DHB, Territorial Authority, Domicile,

Area Unit & historical RHA.

Class Type: Subclass Parent Class: Patient

Class Objects:

DHB (patient)
DHB code (patient)
Domicile (Patient)
Domicile code (patient)
Territorial authority (patient)
TA code (Patient)
Area unit (patient)
Area unit code (patient)
RHA region (Patient)
Patient RHA code

Patient Transaction Ethnicity

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Patient Transaction Ethnicity

Class Definition: The ethnicity of the health care user at the time of dispensing.

Class Type: Subclass Parent Class: Patient

No Class Objects

Child Classes:

July 2006

Level 1 Ethnicity (MPOAEU) Level 2 Ethnicity (10 - 99) Level 0 Ethnicity (MPO)

Payment Agency Versions

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Payment Agency Versions

Class Definition: This class holds Payment Agency (HealthPac) identifier for the formulation for a chemical,

medicine or drug.

Class Type: Subclass Parent Class: Pharmaceutical Reference

Class Objects:

Payment agency chemical ID Payment agency presentation ID Payment agency product pack ID

Pharmaceutical Details

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Pharmaceutical Details

Class Definition: Pharmacode reference information.

NOTE: Only dispensings with pharmacode information will be returned. Prior to October 2000

electronic claiming was less than 90%

Class Type: Subclass Parent Class: Pharmaceutical Reference

Class Objects:

Pharmacode
Presentation ID
Base units
Strength per unit
Brand name
Brand ID
Multiple
Quantity
Manufacturer
Distributor
Specified
Product ID

Pharmaceutical Reference

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Pharmaceutical Reference

Class Definition: Reference details for pharmaceuticals contained in the Pharmaceutical Schedule maintained by

PHARMAC.

Contains chemical, formulation, brand and pack details.

Class Type: Class Parent Class:

No Class Objects

Child Classes:

Theraputic Group TG ID's Pharmaceutical Details Payment Agency Versions Medicode Details Subsidy Details Measures Formulation Chemical

Prescriptions

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Prescriptions

Class Definition: This group contains the detailed information found on a prescription, such as cost, volume,

average daily dose etc.

Class Type: Class Parent Class:

No Class Objects

Child Classes:

Annotations
Volumes
Volume groupings
Cost
Threshholds
ADD information
Cost (excl GST)
Special Authority Reference

Provider

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Provider

Class Definition: The master table of health care provider data, being mostly doctors but does include nurses,

dentist and other health professionals.

Class Type: Class Parent Class:

Class Objects:

Provider Number (dispensing)

Provider code

Provider type

Provider type description

Pharmac provider code

Pharmac provider type

Locum ID

Provider name

Provider first names

Full name

Occupation code

Number of providers

Child Classes:

Provider Location Provider Address

Provider Address

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Provider Address

Class Definition: The postal address of the provider.

Class Type: Subclass Parent Class: Provider

Class Objects:

Address 1 Address 2 City town

Practice address 1 Practice address 2 Practice address 3

Provider Location

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Provider Location

Class Definition: The DHB area of the provider.

Class Type: Subclass Parent Class: Provider

Class Objects:

DHB code

Special Authority Reference

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Special Authority Reference

Class Definition: Used for drugs that are treated differently by Pharmac, where authority is required to dispense the

drug.

Class Type: Subclass Parent Class: Prescriptions

Class Objects:

Special authority number Special authority type

Subsidy Details

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Subsidy Details

Class Definition: Details of subsidies found in the Pharaceutical Schedule. Contains history. Note subsidies are at

a pack level.

Class Type: Subclass Parent Class: Pharmaceutical Reference

Class Objects:

Effective date Expiry date Change details CBS

OP

Subsidy value Alternate subsidy

Price

Child Classes:

Measures

TG ID's

Class Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: TG ID's

Class Definition: Theraputic Group IDs

Class Type: Subclass Parent Class: Pharmaceutical Reference | Theraputic Group

Class Objects:

TG ID TG 1 ID

TG 2 ID

TG 3 ID

Theraputic Group

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Theraputic Group

Class Definition: Pharmaceutical classification based on that developed by the WHO Collaborating Center for Drug

Statistics Methodology (www.whocc.nmd.no). Drugs are classified by their Anatomical,

Thearapeutic and Chemical Properties.

Class Type: Subclass Parent Class: Pharmaceutical Reference

Class Objects:

TG level 1 name

TG level 2 name TG level 3 name TGM

Child Classes:

TG ID's

Threshholds

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Threshholds

Class Definition: Use this group to look at data over different levels of costs.

NOTE: Be careful including these objects in the main query as they will result in a large number of

results.

Class Type: Subclass Parent Class: Prescriptions | Cost

Class Objects:

Total cost Reimbursement cost group Cost ex supplier group

Time Series

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Time Series

Class Definition: Holds time/date values with which to base queries upon.

Class Type: Class Parent Class:

No Class Objects

Child Classes:

Date Dispensed Date Approved Date Claimed

Volume groupings

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Volume groupings

Class Definition: X

Class Type: Subclass Parent Class: Prescriptions | Volumes

Version: 2.0 NZHIS Page 20

Class Objects:

Quantity units No of items Units grouping

Volumes

Class Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Volumes

Class Definition: This class contains a selection of measures used to provide total volume counts for dispensings,

scripts, special authority dispensings, and units.

Class Type: Subclass Parent Class: Prescriptions

Class Objects:

Scripts Count SA (Special Authority) No of dispensings Units dispensed

Child Classes:

Volume groupings

Pharms - Pharmaceutical Claims Collection Object Index

Address 1

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Address 1

Description: The first line of the provider's physical address.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Provider Address | Hierarchy: Provider | Provider Address | Address 1

Definition

SQL Statement: DSSADM.DIM_PHA_PROVIDER.PROVIDER_ADDRESS **SQL Description:** Select PROVIDER_ADDRESS from DIM_PHA_PROVIDER

Datamart Links:

<u>Field:</u> <u>Dictionary:</u>

provider_address dim_provider GMS

provider_address dim_provider SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Address 2

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Address 2

Description: The second line of the provider's physical address.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Version: 2.0 NZHIS Page 22

July 2006

Enclosing Class: Provider Address Provider | Provider Address | Address 2 Hierarchy: **Definition** SQL Statement: DSSADM.DIM_PHA_PROVIDER.PROVIDER_ADDRESS2 **SQL Description:** Select PROVIDER_ADDRESS2 from DIM_PHA_PROVIDER **Datamart Links:** Field: Table: Dictionary: provider address2 dim_nir_nominated_provider NIR DM SHARED DIMS provider_address2 dim_provider **Properties** Aggregate Function: **Object Format:** Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort Address1 Version: 1.0 Version Date: 12-Jun-2006 **Object Attributes** Name: Address1 The first line of the claimant's address. Description: Guide For Use: May have been changed from the address supplied by HealthPAC, to achieve geocoding. Qualification: Dimension Data Type: char Location Enclosing Class: Claimant Address Claimant | Claimant Address | Address1 Hierarchy: **Definition** DSSADM.DIM_CLAIMANT.CLAIMANT_ADDRESS1 SQL Statement: SQL Description: Select CLAIMANT_ADDRESS1 from DIM_CLAIMANT **Datamart Links:** Field: Table: Dictionary: claimant_address1 dim_claimant PHARM DD2 **Properties** Aggregate Function: Object Format: Value List Name: Value List Associated: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort

Address2

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Address2

Description: The second line of the claimant's address.

Guide For Use: May have been changed from the address supplied by HealthPAC, to achieve geocoding.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant Address | Address | Address | Address | Address |

Definition

SQL Statement: DSSADM.DIM_CLAIMANT.CLAIMANT_ADDRESS2 **SQL Description:** Select CLAIMANT_ADDRESS2 from DIM_CLAIMANT

Datamart Links:

Field:Table:Dictionary:claimant_address2dim_claimantPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Address3

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Address3

Description: The third line of the claimant's address.

Guide For Use: May have been changed from the address supplied by HealthPAC, to achieve geocoding.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant Address Hierarchy: Claimant | Claimant Address | Address3

Definition

SQL Statement: DSSADM.DIM_CLAIMANT.CLAIMANT_ADDRESS3 **SQL Description:** Select CLAIMANT_ADDRESS3 from DIM_CLAIMANT

Datamart Links:

Field:Table:Dictionary:claimant_address3dim_claimantPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Adjustment amount

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Adjustment amount

Description: The adjustments accruing to earlier claim(s) for this claimant.

Guide For Use: Includes negative values.

Before Claim approved date of August 1998 includes Agency fee, Other value, Safety net cards value

and Collection rate adjustment.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claim Extract Hierarchy: Claim Extract | Adjustment amount

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.ADJUSTMENT_AMOUNT **SQL Description:** Select ADJUSTMENT_AMOUNT from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:adjustment amountfact_pha_claimPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Adjustment amount

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Adjustment amount

Description: Sum of adjustments accruing to earlier claim(s) for this claimant.

Guide For Use: Includes negative values.

Before Claim approved date of August 1998 includes Agency fee, Other value, Safety net cards value

and Collection rate adjustment.

Qualification: Measure Data Type: integer **Location** Enclosing Class: Claim info Hierarchy: Claim info | Adjustment amount **Definition** SQL Statement: SUM(DSSADM.FACT_PHA_CLAIM.ADJUSTMENT_AMOUNT) SQL Description: **Datamart Links:** Field: Table: **Dictionary:** adjustment_amount fact_pha_claim PHARM DD2 **Properties** Aggregate Function: SUM Object Format: Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort Age at dispensing **Object Attributes** Version: 1.0 Version Date: 12-Jun-2006 Name: Age at dispensing The age of the patient at the time of the dipensing of the prescription. Calculated by the equation of Description: the Date of Dispensing less the NHI date of birth. Guide For Use: Qualification: Dimension Data Type: char Location Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Age at dispensing **Definition** SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.AGE_AT_DISPENSING SQL Description: Select AGE_AT_DISPENSING from FACT_PHA_DISPENSING_NI **Datamart Links:** Field: Table: **Dictionary:** PHARM DD2 age_at_dispensing fact_pha_dispensing **Properties** Aggregate Function: **Object Format:** Value List Editible: Value List Associated: Value List Name: **Security Access**

Version: 2.0 NZHIS Page 26

Used In Query: result, condition, sort

Security Rules:

Public

Alternate subsidy

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Alternate subsidy

Description: This is the subsidy value used if a prescription has a special authority number.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Subsidy Details Hierarchy: Pharmaceutical Reference | Subsidy Details

| Alternate subsidy

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Alternate **SQL Description:** Select Alternate from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:alternatedim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Approved month

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Approved month

Description: The calendar month number in which the claim was approved e.g. January = '1'

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Claim info Hierarchy: Claim info | Approved month

Definition

SQL Statement: DIM_CLAIM_APPROVED_DATE2.CALENDAR_MONTH_NUMBER

SQL Description: Select CALENDAR_MONTH_NUMBER from DIM_CLAIM_APPROVED_DATE2

Datamart Links:

Field:Table:Dictionary:calendar_month_numberdim_global_timeGMScalendar_month_numberglobal_timeMHDW

calendar_month_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Approved year

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Approved year

Description: The calendar year in which the claim was approved e.g. 1998

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claim info Hierarchy: Claim info | Approved year

Definition

SQL Statement: DIM_CLAIM_APPROVED_DATE2.CALENDAR_YEAR

SQL Description: select CALENDAR_YEAR from DIM_CLAIM_APPROVED_DATE2

Datamart Links:

Field:Table:Dictionary:calendar_yeardim_global_timeGMScalendar_yearglobal_timeMHDW

calendar_year dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Area unit (patient)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Version: 2.0 NZHIS Page 28 July 2006

Name: Area unit (patient)

Description: NZ Statistics Area Unit Name (2001 boundaries).

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Patient Location Hierarchy: Patient | Patient Location | Area unit

(patient)

Definition

SQL Statement: DSSADM.DIM_GEO.AREA_UNIT **SQL Description:** Select AREA_UNIT from DIM_GEO

Datamart Links:

Field:Table:Dictionary:area_unitdim_geoSHARED DIMSarea_unitdim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Area unit code (patient)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Area unit code (patient)

Description:NZ Statistics Census Area Unit Number (2001 boundaries)Guide For Use:The census area unit code that corresponds to the Domicile code.Qualification:DimensionData Type:char

Location

Enclosing Class: Patient Location Hierarchy: Patient | Patient Location | Area unit code

(patient)

Definition

SQL Statement: DSSADM.DIM_GEO.AREA_UNIT_CODE **SQL Description:** Select AREA_UNIT_CODE from DIM_GEO

Datamart Links:

Field:Table:Dictionary:area_unit_codedim_geoSHARED DIMS

Properties

Aggregate Function: Object Format:

Version: 2.0 NZHIS Page 29 July 2006

 Value List Associated:
 □
 Value List Name:
 Value List Editible:
 □

Security Access

Security Rules: Public Used In Query: result, condition, sort

Area unit description

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Area unit description

Description: Statistics NZ census area unit name (1991 boundaries). **Guide For Use:** Suburbs such as LAMBTON, KARORI PARK etc

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | Area unit

description

Definition

SQL Statement: DSSADM.DIM_GEOFILE.AREA_UNIT_NAME **SQL Description:** Select AREA_UNIT_NAME from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:area_unit_namedim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Area unit number 1991

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Area unit number 1991

Description: Statistics NZ census area unit number (1991 boundaries). **Guide For Use:** Derived from NZHIS geocoding of the claimant address.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | Area unit

number 1991

Version: 2.0 NZHIS Page 30

July 2006

Definition

SQL Statement: DSSADM.DIM_GEOFILE.AREA_UNIT_1991 **SQL Description:** Select AREA_UNIT_1991 from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:area_unit_1991dim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Area unit number 1996

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Area unit number 1996

Description: NZ Statistics Area Unit Name (1996 boundaries).Guide For Use: Derived from NZHIS geocoding of the claimant address.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | Area unit

number 1996

Definition

SQL Statement: DSSADM.DIM_GEOFILE.AREA_UNIT_1996 **SQL Description:** Select AREA_UNIT_1996 from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:area_unit_1996dim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Area unit number 2001

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Area unit number 2001

Description: NZ Statistics Area Unit Name (2001 boundaries). **Guide For Use:** Derived from NZHIS geocoding of the claimant address.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | Area unit

number 2001

Definition

SQL Statement: DSSADM.DIM_GEOFILE.AREA_UNIT_2001 **SQL Description:** Select AREA_UNIT_2001 from DIM_GEOFILE

No Datamart Links

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Average daily dose

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Average daily dose

Description: The average daily dose, in units, of the prescription.

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: ADD information Hierarchy: Prescriptions | ADD information | Average

daily dose

Definition

SQL Statement: Sum(DSSADM.FACT PHA DISPENSING NI.Quantity)/Sum(DSSADM.FACT PHA DISPENSING NI.

Quantity/(DSSADM.FACT_PHA_DISPENSING_NI.Daily_Dose))

SQL Description: Returns the average daily dose, in units, of the prescription dispensed.

Datamart Links:

<u>Field:</u>	<u>Table:</u>	Dictionary:
daily_dose	fact_pha_disp_adjustments	PHARM DD2
quantity	fact_pha_disp_adjustments	PHARM DD2
daily_dose	fact_pha_dispensing	PHARM DD2
quantity	fact_pha_dispensing	PHARM DD2
<u>Properties</u>		

<u>Pı</u>

Aggregate Function: SUM Object Format:

Value List Associated: Value List Editible: Value List Name:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

Average days supply

Version: 1.0 Version Date: 08-Jun-2006 **Object Attributes**

Name: Average days supply

Description: The average days supply, in number of days, for the prescription.

Guide For Use: Must also select a time series and drug presentation.

Qualification: Measure Data Type: integer

Location

Enclosing Class: ADD information Prescriptions | ADD information | Average Hierarchy:

days supply

Definition

Sum(DSSADM.FACT_PHA_DISPENSING_NI.Quantity/(DSSADM.FACT_PHA_DISPENSING_NI.Daily_ SQL Statement:

Dose))/count(DSSADM.FACT_PHA_DISPENSING_NI.ltem_Number)

SQL Description: The average days supply, in number of days, for the prescription.

Datamart Links:

<u>Field:</u>	<u>Table:</u>	<u>Dictionary:</u>
daily_dose	fact_pha_disp_adjustments	PHARM DD2
item_number	fact_pha_disp_adjustments	PHARM DD2
quantity	fact_pha_disp_adjustments	PHARM DD2
daily_dose	fact_pha_dispensing	PHARM DD2
item_number	fact_pha_dispensing	PHARM DD2
quantity	fact_pha_dispensing	PHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Brand ID

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Brand ID

Description: Pharmac identifier for each product. The brand ID of the pharmaceutical.

Guide For Use: 4-digit Chemical Code plus 2-digit Presentation ID (also known as Formulation Suffix) and 2-digit Brand

Suffix.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Brand ID

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Brand_Code **SQL Description:** Select Brand_Code from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:brand_codedim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Brand name

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Brand name

Description: The trade name of the product given by the manufacturer.

Guide For Use:Should match the Medsafe registered name for registered medicines.Qualification:DimensionData Type:char

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Brand name

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Brand_Name **SQL Description:** Select Brand_Name from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field: brand_name	<u>Table:</u> dim_form_pack_subsidy	<u>Dictionary:</u> PHARM DD2
Properties Aggregate Function: Value List Associated:	Object Format: Value List Name:	Value List Editible: □
Security Access Security Rules: Public	Used In Query:	result, condition, sort

Calendar month number approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Calendar month number approved

Description: The number of the month in the calendar year in which this day falls e.g Jan = 1, Feb = 2

Guide For Use: Remember to include Year Approved as well , otherwise values from months in different years will be

added together. le all January data over a range of 5 years will be reported as month 1.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Approved | Calendar | Hierarchy: Time Series | Date Approved | Calendar

month number approved

Definition

SQL Statement:DSSADM.DIM_CLAIM_APPROVED_DATE.CALENDAR_MONTH_NUMBERSQL Description:Select CALENDAR_MONTH_NUMBER from DIM_CLAIM_APPROVED_DATE

Datamart Links:

Field:Table:Dictionary:calendar_month_numberdim_global_timeGMScalendar_month_numberglobal_timeMHDW

calendar_month_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Calendar month number claimed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Version: 2.0 NZHIS Page 35 July 2006

Name: Calendar month number claimed

Description: One or two digits representing month e.g. Jan = 1, Feb = 2,

Guide For Use: Remember to include Year Claimed as well, otherwise values from months in different years will be

added together i.e all January data over a range of 5 years will be reported as month 1.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Claimed Hierarchy: Time Series | Date Claimed | Calendar

month number claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.CALENDAR_MONTH_NUMBER **SQL Description:** Select CALENDAR_MONTH_NUMBER from DIM_CLAIM_DATE

Datamart Links:

Field:Table:Dictionary:calendar_month_numberdim_global_timeGMScalendar_month_numberglobal_timeMHDW

calendar_month_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Calendar month number dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Calendar month number dispensed

Description: The number of the month in which the pharmaceutical was dispensed e.g. Jan = 01

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Dispensed Hierarchy: Time Series | Date Dispensed | Calendar

month number dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.CALENDAR_MONTH_NUMBER **SQL Description:** Select CALENDAR_MONTH_NUMBER from DIM_DISPENSED_DATE

Datamart Links:

 Field:
 Table:
 Dictionary:

 calendar_month_number
 dim_global_time
 GMS

 calendar_month_number
 global_time
 MHDW

calendar_month_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Calendar quarter approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Calendar quarter approved

Description: A text description of the calendar quarter in which the claim was approved e.g. January to March is '1'.

Guide For Use: For example, January to March is '1'.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Date Approved | Calendar | Hierarchy: Time Series | Date Approved | Calendar

quarter approved

Definition

SQL Statement:DSSADM.DIM_CLAIM_APPROVED_DATE.CALENDAR_QUARTERSQL Description:Select CALENDAR_QUARTER from DIM_CLAIM_APPROVED_DATE

Datamart Links:

Field:Table:Dictionary:calendar_quarterdim_global_timeGMScalendar_quarterglobal_timeMHDW

calendar_quarter dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Calendar quarter claimed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Calendar quarter claimed

Description: A text description of the calendar quarter in which the claim was made i.e. first, second, third, fourth.

For example, January to March is '1'.

Version: 2.0 NZHIS Page 37

Guide For Use: For example, January to March is 'first'.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Date Claimed Hierarchy: Time Series | Date Claimed | Calendar

quarter claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.CALENDAR_QUARTER **SQL Description:** Select CALENDAR_QUARTER from DIM_CLAIM_DATE

Datamart Links:

Field:Table:Dictionary:calendar_quarterdim_global_timeGMScalendar_quarterglobal_timeMHDW

calendar_quarter dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Calendar quarter dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Calendar quarter dispensed

Description: A text description of the calendar quarter in which the pharmaceutical was dispensed e.g. January to

March is 'first'.

Guide For Use: Values: first, second, third, fourth

For example, January to March is 'first'.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Date Dispensed | Calendar Time Series | Date Dispensed | Calendar

quarter dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.CALENDAR_QUARTER **SQL Description:** Select CALENDAR_QUARTER from DIM_DISPENSED_DATE

Datamart Links:

Field:Table:Dictionary:calendar_quarterdim_global_timeGMScalendar_quarterglobal_timeMHDW

calendar_quarter dim_global_time SHARED DIMS

Pro	perti	es
-----	-------	----

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Calendar quarter number approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Calendar quarter number approved

Description: The number of the quarter of the calendar year in which this day falls e.g. January to March is '1'.

Guide For Use: For example, January to March is '1'.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Approved | Calendar Time Series | Date Approved | Calendar

quarter number approved

Definition

SQL Statement: DSSADM.DIM_CLAIM_APPROVED_DATE.CALENDAR_QUARTER_NUMBER **SQL Description:** Select CALENDAR_QUARTER_NUMBER from DIM_CLAIM_APPROVED_DATE

Datamart Links:

Field:Table:Dictionary:calendar_quarter_numberdim_global_timeGMScalendar_quarter_numberglobal_timeMHDW

calendar_quarter_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Calendar quarter number claimed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Calendar quarter number claimed

Description: The quarter number in which the claim was made e.g. Jan - Mar = 01.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Version: 2.0 NZHIS Page 39

Location

Enclosing Class: Date Claimed Hierarchy: Time Series | Date Claimed | Calendar

quarter number claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.CALENDAR_QUARTER_NUMBER **SQL Description:** Select CALENDAR_QUARTER_NUMBER from DIM_CLAIM_DATE

Datamart Links:

Field:Table:Dictionary:calendar_quarter_numberdim_global_timeGMScalendar_quarter_numberglobal_timeMHDW

calendar_quarter_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Calendar quarter number dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Calendar quarter number dispensed

Description: The number of the quarter of the calendar year in which the dispensing date falls e.g. January to

March is '1'.

Guide For Use: For example, January to March is '1'.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Dispensed Hierarchy: Time Series | Date Dispensed | Calendar

quarter number dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.CALENDAR_QUARTER_NUMBER **SQL Description:** Select CALENDAR_QUARTER_NUMBER from DIM_DISPENSED_DATE

Datamart Links:

Field:Table:Dictionary:calendar_quarter_numberdim_global_timeGMScalendar_quarter_numberglobal_timeMHDW

calendar_quarter_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Version: 2.0 NZHIS Page 40

Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort Calendar year approved Version: 1.0 Version Date: 08-Jun-2006 **Object Attributes** Name: Calendar year approved 4 digit calendar year e.g. 1998 Description: Guide For Use: Qualification: Dimension Data Type: integer Location Enclosing Class: Date Approved Time Series | Date Approved | Calendar Hierarchy: year approved **Definition** SQL Statement: DSSADM.DIM_CLAIM_APPROVED_DATE.Calendar_Year SQL Description: Select Calendar_Year from DIM_CLAIM_APPROVED_DATE **Datamart Links:** Field: Table: **Dictionary:** calendar_year dim_global_time **GMS** global_time **MHDW** calendar_year SHARED DIMS calendar_year dim_global_time **Properties** Aggregate Function: **Object Format:**

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

Calendar year claimed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Calendar year claimed

Description: 4 digit calendar year e.g. 1998

Guide For Use:

Qualification: Dimension integer Data Type:

Location

Version: 2.0 **NZHIS** Page 41

July 2006

Enclosing Class: Date Claimed Hierarchy: Time Series | Date Claimed | Calendar year

claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.CALENDAR_YEAR **SQL Description:** Select CALENDAR_YEAR from DIM_CLAIM_DATE

Datamart Links:

Field:Table:Dictionary:calendar_yeardim_global_timeGMScalendar_yearglobal_timeMHDW

calendar_year dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Calendar year dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Calendar year dispensed

Description: The four digit calendar year in which the date falls e.g. 1998

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Dispensed Hierarchy: Time Series | Date Dispensed | Calendar

year dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.Calendar_Year **SQL Description:** Select Calendar_Year from DIM_DISPENSED_DATE

<u>Datamart Links:</u>

Field:Table:Dictionary:calendar_yeardim_global_timeGMScalendar_yearglobal_timeMHDW

calendar_year dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Version: 2.0 NZHIS Page 42

July 2006

Security Rules: Public Used In Query: result, condition, sort

Catnip batch number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Catnip batch number

Description: A unique number for a batch of claims for a given claimant on a given claim date.

Guide For Use: From Claim approved date of 1 July 2000, Catnip batch number is used as one of the keys to match

form and item. Before that only Claimant, Claim date and Form number were required.

Catnip batch number, Claimant number and Claim date form a unique link to the Claim table.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Catnip batch

number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Catnip_Batch_Number **SQL Description:** Select Catnip_Batch_Number from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:catnip_batch_numberfact_pha_claimPHARM DD2catnip_batch_numberfact_pha_disp_adjustmentsPHARM DD2catnip_batch_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, consition, sort

Catnip batch number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Catnip batch number

Description: A unique number for a batch of claims for a given claimant on a given claim date

Guide For Use: From Claim approved date of 1 July 2000, Catnip batch number is used as one of the keys to match

form and item. Before that only Claimant, Claim date and Form number were required. Catnip batch

number, Claimant number and Claim date form a unique link to the Claim table.

Qualification: Dimension **Data Type:** char

Location

Version: 2.0 NZHIS Page 43

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Catnip batch number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.CATNIP_BATCH_NUMBER **SQL Description:** Select CATNIP_BATCH_NUMBER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:catnip_batch_numberfact_pha_claimPHARM DD2catnip_batch_numberfact_pha_disp_adjustmentsPHARM DD2catnip_batch_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Catnip batch number

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Catnip batch number

Description: The unique number for a batch of claims for a given claimant on a given claim date.

Guide For Use: From Claim approved date of 1 July 2000, Catnip batch number is used as one of the keys to match

form and item. Before that only Claimant, Claim date and Form number were required. Catnip batch number, Claimant number and Claim date form a unique link to the Claim table.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claim Extract Hierarchy: Claim Extract | Catnip batch number

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.CATNIP_BATCH_NUMBER **SQL Description:** Select CATNIP_BATCH_NUMBER from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:catnip_batch_numberfact_pha_claimPHARM DD2catnip_batch_numberfact_pha_disp_adjustmentsPHARM DD2catnip_batch_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Version: 2.0 NZHIS Page 44

Security Rules: Public Used In Query: result, condition, sort

Catnip batch number

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Catnip batch number

Description: A unique number for a batch of claims for a given claimant on a given claim date.

Guide For Use: From Claim approved date of 1 July 2000, Catnip batch number is used as one of the keys to match

form and item. Before that only Claimant, Claim date and Form number were required.

Catnip batch number, Claimant number and Claim date form a unique link to the Claim table.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Catnip batch

number

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.CATNIP_BATCH_NUMBER **SQL Description:** Select CATNIP_BATCH_NUMBER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:catnip_batch_numberfact_pha_claimPHARM DD2catnip_batch_numberfact_pha_disp_adjustmentsPHARM DD2catnip_batch_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

CBF funding age bands

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: CBF funding age bands

Description: The following funding bands are used:

1 = 0 - 4 years 2 = 5 - 14 years 3 = 15 - 24 years 4 = 25 - 44 years 5 = 45 - 64 years, and

6 = 65 +

The funding band is used within the CCF extract to indicate the age group that the funding is targetted

at.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Patient Age at Dispensing | Hierarchy: Patient | Patient Age at Dispensing | CBF

funding age bands

Definition

SQL Statement: DSSADM.DIM_AGE_BAND.FUNDING_BAND **SQL Description:** Select FUNDING_BAND from DIM_AGE_BAND

Datamart Links:

Field:Table:Dictionary:funding_banddim_age_bandSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

CBS

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: CBS

Description: 'Cost Brand Source' - no price currently available for this pack; to be supplied by the claimant. 1 equals

CBS and 0 indicates it is not CBS.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Subsidy Details Hierarchy: Pharmaceutical Reference | Subsidy Details

| CBS

Definition

SQL Statement: cast(DSSADM.DIM_FORM_PACK_SUBSIDY.CBS as int)

SQL Description: Select CBS from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:cbsdim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Version: 2.0 NZHIS Page 46

Security Access

Security Rules: Public Used In Query: result, condition, sort

CBS flag

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: CBS flag

Description: Flag to indicate whether the item is Cost, Brand, Source of supply (CBS) as per the Pharmac

schedule.

Guide For Use: From Claim approved date of April 2002.

Y - item is Cost, Brand, Source of supply (CBS) as per the Pharmac schedule.

N or space - item is not Cost, Brand, Source of supply (CBS) as per the Pharmac schedule

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | CBS flag

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.CBS_FLAG **SQL Description:** Select CBS_FLAG from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:cbs_flagdim_costing_flagsPHARM DD2cbs_flagfact_pha_disp_adjustmentsPHARM DD2cbs_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

CBS flag

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: CBS flag

Description: Flag to indicate whether the item is Cost, Brand, Source of supply (CBS) as per the Pharmac schedule.

Guide For Use: From Claim approved date of April 2002.

Y - item is Cost, Brand, Source of supply (CBS) as per the Pharmac schedule.

N or space - item is not Cost, Brand, Source of supply (CBS) as per the Pharmac schedule

Qualification: Dimension **Data Type:** char

Version: 2.0 NZHIS Page 47
July 2006

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | CBS flag

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.CBS_FLAG **SQL Description:** Select CBS_FLAG from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:cbs_flagdim_costing_flagsPHARM DD2cbs_flagfact_pha_disp_adjustmentsPHARM DD2cbs_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

CBS unit price

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: CBS unit price

Description: CBS = (Cost Brand Source) unit price.

The item is eligible for subsidy on the pharmacy's annotated purchase price, brand and source of supply. There is no set manufacturer's price and it will be subsidised at the price at which it is obtained

by the pharmacy as long as it is flagged CBS in the schedule.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | CBS unit price

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.CBS_UNIT_PRICE **SQL Description:** Select CBS_UNIT_PRICE from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:cbs_unit_pricefact_pha_disp_adjustmentsPHARM DD2cbs_unit_pricefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

CBS unit price

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: CBS unit price

Description: CBS = (Cost Brand Source) unit price.

The item is eligible for subsidy on the pharmacy's annotated purchase price, brand and source of supply. There is no set manufacturer's price and it will be subsidised at the price at which it is obtained

by the pharmacy as long as it is flagged CBS in the schedule.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | CBS unit price

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.CBS_UNIT_PRICE **SQL Description:** Select CBS_UNIT_PRICE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:cbs_unit_pricefact_pha_disp_adjustmentsPHARM DD2cbs_unit_pricefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Change details

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Change details

Description: Inlcudes details of how the records in the subsidy table have been altered eg New Listing, Subsidy

Change or Delisting etc.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Subsidy Details Hierarchy: Pharmaceutical Reference | Subsidy Details

Version: 2.0 NZHIS Page 49

July 2006

| Change details

Definition							
Deminicion	1	^ +.	n		\sim	n	
	_,			ш	IL J		

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.CHANGE **SQL Description:** Select CHANGE from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:changedim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Chemical ID

Object Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Chemical ID

Description: Pharmac identifier of the primary active chemical ingredient.

Guide For Use: If Chemical ID does not exist then the HPAC Chemical ID is used if it is present. All historical data was

remapped in October 2000.

Chemical ID and Presentation ID combine to form Formulation ID.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Chemical Hierarchy: Pharmaceutical Reference | Chemical |

Chemical ID

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Chemical_ID **SQL Description:** Select Chemical_ID from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:chemical_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

Chemical ID by TG 1

Object Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Chemical ID by TG 1

Description: The list of values shows chemical id's under the Therapeutic Group 1 heading.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Chemical Hierarchy: Pharmaceutical Reference | Chemical |

Chemical ID by TG 1

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.CHEMICAL_ID **SQL Description:** Select CHEMICAL_ID from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:chemical_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: public Used In Query: result, condition, sort

Chemical ID by TG 2

Object Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Chemical ID by TG 2

Description: The list of values shows chemical id's under the Therapeutic Group 1 and 2 headings.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Chemical Hierarchy: Pharmaceutical Reference | Chemical |

Chemical ID by TG 2

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Chemical_ID

SQL Description:

Datamart Links:

<i>Field:</i> chemical_id		<u>Table:</u> dim_form_	pack_subsidy	<u>Dictionary:</u> PHARM DD2
<u>Properties</u>				
Aggregate Function Value List Associa		Value List Name:	Object Format:	Value List Editible:
Security Access				
Security Rules:	public		Used In Query:	result, condition, sort
Chamical I	hy TC 2			
Chemical ID	by IG 3			
Object Attributes	<u>s</u>		Versio	n: 1.0 Version Date: 07-Jun-2006
Name: Description: Guide For Use:	Chemical ID by T The list of values		ınder the Therapeu	atic Group 1, 2, and 3 headings.
Qualification:	Dimension		Data Type:	integer
<u>Location</u>				
Enclosing Class:	Chemical		Hierarchy:	Pharmaceutical Reference Chemical Chemical ID by TG 3
<u>Definition</u>				
SQL Statement: SQL Description:	DSSADM.DIM_F	ORM_PACK_SUBSID	Y.Chemical_ID	
Datamart Links:				
Field:		<u>Table:</u>		<u>Dictionary:</u>
chemical_id		dim_form_	pack_subsidy	PHARM DD2
<u>Properties</u>				
Aggregate Function	on:		Object Format:	
Value List Associa	ated:	Value List Name:		Value List Editible:
Security Access				
Security Rules:	public		Used In Query:	result, condition, sort

Chemical name

Object Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Chemical name

Description: Chemical (generic) name of the active chemical ingredient.

Guide For Use: Combined names exist for formulations with multiple active ingredients.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Chemical Hierarchy: Pharmaceutical Reference | Chemical |

Chemical name

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Chemical_Name **SQL Description:** Select Chemical_Name from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:chemical_namedim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

Child resistant container

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Child resistant container

Description: Flag field to indicate the medication has a safety cap on the container.

Y - child resistant container fee claimed.

N, X, or space - child resistant container fee not claimed.

Guide For Use: The list of applicable medications is in the Pharmac Schedule. The Child resistant container has not

been populated since 2003.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Child resistant

container

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.CHILD_RESISTANT_CONTAINER **SQL Description:** Select CHILD_RESISTANT_CONTAINER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:child_resistant_containerdim_dispensing_flagsPHARM DD2child_resistant_containerfact_pha_disp_adjustmentsPHARM DD2child_resistant_containerfact_pha_dispensingPHARM DD2

Properties

Aggregate Function:	Object Format:
---------------------	----------------

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Child resistant container

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Child resistant container

Description: Flag field to indicate the medication has a safety cap on the container.

Y - child resistant container fee claimed.

N, X, or space - child resistant container fee not claimed.

Guide For Use: The list of applicable medications is in the Pharmac Schedule. The Child resistant container has not

been populated since 2003.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Child resistant

container

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.CHILD_RESISTANT_CONTAINER **SQL Description:** Select CHILD_RESISTANT_CONTAINER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:child_resistant_containerdim_dispensing_flagsPHARM DD2child_resistant_containerfact_pha_disp_adjustmentsPHARM DD2child_resistant_containerfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Child resistant container

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Child resistant container

Description: Flag field to indicate the medication has a safety cap on the container.

Y child resistant container fee claimed.

N, X, or space child resistant container fee not claimed.

Guide For Use: The list of applicable medications is in the Pharmac Schedule. The Child resistant container has not

been populated since 2003.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Child resistant

container

Definition

SQL Statement: DSSADM.DIM_DISPENSING_FLAGS.Child_Resistant_Container **SQL Description:** Select Child_Resistant_Container from DIM_DISPENSING_FLAGS

Datamart Links:

Field:Table:Dictionary:child_resistant_containerdim_dispensing_flagsPHARM DD2child_resistant_containerfact_pha_disp_adjustmentsPHARM DD2child_resistant_containerfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

City town

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: City town

Description: Name of the city where the provider lives or operates as a business.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Provider Address Hierarchy: Provider | Provider Address | City town

Definition

SQL Statement: DSSADM.DIM_PHA_PROVIDER.PROVIDER_CITY **SQL Description:** Select PROVIDER_CITY from DIM_PHA_PROVIDER

Datamart Links:

Field:Table:Dictionary:provider_citydim_providerSHARED DIMS

Properties

July 2006

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim amount

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Claim amount

Description: Total value of service provided for this item, which is chargeable to the Service Provider's DHB.

Includes the payment to be made by the Service Provider's DHB for the pharmaceutical, all fees and

GST. Excludes the Service User's co-payment.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Claim amount

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.CLAIM_AMOUNT **SQL Description:** Select CLAIM_AMOUNT from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:claim amountfact_pha_disp_adjustmentsPHARM DD2claim amountfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim amount

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claim amount

Description: Total value of service provided for this item, which is chargeable to the Service Provider's DHB.

Includes the payment to be made by the Service Provider's DHB for the pharmaceutical, all fees and

GST. Excludes the Service User's co-payment.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Claim amount

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.CLAIM_AMOUNT **SQL Description:** Select CLAIM_AMOUNT from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:claim amountfact_pha_disp_adjustmentsPHARM DD2claim amountfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim approved date

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claim approved date

Description: The date of the day on which the claim was approved.

Guide For Use: The presentation of this field depends on how the viewing software represents dates.

Qualification: Dimension **Data Type:** date

Location

Enclosing Class: Claim info Hierarchy: Claim info | Claim approved date

Definition

SQL Statement: DIM_CLAIM_APPROVED_DATE2.SQL_DATE

SQL Description: Select SQL_DATE from DIM_CLAIM_APPROVED_DATE2

Datamart Links:

Field: <u>Table:</u> <u>Dictionary:</u>

sql_date dim_global_time GMS

sql_date dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim approved date

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claim approved date

Description: The date on which HealthPAC approved the claim for payment.

Guide For Use: Also the date on which HealthPAC extract data and NZHIS load it into the Pharmhouse. Each load of

data to the Dispensings table is for a complete month of Claim approved date. It is the most important

field when it comes to loading.

Derived using the key Claimant number, Claim date and Catnip batch number.

Qualification: Dimension Data Type: date

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Claim approved date

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.CLAIM_APPROVED_DATE **SQL Description:** Select CLAIM_APPROVED_DATE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:claim_approved_datefact_pha_claimPHARM DD2claim_approved_datefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim approved date

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Claim approved date

Description: The date on which HealthPAC approved the claim for payment.

Guide For Use: Also the date on which HealthPAC extract data and NZHIS load it into the Pharmhouse. Each load of

data to the Dispensings table is for a complete month of Claim approved date. It is the most important

field when it comes to loading.

Derived using the key Claimant number, Claim date and Catnip batch number.

Dates range from 1 July 1996.

Qualification: Dimension **Data Type:** date

Location

Enclosing Class: Claim Extract Hierarchy: Claim Extract | Claim approved date

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.CLAIM_APPROVED_DATE **SQL Description:** Select CLAIM_APPROVED_DATE from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:claim_approved_datefact_pha_claimPHARM DD2claim_approved_datefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim date

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claim date

Description: End date of claim period given by payments office of HealthPAC. Usually the 15th or the last day of the

month.

Guide For Use: Dates range from 15 March 1996.

Catnip batch number, Claimant number and Claim date form a unique link to the Claim table.

Qualification: Dimension Data Type: date

Location

Enclosing Class: Dispensing Extract | Claim date

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.CLAIM_DATE **SQL Description:** Select CLAIM_DATE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:claim_datefact_pha_claimPHARM DD2claim_datefact_pha_disp_adjustmentsPHARM DD2claim_datefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim date

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claim date

Description: The date of the day. Note: The presentation of this field depends on how the viewing software

represents dates.

Guide For Use: The presentation of this field depends on how the viewing software represents dates.

Qualification: Dimension Data Type: date

Location

Enclosing Class: Claim info Hierarchy: Claim info | Claim date

Definition

SQL Statement: DIM_CLAIM_DATE_ON_CLAIM.SQL_DATE

SQL Description: Select SQL_DATE from DIM_CLAIM_DATE_ON_CLAIM

Datamart Links:

<u>Field:</u> <u>Dictionary:</u>

sql_date dim_global_time GMS

sql_date dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim date

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Claim date

Description: Date which identifies the claim period. The claim date should always be the 15th of the month or the

last day of the month.

Guide For Use:

Qualification: Dimension Data Type: date

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Claim date

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.CLAIM_DATE **SQL Description:** Select CLAIM_DATE from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:claim_datefact_pha_claimPHARM DD2claim_datefact_pha_disp_adjustmentsPHARM DD2claim_datefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim date

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Claim date

Description: End date of claim period given by payments office of HealthPAC. Usually the 15th or the last day of the

month.

Guide For Use: Dates range from 15 March 1996.

Catnip batch number, Claimant number and Claim date form a unique link to the Claim table.

Qualification: Dimension Data Type: date

Location

Enclosing Class: Claim Extract Hierarchy: Claim Extract | Claim date

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.CLAIM_DATE **SQL Description:** Select CLAIM_DATE from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:claim_datefact_pha_claimPHARM DD2claim_datefact_pha_disp_adjustmentsPHARM DD2claim_datefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim month

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claim month

Description: The number of the month in the calendar year in which the claim was made..

Guide For Use: For example, January is '1'.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claim info Hierarchy: Claim info | Claim month

Definition

SQL Statement: DIM_CLAIM_DATE_ON_CLAIM.CALENDAR_MONTH_NUMBER

SQL Description: select CALENDAR_MONTH_NUMBER from DIM_CLAIM_DATE_ON_CLAIM

Datamart Links:

Field:Table:Dictionary:calendar_month_numberdim_global_timeGMScalendar_month_numberglobal_timeMHDW

calendar_month_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim value

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claim value

Description: Total value of the claim not including adjustments.

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Claim info Hierarchy: Claim info | Claim value

Definition

SQL Statement: SUM(DSSADM.FACT_PHA_CLAIM.CLAIM_VALUE)

SQL Description:

Datamart Links:

Field:Table:Dictionary:claim_valuefact_pha_claimPHARM DD2

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim value

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Claim value

Description: Total value of the claim not including adjustments.

Guide For Use: Each pharmacy makes a claim twice a month, so this is a useful high level grouping.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claim Extract Hierarchy: Claim Extract | Claim value

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.CLAIM_VALUE **SQL Description:** Select CLAIM_VALUE from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:claim_valuefact_pha_claimPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claim year

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claim year

Description: The calendar year in which the claim was made e.g. 1998

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Version: 2.0 NZHIS Page 63

July 2006

Enclosing Class: Claim info Hierarchy: Claim info | Claim year

Definition

SQL Statement: DIM_CLAIM_DATE_ON_CLAIM.CALENDAR_YEAR

SQL Description: Select CALENDAR_YEAR from DIM_CLAIM_DATE_ON_CLAIM

Datamart Links:

Field:Table:Dictionary:calendar_yeardim_global_timeGMScalendar_yearglobal_timeMHDW

calendar_year dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claimant name

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claimant name

Description: Claimant's full name or title.

Guide For Use: Note: The same claimant may have several names with slightly different spelling.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant | Claim

Definition

SQL Statement: DSSADM.DIM_CLAIMANT.CLAIMANT_NAME **SQL Description:** Select CLAIMANT_NAME from DIM_CLAIMANT

Datamart Links:

Field:Table:Dictionary:claimant_namedim_claimantPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claimant number

Object Attributes Version Date: 13-Jun-2006

Name: Claimant number

Description: A number given by HealthPAC to a pharmacy or other institution authorised by the Ministry of Health

and the Pharmaceutical Society to claim benefits.

Guide For Use: Claimant number identifies the Contract from which payment and processing rules will be sought.

HealthPAC gives each claimant a 7 character Payee number, which is converted to a 4 character Claimant number on a one-to-one mapping. In the future, it is likely that the Payee number will be

reported to this field.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Claimant number

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.CLAIMANT_NUMBER **SQL Description:** Select CLAIMANT_NUMBER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:claimant_numberdim_claimantPHARM DD2claimant_numberfact_pha_claimPHARM DD2claimant_numberfact_pha_disp_adjustmentsPHARM DD2claimant_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claimant number

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Claimant number

Description: A number given by HealthPAC to a pharmacy or other institution authorised by the Ministry of Health

and the Pharmaceutical Society to claim benefits. Claimant number identifies the Contract from which

payment and processing rules will be sought.

Guide For Use: HealthPAC gives each claimant a 7 character Payee number, which is converted to a 4 character

Claimant number on a one-to-one mapping. In the future, it is likely that the Payee number will be

reported to this field.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claim Extract Hierarchy: Claim Extract | Claimant number

Version: 2.0 NZHIS Page 65

July 2006

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.CLAIMANT_NUMBER **SQL Description:** Select CLAIMANT_NUMBER from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:claimant_numberdim_claimantPHARM DD2claimant_numberfact_pha_claimPHARM DD2claimant_numberfact_pha_disp_adjustmentsPHARM DD2claimant_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claimant number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claimant number

Description: Identifier of claimant (pharmacy or other institution).

Guide For Use:

Qualification: Dimension **Data Type:** boolean

Location

Enclosing Class: Claimant | Claim

Definition

SQL Statement: DSSADM.DIM_CLAIMANT.CLAIMANT_NUMBER **SQL Description:** Select CLAIMANT_NUMBER from DIM_CLAIMANT

Datamart Links:

Field:Table:Dictionary:claimant_numberdim_claimantPHARM DD2claimant_numberfact_pha_claimPHARM DD2claimant_numberfact_pha_disp_adjustmentsPHARM DD2claimant_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claimant number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claimant number

Description: A number given by HealthPAC to a pharmacy or other institution authorised by the Ministry of Health

and the Pharmaceutical Society to claim benefits.

Guide For Use: Claimant number identifies the Contract from which payment and processing rules will be sought.

HealthPAC gives each claimant a 7 character Payee number, which is converted to a 4 character Claimant number on a one-to-one mapping. In the future, it is likely that the Payee number will be

reported to this field.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claim info Hierarchy: Claim info | Claimant number

Definition

SQL Statement: DIM_CLAIMANT_ON_CLAIM.CLAIMANT_NUMBER

SQL Description: Select CLAIMANT NUMBER from DIM CLAIMANT ON CLAIM

Datamart Links:

Field:Table:Dictionary:claimant_numberdim_claimantPHARM DD2claimant_numberfact_pha_claimPHARM DD2claimant_numberfact_pha_disp_adjustmentsPHARM DD2claimant_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Claimant number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Claimant number

Description: A number given by HealthPAC to a pharmacy or other institution authorised by the Ministry of Health

and the Pharmaceutical Society to claim benefits.

Guide For Use: Claimant number identifies the Contract from which payment and processing rules will be sought.

HealthPAC gives each claimant a 7 character Payee number, which is converted to a 4 character Claimant number on a one-to-one mapping. In the future, it is likely that the Payee number will be

reported to this field.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Claimant number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.CLAIMANT_NUMBER **SQL Description:** Select CLAIMANT_NUMBER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:claimant_numberdim_claimantPHARM DD2claimant_numberfact_pha_claimPHARM DD2claimant_numberfact_pha_disp_adjustmentsPHARM DD2claimant_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Component grouping

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Component grouping

Description: Used to identify compounds pre Oct 1998.

Guide For Use:

Qualification: Dimension **Data Type:**

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Component

grouping

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.Component_Number = 0 then 'no component' when DSSADM.FACT_PHA_DISPENSING_NI.Component_Number = 1 then 'component header'

else 'ECP'

end

SQL Description:

Datamart Links:

Field:Table:Dictionary:component_numberfact_pha_disp_adjustmentsPHARM DD2component_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Version: 2.0 NZHIS Page 68 July 2006

Pharms - Pharmaceu	tical Claims Collection	on			Со	mponent groupir
Value List Associ	ated:	Value List Name:			Value List Editible	e: 🗆
Security Access						
Security Rules:	Public		Used In Query:	result, con	ndition, sort	
Component	number					
Object Attribute	<u>s</u>		Versio	n: 1.0	Version Date: 13-	Jun-2006
Name:	Component num	ber				
Description:	A sequential number indicating the components that make up a dispensing, for example, component '1' is line one of a group of transactions, component '2' is line two, etc.					
Guide For Use:	Pre Claim approved date of 10 August 1998: 0: not a mixture. 1: aggregate of a mixture. 2+: mixture component. Post Claim approved date of 10 August 1998: 0: For all items (including aggregate of compound). 1+: compound components.					
Qualification:	Dimension		Data Type:	integer		
<u>Location</u>						
Enclosing Class:	Dispensing Adjus	stments	Hierarchy:	Dispensing number	g Adjustments Cor	nponent
<u>Definition</u>						
SQL Statement:	DSSADM.FACT_PHA_DISP_ADJUSTMENTS.COMPONENT_NUMBER					

SQL Description: Select COMPONENT_NUMBER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field: Table: **Dictionary:** component_number fact_pha_disp_adjustments PHARM DD2 fact_pha_dispensing PHARM DD2 component_number

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Component number

Version: 1.0 Version Date: 12-Jun-2006 **Object Attributes**

Name: Component number

Description: Used for mixture or compound components. A sequential number indicating the components that

make up a dispensing.

Pre Claim approved date of 10 August 1998:

0: not a mixture

1: aggregate of a mixture 2+: mixture component

Post Claim approved date of 10 August 1998: 0: For all items (including aggregate of compound).

1+: compound components

Guide For Use: Before Claim approved date of 10 August 1998, the first record of a dispensing would have a

Component number of '0' if not a mixture or '1' if a mixture (ie, first record would contain aggregate of dispensing). Subsequent records would be sent for each component in the aggregate (if a mixture),

and a sequential Component number given for each record.

After Claim approved date of 10 August 1998, compounds are identified by Data source 'C'. Reimbursement cost, dispensing fee, patient co-pay and mark-ups only included on aggregate

compound record (with Component number of '0').

When extracting data, use either records with '0' or the aggregate of records with '1' to 'X'.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Component

number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Component_Number **SQL Description:** Select Component_Number from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:component_numberfact_pha_disp_adjustmentsPHARM DD2component_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Component number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Component number

Description: A sequential number indicating the components that make up a dispensing, for example, component '1'

is line one of a group of transactions, component '2' is line two, etc.

Guide For Use: Pre Claim approved date of 10 August 1998:

0: not a mixture.

1: aggregate of a mixture. 2+: mixture component.

Post Claim approved date of 10 August 1998: 0: For all items (including aggregate of compound).

1+: compound components.

Value List Associated:

Qualification: Dimension Data Type: integer **Location** Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Component number **Definition** SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.COMPONENT_NUMBER SQL Description: Select COMPONENT_NUMBER from FACT_PHA_DISPENSING_NI **Datamart Links:** Field: Table: **Dictionary:** PHARM DD2 component_number fact_pha_disp_adjustments fact_pha_dispensing PHARM DD2 component_number **Properties** Aggregate Function: Object Format: Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort **Compound group** Version: 1.0 Version Date: 08-Jun-2006 **Object Attributes** Name: Compound group Description: Separates records with a component number of 0 from the records that make up a compound. Guide For Use: Values: Header, Compound Qualification: Dimension Data Type: char Location Enclosing Class: Dispensing Groupings Dispensing Groupings | Compound group Hierarchy: **Definition** SQL Statement: Case when DSSADM.FACT_PHA_DISPENSING_NI.Component_Number = 0 then 'header' else 'compound' end **SQL Description:** If component number = 0 then 'header' else 'compound' **Datamart Links:** Field: Table: **Dictionary:** PHARM DD2 component_number fact_pha_disp_adjustments component_number fact_pha_dispensing PHARM DD2 **Properties** Aggregate Function: Object Format:

Version: 2.0 NZHIS Page 71 July 2006

Value List Name:

Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

Compound identifier

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Compound identifier

Description: Used to separate the header record of a compound and the individual components of a compound from

non-compound data.

Header record normally holds information on Costs except for Drug cost and correct dispensing or

prescription counts, while the compound records contain the drug cost and drug information.

Guide For Use: Note: This is complicated by changes to how compounds are defined over time.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Compound identifier

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.DATA_SOURCE = 'H' and

DSSADM.FACT_PHA_DISPENSING_NI.COMPONENT_NUMBER = 0 then 'normal'

when ${\sf DSSADM.FACT_PHA_DISPENSING_NI.DATA_SOURCE} = {\sf 'H'}$ and

DSSADM.FACT_PHA_DISPENSING_NI.COMPONENT_NUMBER = 1 then 'header'

when DSSADM.FACT_PHA_DISPENSING_NI.DATA_SOURCE = 'H' and

DSSADM.FACT_PHA_DISPENSING_NI.COMPONENT_NUMBER >1 then 'compound' when DSSADM.FACT_PHA_DISPENSING_NI.COMPONENT_NUMBER > 0 then 'compound'

when DSSADM.FACT_PHA_DISPENSING_NI.DATA_SOURCE = 'C' and

DSSADM.FACT_PHA_DISPENSING_NI.COMPONENT_NUMBER =0 then 'header'

else 'normal'

end

SQL Description:

No Datamart Links

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Contract description

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Contract description

Description: Identifies the claimant contracts at an item level.

Version: 2.0 NZHIS Page 72

July 2006

Guide For Use: Replaces the traditional Claimant Type.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Contract | Hierarchy: Claimant | Contract | Contract description

Definition

SQL Statement: DSSADM.DIM_COS.Description **SQL Description:** Select Description from DIM_COS

Datamart Links:

 Field:
 Table:
 Dictionary:

 description
 dim_cos
 PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

COS code

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: COS code

Description: Cost of Service (COS) code that replaces Claimant type. This defines the role of the pharmacy, or the

contract under which the pharmacy is supplying the drug.

Guide For Use: Indicates under which payment Service Contract the claim is priced, and allows a single

pharmaceutical to be claimed under the correct Service Contract when a pharmacy has more than one

service for the single item.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | COS code

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.COS_CODE **SQL Description:** Select COS_CODE from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:cos_codedim_cosPHARM DD2cos_codefact_pha_disp_adjustmentsPHARM DD2cos_codefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associa	ated: Ualue Lis	st Name:	Value List Editible:
Security Access			
Security Rules:	Public	Used In Query:	result, condition, sort
COS code			
Object Attributes	<u> </u>	Versio	on: 1.0 Version Date: 12-Jun-2006
Name:	COS code		
Description:	Cost of Service (COS) code pharmacy is supplying the control of th		pharmacy, or the contract under which the
Guide For Use:	Pharms and needs to be ob- numbers started at '99' plus GTPS, the COS code chang special), so from Septembe Indicates under which paym pharmaceutical to be claime service for the single item. The COS Code Reference to	tained from HealthPAC. From the codes from the Cost Code ged to be unique to each phant 2001 the reference table no lent Service Contract the claimed under the correct Service Code code code code code code code code c	de and the actual contract it refers to is not in a 1 June 2000 to September 2001, code e table. When HealthPAC transitioned to macy (for example, could be retail, wholesale, longer applies and is out of date. In is priced, and allows a single contract when a pharmacy has more than one changed from September 2001 and the cal reasons.
Qualification:	Dimension	Data Type:	char
Location			
Enclosing Class:	Contract	Hierarchy:	Claimant Contract COS code
<u>Definition</u>			
SQL Statement:	DSSADM.DIM_COS.COS_0	Code	
SQL Description:	Select COS_Code from DIM_COS		
Datamart Links:			
<u>Field:</u>		<u>Table:</u>	<u>Dictionary:</u>
cos code		dim cos	PHARM DD2
cos_code		fact_pha_disp_adjustments	PHARM DD2
cos_code		fact_pha_dispensing	PHARM DD2
<u>Properties</u>			
Aggregate Function	on:	Object Format:	
Value List Associa		st Name:	Value List Editible:
Security Access			

COS code

Security Rules:

Public

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Version: 2.0 NZHIS Page 74 July 2006

Used In Query: result, condition, sort

Name: COS code

Description: Cost of Service (COS) code that replaces Claimant type. This defines the role of the pharmacy, or the

contract under which the pharmacy is supplying the drug.

Guide For Use: Indicates under which payment Service Contract the claim is priced, and allows a single

pharmaceutical to be claimed under the correct Service Contract when a pharmacy has more than one

service for the single item.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | COS code

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.COS_CODE **SQL Description:** Select COS_CODE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:cos_codedim_cosPHARM DD2cos_codefact_pha_disp_adjustmentsPHARM DD2cos_codefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: Result, condition, sort

Cost Brand Source (CBS)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Cost Brand Source (CBS)

Description: Unit price notified by claimant on a Cost Brand Source Item.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Cost Brand

Source (CBS)

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.CBS_Unit_Price

DSSADM.FACT_PHA_DISPENSING_NI.CBS_Unit_Price=0

SQL Description: Unit price notified by claimant on a Cost Brand Source Item.

Datamart Links:

<u>Field:</u>	<u>Table:</u>		<u>Dictionary:</u>
cbs_unit_price	fact_pha_disp_adjustments		PHARM DD2
cbs_unit_price	fact_pha_dispensing		PHARM DD2
<u>Properties</u>			
Aggregate Function:		Object Format:	
Value List Associated:	Value List Name:		Value List Editible:
Security Access			
Security Rules: Public		Used In Query:	result, condition, sort

Cost Brand Source (CBS) flag

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Cost Brand Source (CBS) flag

Description: Flag to indicate whether the item is Cost, Brand, Source of supply (CBS) as per the Pharmac schedule.

Guide For Use: Y - item is Cost, Brand, Source of supply (CBS) as per the Pharmac schedule.

N (or space) - item is not Cost, Brand, Source of supply (CBS) as per the Pharmac schedule.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Cost Brand

Source (CBS) flag

Definition

SQL Statement: DSSADM.DIM_COSTING_FLAGS.CBS_FLAG **SQL Description:** Select CBS_FLAG from DIM_COSTING_FLAGS

Datamart Links:

Field:Table:Dictionary:cbs_flagdim_costing_flagsPHARM DD2cbs_flagfact_pha_disp_adjustmentsPHARM DD2cbs_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name:
Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Cost breakdown

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Cost breakdown

Description: Used to identify the amount of claims at the different cost levels.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Cost breakdown

Definition

SQL Statement: case

when

(DSSADM.FACT_PHA_DISPENSING_NI.Retail_Subsidy+DSSADM.FACT_PHA_DISPENSING_NI.Disp

ensing_Fee_Value) <= 3 then 'TC <= 3'

when

 $(DSSADM.FACT_PHA_DISPENSING_NI.Retail_Subsidy+DSSADM.FACT_PHA_DISPENSING_NI.Dispensing_NI.Dispensi$

ensing_Fee_Value) <= 10 then '3 < TC <= 10'

wher

(DSSADM.FACT_PHA_DISPENSING_NI.Retail_Subsidy+DSSADM.FACT_PHA_DISPENSING_NI.Disp

ensing_Fee_Value) <= 15 then '10 < TC <= 15' else 'TC > 15'

end

SQL Description:

No Datamart Links

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Cost ex supplier

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Cost ex supplier

Description: Total cost of medication in the schedule minus GST.

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Extract | Cost ex supplier

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.COST_EX_SUPPLIER **SQL Description:** Select COST_EX_SUPPLIER from FACT_PHA_DISPENSING_NI

Datamart Links:

<u>Field:</u>		<u>Table:</u>		<u>Dictionary:</u>
cost_ex_supplie	er	fact_pha_disp	ensing	PHARM DD2
Properties Properties Properties				
Aggregate Function	on:	O	bject Format:	
Value List Associa		lue List Name:		Value List Editible:
Security Access				
Security Rules:	Public	U	sed In Query:	result, condition, sort
_				
Cost ex sup	oplier (GST ex	cl.)		
Object Attributes	<u>s</u>		Versio	n: 1.0 Version Date: 08-Jun-2006
Name:	Cost ex supplier (GST	Γ excl.)		
Description:				he payment agency cost ex supplier is
Guide For Use:	provided by HB and s	snould equal the cost	ex.	
Qualification:	Measure	D	ata Type:	integer
l acation				-
Location	2			
Enclosing Class:	Cost	Н	ierarchy:	Prescriptions Cost Cost ex supplier (GST excl.)
				,
<u>Definition</u>				
SQL Statement:	Sum(DSSADM.FACT	_PHA_DISPENSING	S_NI.Cost_Ex_S	upplier)
SQL Description:				
Datamart Links:				
<u>Field:</u>		<u>Table:</u>		<u>Dictionary:</u>
cost_ex_supplie	er:	fact_pha_disp	ensing	PHARM DD2
Properties Properties				
Aggregate Function	on: SUM	O	bject Format:	
Value List Associa		lue List Name:	-	Value List Editible:
Security Access				
Security Access Security Rules:	Public	11	sed In Query:	result, condition, sort
Security Rules.	r ublic	U.	seu iii wuei y:	resuit, contaition, sort

Cost ex supplier group

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Cost ex supplier group

Description: This groups the data by the cost calculated from the units multiplied by the subsidy. The HealthPac

cost ex supplier is provided by HealthPac and should equal the cost ex.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Threshholds Hierarchy: Prescriptions | Cost | Threshholds | Cost ex

supplier group

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Cost_Ex_Supplier **SQL Description:** Select Cost_Ex_Supplier from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:cost_ex_supplierfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Count SA (Special Authority)

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Count SA (Special Authority)

Description: A count of distinct special authority numbers. (Special Authority Approval Number which is known as

Section 99 Number).

For drugs that are treated differently by Pharmac, where a special authority is required to dispense the

drug.

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Volumes | Volumes | Count SA (Special

Authority)

Definition

SQL Statement: count(DISTINCT DSSADM.FACT_PHA_DISPENSING_NI.Special_Authority_Number)

SQL Description:

Datamart Links:

Field:Table:Dictionary:special_authority_numberfact_pha_disp_adjustmentsPHARM DD2special_authority_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

CSC ind

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: CSC ind

Description: Community Services Card indicator. Based on income level of family.

Guide For Use: 1 = CSC; 3 = No CSC

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | CSC ind

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.CSC_IND **SQL Description:** Select CSC_IND from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:csc_inddim_patient_flagsPHARM DD2csc_indfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

CSC ind (Community Services Card)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: CSC ind (Community Services Card)

Description: Community Services Card indicator. Based on income level of family.

Guide For Use: 1 = CSC; 3 = No CSC

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Patient | Patient | CSC ind (Community Services

Version: 2.0 NZHIS Page 80

July 2006

Card)

Definition

SQL Statement: DSSADM.DIM_PATIENT_FLAGS.CSC_IND **SQL Description:** Select CSC_IND from DIM_PATIENT_FLAGS

Datamart Links:

 Field:
 Table:
 Dictionary:

 csc_ind
 dim_patient_flags
 PHARM DD2

 csc_ind
 fact_pha_dispensing
 PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Daily dose

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Daily dose

Description: The Daily Dose contains the amount of units prescribed to be used per day.

Guide For Use: Supplied from HealthPAC item since Claim approved date of 1 May 2000. From June 2001 missing

data mapped by multiplying dose by frequency if they exist. Not always an integer because, if not

provided, the value is derived.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Extract | Hierarchy: Dispensing Extract | Daily dose

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.DAILY_DOSE **SQL Description:** Select DAILY_DOSE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:daily_dosefact_pha_disp_adjustmentsPHARM DD2daily_dosefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Daily dose

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Daily dose

Description: The amount of base units prescribed to be used per day in the dose unit of measure defined by

Pharmac.

Dose x Frequency = Daily dose

Guide For Use: Supplied from HealthPAC item since Claim approved date of 1 May 2000. From June 2001 missing

data mapped by multiplying dose by frequency if they exist.

Not always an integer because, if not provided, the value is derived.

If the Daily dose is unable to be expressed (eg, 'Take as needed'), this field should be set to '0'. If the

field is set to '0', the Dose flag should be set to 'Y'.

If the number of units is a range, the higher amount is used.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: ADD information Hierarchy: Prescriptions | ADD information | Daily dose

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Daily_Dose

SQL Description: Select FACT_PHA_DISPENSING_NI.Daily_Dose from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:daily_dosefact_pha_disp_adjustmentsPHARM DD2daily_dosefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Daily dose

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Daily dose

Description: The Daily Dose contains the amount of units prescribed to be used per day.

Guide For Use: Supplied from HealthPAC item since Claim approved date of 1 May 2000. From June 2001 missing

data mapped by multiplying dose by frequency if they exist. Not always an integer because, if not

provided, the value is derived.

Qualification: Dimension **Data Type:** integer

Location

Version: 2.0 NZHIS Page 82

July 2006

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Daily dose

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.DAILY_DOSE **SQL Description:** Select DAILY_DOSE from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:daily_dosefact_pha_disp_adjustmentsPHARM DD2daily_dosefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Data grouping

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Data grouping

Description: Distinguishes between medicode/pharmacode data and compound data

Guide For Use: Values: normal, compound

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Data grouping

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.Data_Source = 'H' and DSSADM.FACT_PHA_DISPENSING_NI.Component_Number < 2 then 'normal' when DSSADM.FACT_PHA_DISPENSING_NI.Data_Source = 'H' and DSSADM.FACT_PHA_DISPENSING_NI.Component_Number >1 then 'compound' when DSSADM.FACT_PHA_DISPENSING_NI.Data_Source = 'C' then 'compound'

when DSSADM.FACT_PHA_DISPENSING_NI.Data_Source = 'C' then 'compound' else 'normal'

end

SQL Description:

Datamart Links:

Field:Table:Dictionary:component_numberfact_pha_disp_adjustmentsPHARM DD2component_numberfact_pha_dispensingPHARM DD2data_sourcefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort Data source Version: 1.0 **Object Attributes** Version Date: 12-Jun-2006 Name: Data source Indicates the type of claim code used in the Pharmacode field. Description: Guide For Use: Originally Data source denoted whether the data came from HealthPAC or North Pronet Systems. From August 1998 all claims were paid through Pronet systems, and this field was used to denote data Before 10 August 1998 the value is always H. After that it is C or M or P, or (since September 2001) S. For example, if analysing use of a component, find all records with Data source of 'C'. When the nationwide Pronet system was introduced in 1998, this started the shift of the major drug key from Medicode to Pharmacode. There is a many to many mapping between Medicode and Pharmacode that is reconciled by a third key based on Chemical, Formulation and Product, which links to the Pharmac schedule. Qualification: Dimension Data Type: char Location Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Data source **Definition** DSSADM.FACT_PHA_DISPENSING_NI.DATA_SOURCE SQL Statement: SQL Description: Select DATA_SOURCE from FACT_PHA_DISPENSING_NI **Datamart Links:** Field: Table: **Dictionary:** PHARM DD2 data_source fact_pha_dispensing **Properties** Aggregate Function: Object Format: Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: Public Used In Query: result, condition, sort

Data type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Data type

Description: H = Health Benefits (prior to approved date August 98)

M = Medicode P = Pharmacode C = Compound

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Data type

Definition

DSSADM.FACT_PHA_DISPENSING_NI.Data_Source SQL Statement: **SQL Description:** Select Data_Source from FACT_PHA_DISPENSING_NI

Datamart Links:

Field: Table: Dictionary: PHARM DD2 data_source fact_pha_dispensing

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Editible: Value List Name:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Data type

Version: 1.0 Version Date: 13-Jun-2006 **Object Attributes**

Name: Data type

Description: Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Data type

Definition

DSSADM.FACT_PHA_DISP_ADJUSTMENTS.DATA_TYPE SQL Statement: SQL Description: Select DATA_TYPE from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field: Table: **Dictionary:** fact_pha_disp_adjustments PHARM DD2 data_type

Properties

Object Format: Aggregate Function:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Date approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Date approved

Description: Date on which claim was approved.

Guide For Use: The presentation of this field depends on how the viewing software represents dates.

Qualification: Dimension **Data Type:** date

Location

Enclosing Class: Date Approved | Date | Date Approved | Date | Da

approved

Definition

SQL Statement: DSSADM.DIM_CLAIM_APPROVED_DATE.SQL_Date **SQL Description:** Select SQL_Date from DIM_CLAIM_APPROVED_DATE

Datamart Links:

Field: <u>Table:</u> <u>Dictionary:</u>

sql_date dim_global_time GMS

sql_date dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Date claimed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Date claimed

Description: Date on which the liablilty to pay was incured.

Guide For Use:

Qualification: Dimension Data Type: date

Location

Enclosing Class: Date Claimed Hierarchy: Time Series | Date Claimed | Date claimed

Definition

Version: 2.0 NZHIS Page 86

July 2006

SQL Statement: DSSADM.DIM_CLAIM_DATE.SQL_DATE **SQL Description:** Select SQL_DATE from DIM_CLAIM_DATE

Datamart Links:

<u>Field:</u> <u>Table:</u> <u>Dictionary:</u>

sql_date dim_global_time GMS

sql_date dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Date dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Date dispensed

Description: Actual date dispensed. Prior to electronic claiming this field was not supplied accurately and is null in

most cases.

Guide For Use: The presentation of this field depends on how the viewing software represents dates.

Qualification: Dimension Data Type: date

Location

Enclosing Class: Date Dispensed | Date D

dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.SQL_Date **SQL Description:** Select SQL_Date from DIM_DISPENSED_DATE

Datamart Links:

<u>Field:</u> <u>Dictionary:</u>

sql_date dim_global_time GMS

sql_date dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Date dispensed

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Date dispensed

Description: The date the medication was given to the patient.

Guide For Use: Fully populated since 10 August 1998.

Qualification: Dimension **Data Type:** date

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Date dispensed

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.DATE_DISPENSED **SQL Description:** Select DATE_DISPENSED from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:date_dispensedfact_pha_disp_adjustmentsPHARM DD2date_dispensedfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Date dispensed

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Date dispensed

Description: The date the medication was given to the patient.

Guide For Use: Fully populated since 10 August 1998.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Extract | Date dispensed

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.DATE_DISPENSED **SQL Description:** Select DATE_DISPENSED from FACT_PHA_DISPENSING_NI

Datamart Links:

Field: date_dispensed date_dispensed	Table: fact_pha_disp_adjustments fact_pha_dispensing	<u>Dictionary:</u> PHARM DD2 PHARM DD2	
<u>Properties</u>			
Aggregate Function:	Object Format:	_	
Value List Associated:	Value List Name:	Value List Editible:	
Security Access			
Security Rules: Public	Used In Query:	result, condition, sort	

Date of Birth

Object Attributes Version: 1.0 Version Date: 25-Jul-2006

Name: Date of Birth

Description: The date of birth of the health care user e.g. 17/03/1973

Guide For Use:

Qualification: Dimension Data Type: date

Location

Enclosing Class: Patient Hierarchy: Patient | Date of Birth

Definition

SQL Statement: SQL Description:

No Datamart Links

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: Result, Condition, Sort

Date of Death

Object Attributes Version: 1.0 Version Date: 25-Jul-2006

Name: Date of Death

Description: The date of death of the health care user e.g. 17/03/2004

Guide For Use: Not always populated. May be null.

Qualification: Dimension Data Type: date

Location Enclosing Class: Patient Patient | Date of Death Hierarchy: **Definition** SQL Statement: SQL Description: **No Datamart Links Properties** Aggregate Function: **Object Format:** Value List Editible: Value List Associated: Value List Name: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort

Date suffix

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Date suffix

Description: This is the date suffix of the extract files supplied by the external provider.

Guide For Use: Format is: YYMMDDA.

Used to identify when records were loaded to the data mart. It contains the month and year the load file was extracted from the systems at HealthPAC. For records migrated from Sybase to Oracle in 2006, the letter 'M' is appended and the dispensing month and year was used to populate this field.

the letter 'M' is appended and the dispensing month and year was used to populate this field.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claim Extract Hierarchy: Claim Extract | Date suffix

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.DATE_SUFFIX **SQL Description:** Select DATE_SUFFIX from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:date_suffixfact_pha_claimPHARM DD2date_suffixfact_pha_disp_adjustmentsPHARM DD2date_suffixfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Date suffix

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Date suffix

Description: This is the date suffix of the extract files supplied by the external provider.

Guide For Use: Format is: YYMMDDA

Used to identify when records were loaded to the data mart. It contains the month and year the load file was extracted from the systems at HealthPAC. For records migrated from Sybase to Oracle in 2006, the letter 'M' is appended and the dispensing month and year was used to populate this field.

Qualification: Dimension **Data Type:** cha

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Date suffix

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.DATE_SUFFIX **SQL Description:** Select DATE_SUFFIX from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:date_suffixfact_pha_claimPHARM DD2date_suffixfact_pha_disp_adjustmentsPHARM DD2date_suffixfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Date suffix

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Date suffix

Description: This is the date suffix of the extract files supplied by the external provider.

Guide For Use: Format is: YYMMDDA

Used to identify when records were loaded to the data mart. It contains the month and year the load file was extracted from the systems at HealthPAC. For records migrated from Sybase to Oracle in 2006, the letter 'M' is appended and the dispensing month and year was used to populate this field.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Extract | Hierarchy: Dispensing Extract | Date suffix

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.DATE_SUFFIX **SQL Description:** Select DATE_SUFFIX from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:date_suffixfact_pha_claimPHARM DD2date_suffixfact_pha_disp_adjustmentsPHARM DD2date_suffixfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Day of month approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Day of month approved

Description: Number of the day in the month in which the claim was approved.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Approved | Day of month

approved

Definition

SQL Statement: DSSADM.DIM_CLAIM_APPROVED_DATE.DAY_OF_MONTH **SQL Description:** Select DAY_OF_MONTH from DIM_CLAIM_APPROVED_DATE

Datamart Links:

Field:Table:Dictionary:day_of_monthdim_global_timeGMSday_of_monthglobal_timeMHDW

day_of_month dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Day of month claimed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Day of month claimed

Description: Number of the day in the month in which the claim was made.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Claimed Hierarchy: Time Series | Date Claimed | Day of month

claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.DAY_OF_MONTH **SQL Description:** Select DAY_OF_MONTH from DIM_CLAIM_DATE

Datamart Links:

Field:Table:Dictionary:day_of_monthdim_global_timeGMSday_of_monthglobal_timeMHDW

day_of_month dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Day of month dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Day of month dispensed

Description: Number of the day in the month in which the pharmaceutical was dispensed..

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Date Dispensed | Day of

month dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.DAY_OF_MONTH **SQL Description:** Select DAY_OF_MONTH from DIM_DISPENSED_DATE

Datamart Links:

Field:Table:Dictionary:day_of_monthdim_global_timeGMSday_of_monthglobal_timeMHDW

day_of_month dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Day of week approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Day of week approved

Description: Three letter abreviation of the day of week the claim was approved e.g. Tue, Wed

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Date Approved | Day of week | Time Series | Date Approved | Day of week

approved

Definition

SQL Statement:DSSADM.DIM_CLAIM_APPROVED_DATE.DAY_OF_WEEKSQL Description:Select DAY_OF_WEEK from DIM_CLAIM_APPROVED_DATE

Datamart Links:

 Field:
 Table:
 Dictionary:

 day_of_week
 dim_global_time
 GMS

 day_of_week
 global_time
 MHDW

day_of_week dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Day of week claimed

Version: 2.0 NZHIS Page 94 July 2006

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Day of week claimed

Description: Three letter abreviation of the day of week the claim was made e.g. Tue, Wed

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Date Claimed | Day of week

claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.DAY_OF_WEEK **SQL Description:** Select DAY_OF_WEEK from DIM_CLAIM_DATE

Datamart Links:

 Field:
 Table:
 Dictionary:

 day_of_week
 dim_global_time
 GMS

 day_of_week
 global_time
 MHDW

day_of_week dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Day of week dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Day of week dispensed

Description: Three letter abreviation of the day of week the pharmaceutical was dispensed e.g. Tue, Wed

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Date Dispensed | Hierarchy: Time Series | Date Dispensed | Day of week

dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.DAY_OF_WEEK **SQL Description:** Select DAY_OF_WEEK from DIM_DISPENSED_DATE

Datamart Links:

 Field:
 Table:
 Dictionary:

 day_of_week
 dim_global_time
 GMS

 day_of_week
 global_time
 MHDW

day_of_week dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Days supply

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Days supply

Description: The number of days' medication the patient has been supplied with at this time. **Guide For Use:** Calculated by the HealthPAC claim payment process. Often values are missing.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Days supply

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.DAYS_SUPPLY **SQL Description:** Select DAYS_SUPPLY from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:days_supplyfact_pha_disp_adjustmentsPHARM DD2days_supplyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Days supply

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Days supply

Description: The number of days' medication the patient has been supplied with at this time.

Guide For Use: Calculated by the HealthPAC claim payment process.

Often values missing.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Days supply Dispensing Extract | Days supply

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.DAYS_SUPPLY **SQL Description:** Select DAYS_SUPPLY from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:days_supplyfact_pha_disp_adjustmentsPHARM DD2days_supplyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Deprivation index

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Deprivation index

Description: The NZ Deprivation Index is a decile ranking assigned to a domicile code.

Deprivation scale/poverty indicator. '1' is the least deprived and '10' is the most deprived.

Guide For Use:

NZdep01 is a component of funding of capitation payment rates for primary health organisations

(PHOs).

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Patient Hierarchy: Patient | Deprivation index

Definition

SQL Statement: DSSADM.DIM_GEO.NZDEP_01 **SQL Description:** Select NZDEP_01 from DIM_GEO

Datamart Links:

Field:Table:Dictionary:nzdep_01dim_census_geofileSHARED DIMSnzdep_01dim_geofileSHARED DIMS

Pro	pert	ies

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

DHB (patient)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: DHB (patient)

Description: DHB region description based upon the domicile code of the NHI (if reported).

Guide For Use: The name of the District Health Board responsible for the domicile.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Patient Location Hierarchy: Patient | Patient Location | DHB (patient)

Definition

SQL Statement: DSSADM.DIM_GEO.DHB **SQL Description:** Select DHB from DIM_GEO

Datamart Links:

Field:Table:Dictionary:dhbdim_geoSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

DHB code

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: DHB code

Description: The three digit DHB code of the provider e.g. 011 - Northland, 121 - Canterbury.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Provider Location Hierarchy: Provider | Provider Location | DHB code **Definition** DSSADM.DIM_PHA_PROVIDER.PROVIDER_DHB_CODE SQL Statement: SQL Description: Select PROVIDER_DHB_CODE from DIM_PHA_PROVIDER **Datamart Links:** Field: Table: Dictionary: provider_dhb_code SHARED DIMS dim_provider **Properties** Aggregate Function: Object Format: Value List Editible: Value List Associated: Value List Name: **Security Access** Security Rules: Public Used In Query: result, condition, sort **DHB** code Version: 1.0 Version Date: 12-Jun-2006 **Object Attributes** Name: DHB code Description: District Health Board code as defined by the Ministry of Health e.g. 121 - Canterbury. Guide For Use: Qualification: Dimension Data Type: char Location Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | DHB code **Definition** DSSADM.DIM_GEOFILE.DHB_CODE SQL Statement: SQL Description: Select DHB_CODE from DIM_GEOFILE **Datamart Links:** Field: Table: Dictionary: SHARED DIMS dhb_code dim_geofile **Properties** Aggregate Function: Object Format: Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort

DHB code (patient)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: DHB code (patient)

Description: District Health Board code of the health care user as defined by the Ministry of Health. (if reported).

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Patient Location Hierarchy: Patient | Patient Location | DHB code

(patient)

Definition

SQL Statement: DSSADM.DIM_GEO.DHB_Code **SQL Description:** Select from DIM_GEOHB_Code

Datamart Links:

Field:Table:Dictionary:dhb_codedim_geoGMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

DHB name

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: DHB name

Description: District Health Board Name e.g. Canterbury, Taranaki

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | DHB name

Definition

SQL Statement: DSSADM.DIM_GEOFILE.DHB
SQL Description: Select DHB from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:dhbdim_geofileSHARED DIMS

Pro	perti	es
-----	-------	----

Object Format: Aggregate Function:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

Dispensing fee code

Version: 1.0 Version Date: 12-Jun-2006 **Object Attributes**

Name: Dispensing fee code

Description: Class of dispensing fee claimed.

Guide For Use: values: 0 to 9, null.

Has been supplied as null since Claim approved date of 1 August 1998. Retained for historical data.

Qualification: Data Type: integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Dispensing fee code

Definition

DSSADM.FACT_PHA_DISPENSING_NI.DISPENSING_FEE_CODE SQL Statement: **SQL Description:** Select DISPENSING_FEE_CODE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field: Table: Dictionary: dispensing_fee_code PHARM DD2 dim_costing_flags dispensing_fee_code fact_pha_dispensing PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

Dispensing fee value

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Dispensing fee value

Description: Fee paid to the claimant for dispensing the medication to the patient. Includes GST.

Guide For Use: One of the variables that go into the Cost breakdown.

Includes GST.

Qualification: Measure Data Type: integer

-	cati	n
LU	Lau	UII

Enclosing Class: Cost Hierarchy: Prescriptions | Cost | Dispensing fee value

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.Dispensing_Fee_Value)

SQL Description:

Datamart Links:

Field:Table:Dictionary:dispensings_prescribedfact_pha_disp_adjustmentsPHARM DD2dispensings_prescribedfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Dispensing fee value

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Dispensing fee value

Description:Fee paid to the claimant for dispensing the medication to the patient.Guide For Use:One of the variables that go into the Cost breakdown. Includes GST.Qualification:Data Type:integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Dispensing fee

value

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.DISPENSING_FEE_VALUE **SQL Description:** Select DISPENSING_FEE_VALUE from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:dispensing_fee_valuefact_pha_disp_adjustmentsPHARM DD2dispensing_fee_valuefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Dispensing fee value (excl GST)

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Dispensing fee value (excl GST)

Description: Fee paid to the claimant for dispensing the medication to the patient.

Guide For Use: Calculated by HealthPac under various contracts.

One of the variables that go into the Cost breakdown.

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Cost (excl GST) Hierarchy: Prescriptions | Cost (excl GST) | Dispensing

fee value (excl GST)

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.Dispensing_Fee_Value/1.125)

SQL Description:

Datamart Links:

Field:Table:Dictionary:dispensing_fee_valuefact_pha_disp_adjustmentsPHARM DD2dispensing_fee_valuefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Dispensings prescribed

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Dispensings prescribed

Description: Number of repeats on a prescription, including the first dispensing.

Guide For Use: Used for determining number of dispensings prescribed, as opposed to number used. Unlimited

repeats are indicated as 99.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Dispension | Dispens

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.DISPENSINGS_PRESCRIBED

SQL Description: Select DISPENSINGS_PRESCRIBED from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:dispensings_prescribedfact_pha_disp_adjustmentsPHARM DD2dispensings_prescribedfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Dispensings prescribed

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Dispensings prescribed

Description: Number of repeats on a prescription, including the first dispensing.

Guide For Use: Used for determining number of dispensings prescribed, as opposed to number used.

Unlimited repeats are indicated as 99.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Dispensings

prescribed

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.DISPENSINGS_PRESCRIBED **SQL Description:** Select DISPENSINGS_PRESCRIBED from .FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:dispensings_prescribedfact_pha_disp_adjustmentsPHARM DD2dispensings_prescribedfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Dispensings prescribed

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Dispensings prescribed

Description: Number of repeats on a prescription, including the first dispensing. Used for determining number of

dispensings prescribed, as opposed to number actually used.

Guide For Use: Unlimited repeats are indicated as 99.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Dispensings

prescribed

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Dispensings_Prescribed **SQL Description:** Select Dispensings_Prescribed from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:dispensings_prescribedfact_pha_disp_adjustmentsPHARM DD2dispensings_prescribedfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Distributor

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Distributor

Description: The distributor of the pharmaceutical. Pharmac identifier for a pharmaceutical supply company.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Distributor

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Distributor **SQL Description:** Seelct Distributor from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field		Table			Dietienen	
<u>Field:</u> distributor		<i><u>Table:</u></i> dim_form_	_pack_subsidy		<u>Dictionary:</u> PHARM DD2	
<u>Properties</u>						
Aggregate Function	on:		Object Format:			
Value List Associa		Value List Name:	object i ormati		Value List Editible:	
Security Access	í					
Security Rules:	Public		Used In Query:	result, co	ondition, sort	
Domicile (P	atient)					
Object Attribute	<u>s</u>		Versio	on: 1.0	Version Date: 12-Ju	ın-2006
Name: Description:	Domicile (Patien Health Domicile	it) Name (2001 boundarie	es) e.g. Addington,	Balmoral	etc	
Guide For Use: Qualification:	Dimension		Data Type:	char		
<u>Location</u>						
Enclosing Class:	Patient Location		Hierarchy:	Patient	Patient Location Domi	icile (Patient)
<u>Definition</u>						
SQL Statement:	DSSADM.DIM_GEO.DOMICILE_NAME					
SQL Description:	Select DOMICILE_NAME from DIM_GEO					
Datamart Links:						
Field: domicile_name		<i>Table:</i> dim_geo			<u>Dictionary:</u> SHARED DIMS	
<u>Properties</u>						
Aggregate Function	on:		Object Format:			
Value List Associ		Value List Name:	-		Value List Editible:	
Security Access	<u>.</u>					

Domicile 2001

Security Rules:

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Used In Query: result, condition, sort

Name: Domicile 2001

Public

Description: Health Domicile Name (2001 boundaries) e.g. Akaroa, Pukerua Bay.

Guide For Use: From shared Geofile table (dim_geofile).

Qualification: Dimension Data Type: char **Location** Enclosing Class: Claimant Hierarchy: Claimant | Domicile 2001 **Definition** DSSADM.DIM_GEOFILE.DOMICILE_NAME SQL Statement: SQL Description: Select DOMICILE_NAME from DIM_GEOFILE **Datamart Links:** Field: Table: **Dictionary:** SHARED DIMS domicile_name dim_census_geofile SHARED DIMS domicile_name dim_geofile **Properties** Aggregate Function: Object Format: Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort **Domicile code (patient)** Version: 1.0 Version Date: 12-Jun-2006 **Object Attributes** Name: Domicile code (patient) Statistics NZ Health Domicile Code representing an individual's usual residential address. Also used Description: for agency facility addresses. Guide For Use: A domicile code is derived from the address and stored on the shared dimension dim_agency_facility table. Qualification: Dimension Data Type: char Location Enclosing Class: Patient Location Hierarchy: Patient | Patient Location | Domicile code (patient) **Definition** SQL Statement: DSSADM.DIM_GEO.DOMICILE_CODE SQL Description: Select DOMICILE_CODE from DIM_GEO **Datamart Links:** Field: Table: **Dictionary:** SHARED DIMS domicile_code dim_geo **Properties** Aggregate Function: Object Format: Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Dose

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Dose

Description: The number of units prescribed to be used at each use of the medication measured in Quantity units,

for example 1 tablet.

Dose x Frequency = Daily dose

Guide For Use: Indiviual Dose values - mainly used to determine whether there are outliers that might bias the ADD

values.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Hierarchy: Dispensing Extract | Dose

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.DOSE **SQL Description:** Select DOSE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:dosefact_pha_disp_adjustmentsPHARM DD2dosefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Dose

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Dose

Description: The number of units prescribed to be used at each use of the medication measured in Quantity units,

for example '1 tablet', '2 drops'...

Guide For Use: If the number of units is a range, the higher amount is used.

Dose x Frequency = Daily dose

Qualification: Dimension **Data Type:** integer

Location

Version: 2.0 NZHIS Page 108

Enclosing Class:	Dispensing Adjustments	Hierarchy:	Dispensing Adjustments Dose
<u>Definition</u>			
SQL Statement:	DSSADM.FACT_PHA_DIS	P_ADJUSTMENTS.DOSE	
SQL Description:	Select DOSE from FACT_F	PHA_DISP_ADJUSTMENTS	
Datamart Links:			
<u>Field:</u>		<u>Table:</u>	<u>Dictionary:</u>
dose		fact_pha_disp_adjustment	
dose		fact_pha_dispensing	PHARM DD2
<u>Properties</u>			
Aggregate Function	on:	Object Forma	t:
Value List Associa	_	st Name:	Value List Editible:
Security Access			
Security Rules:	Public	Used In Query	result, condition, sort
Dose			
Object Attributes	<u> </u>	Vers	Version Date: 08-Jun-2006
Name:	Dose		
Description:	The number of units prescr for example 1 tablet.	ibed to be used at each use	of the medication measured in Quantity units,
	Dose x Frequency = Daily of	dose	
Guide For Use:	Indiviual Dose values - mai values.	nly used to determine wheth	er there are outliers that might bias the ADD
Qualification:	Dimension	Data Type:	integer
Location			
Enclosing Class:	ADD information	Hierarchy:	Prescriptions ADD information Dose
<u>Definition</u>			
SQL Statement:	t: DSSADM.FACT_PHA_DISPENSING_NI.Dose		
SQL Description:	: Select Dose from FACT_PHA_DISPENSING_NI		
Datamart Links:			
Field:		Table:	<u>Dictionary:</u>
dose		fact_pha_disp_adjustment	s PHARM DD2
dose		fact_pha_dispensing	PHARM DD2
<u>Properties</u>			
Aggregate Function	on:	Object Forma	t:
Value List Associa		st Name:	Value List Editible:
Security Access			

Security Rules: Public Used In Query: result, condition, sort

Dr Zero

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Dr Zero

Description: Groups by those doctors with an unknown New Zealand Medical Council (NZMC) number.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Dr Zero

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.DIM_PROVIDER_KEY <1 then 'Yes' else 'No'

end

SQL Description:

Datamart Links:

<u>Field:</u> <u>Table:</u> <u>Dictionary:</u> dim provider key dim provider GMS

dim_provider_keydim_providerGMSdim_provider_keyfact_gms_healtheventGMS

dim_provider_key fact_pha_dispensing PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Drug cost (excl GST)

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Drug cost (excl GST)

Description: Total cost of medication in the schedule minus GST. **Guide For Use:** NOTE: This is not valid for the drug cost pre Nov 98.

Calculated to take account of the double counting of compound drug cost after Nov 98. This is due to

the cost being captured on a header record as well as the individual record.

Qualification: Measure Data Type: integer

Location

Version: 2.0 NZHIS Page 110

Enclosing Class: Cost (excl GST) Hierarchy: Prescriptions | Cost (excl GST) | Drug cost

(excl GST)

Definition

SQL Statement: sum(case

when DSSADM.FACT_PHA_DISPENSING_NI.DATA_SOURCE = 'C' and

DSSADM.FACT_PHA_DISPENSING_NI.Component_Number > 0 then

(DSSADM.FACT_PHA_DISPENSING_NI.HPAC_Cost_Ex_Supplier_INCL/1.125) when DSSADM.FACT_PHA_DISPENSING_NI.Data_Source = 'C' then 0

else (DSSADM.FACT_PHA_DISPENSING_NI.HPAC_Cost_Ex_Supplier_INCL/1.125)

end)

SQL Description:

Datamart Links:

Field:Table:Dictionary:component_numberfact_pha_disp_adjustmentsPHARM DD2hpac_cost_ex_supplier_inclfact_pha_disp_adjustmentsPHARM DD2component_numberfact_pha_dispensingPHARM DD2hpac_cost_ex_supplier_inclfact_pha_dispensingPHARM DD2hpac_tost_ex_supplier_inclfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Drug cost grouping

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Drug cost grouping

Description: Seperates data into records that have a non-zero drug cost from those that have a zero drug cost

information.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Drug cost grouping

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.HPAC_COST_EX_SUPPLIER_INCL = 0 then 'no

drug cost'

else 'drug cost'

end

SQL Description: Seperates data into records that have a non-zero drug cost from those that have a zero drug cost inform

Datamart Links:

 Field:
 Table:
 Dictionary:

 hpac_cost_ex_supplier_incl
 fact_pha_disp_adjustments
 PHARM DD2

 hpac_cost_ex_supplier_incl
 fact_pha_dispensing
 PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Effective date

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Effective date

Description: The date the subsidy becomes effective.

Guide For Use:

Qualification: Dimension **Data Type:** date

Location

Enclosing Class: Subsidy Details Hierarchy: Pharmaceutical Reference | Subsidy Details

| Effective date

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.EFFECTIVE **SQL Description:** Select EFFECTIVE from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:effectivedim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Encrypted HCU ID

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Encrypted HCU ID

Description: The NHI number in encrypted form.

Version: 2.0 NZHIS Page 112 July 2006

Guide For Use: Note: This object is only available in the Pharms Encrypted Universe not the Pharms Standard

Universe upon which this BusinessObjects Universe Guide is modelled.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Encrypted HCU ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.ENCRYPTED_HCU_ID **SQL Description:** Select ENCRYPTED_HCU_ID from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:encrypted_hcu_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnic code 1 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnic code 1 (L0)

Description: This is the level 0 code of the first of the three ethnic groups recorded for the patient (healthcare user).

Level 0 group ethnic codes are: 2 = Maori, 3 = Pacific Island, 5 = Other.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 0 Ethnicity (MPO) | Ethnic code 1 (L0)

Definition

SQL Statement:DSSADM.DIM_AFFILIATION.LEVEL_0_ETHNIC_CODE_1SQL Description:Select LEVEL_0_ETHNIC_CODE_1 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_ethnic_code_1dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnic code 1 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnic code 1 (L1)

Description: This is the level 1 code of the first of the three ethnic groups recorded for the patient (healthcare user).

Level 1 group ethnic codes are: 1= European, 2 = Maori, 3 = Pacific Island, 4 = Asian, 5 = Other, 9 =

Unspecified.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 1 Ethnicity (MPOAEU) | Ethnic code 1

(L1)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_1_ETHNIC_CODE_1 **SQL Description:** Select LEVEL_1_ETHNIC_CODE_1 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_ethnic_code_1dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnic code 1 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnic code 1 (L2)

Description: This is the level 2 code of the first of the three ethnic groups recorded for the patient (healthcare user)

e.g. 21 = Maori, 32 = Cook Island Maori, 11 = NZ European / Pakeha.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Transaction Ethnicity |

Version: 2.0 NZHIS Page 114

Level 2 Ethnicity (10 - 99) | Ethnic code 1

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.ETHNIC_CODE_1 **SQL Description:** Select ETHNIC_CODE_1 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:ethnic_code_1dim_affiliationSHARED DIMSethnic_code_1dim_hcu_identifiableSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnic code 2 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnic code 2 (L0)

Description: This is the level 0 code of the second of the three ethnic groups recorded for the patient (healthcare

user). Level 0 group ethnic codes are: 2 = Maori, 3 = Pacific Island, 5 = Other.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient | Transaction Ethnicity |

Level 0 Ethnicity (MPO) | Ethnic code 2 (L0)

Definition

SQL Statement:DSSADM.DIM_AFFILIATION.LEVEL_0_ETHNIC_CODE_2SQL Description:Select LEVEL_0_ETHNIC_CODE_2 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_ethnic_code_3dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnic code 2 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnic code 2 (L1)

Description: This is the level 1 code of the second of the three ethnic groups recorded for the patient (healthcare

user). Level 1 group ethnic codes are: 1= European, 2 = Maori, 3 = Pacific Island, 4 = Asian, 5 = Other,

9 = Unspecified.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 1 Ethnicity (MPOAEU) | Ethnic code 2

(L1)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_1_ETHNIC_CODE_2 **SQL Description:** Select LEVEL_1_ETHNIC_CODE_2 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_ethnic_code_2dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnic code 2 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnic code 2 (L2)

Description: This is the level 2 code of the second of the three ethnic groups recorded for the patient (healthcare

user). E.g. 21 = Maori, 32 = Cook Island Maori, 11 = NZ European / Pakeha.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 2 Ethnicity (10 - 99) | Ethnic code 2

(L2)

Definition

Version: 2.0 NZHIS Page 116

SQL Statement: DSSADM.DIM_AFFILIATION.ETHNIC_CODE_2 **SQL Description:** Select ETHNIC_CODE_2 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:ethnic_code_2dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnic code 3 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnic code 3 (L0)

Description: This is the level 0 code of the third of the three ethnic groups recorded for the patient (healthcare user).

Level 0 group ethnic codes are: 2 = Maori, 3 = Pacific Island, 5 = Other.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 0 Ethnicity (MPO) | Ethnic code 3 (L0)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_0_ETHNIC_CODE_3 **SQL Description:** Select LEVEL_0_ETHNIC_CODE_3 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_ethnic_code_3dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnic code 3 (L1)

Version: 2.0 NZHIS Page 117 July 2006

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnic code 3 (L1)

Description: This is the level 1 code of the third of the three ethnic groups recorded for the patient (healthcare user).

Level 1 group ethnic codes are: 1= European, 2 = Maori, 3 = Pacific Island, 4 = Asian, 5 = Other, 9 =

Unspecified

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 1 Ethnicity (MPOAEU) | Ethnic code 3

(L1)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_1_ETHNIC_CODE_3 **SQL Description:** Select LEVEL_1_ETHNIC_CODE_3 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_ethnic_code_3dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnic code 3 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnic code 3 (L2)

Description: This is the level 2 code of the third of the three ethnic groups recorded for the patient (healthcare user).

E.g. 21 = Maori, 32 = Cook Island Maori, 11 = NZ European / Pakeha.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 2 Ethnicity (10 - 99) | Ethnic code 3

(L2)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.ETHNIC_CODE_3 **SQL Description:** Select ETHNIC_CODE_3 from DIM_AFFILIATION

Datamart Links:

Field: Table: **Dictionary:** ethnic_code_3 dim_affiliation SHARED DIMS **Properties** Aggregate Function: Object Format: Value List Editible: Value List Associated: Value List Name: **Security Access** Security Rules: Public Used In Query: result, condition, sort

Ethnicity 1 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnicity 1 (L0)

Description: This is the level 0 description of the first of the three ethnic groups recorded for the patient (healthcare

user). Level 0 groups ethnicities into: 'Maori', 'Pacific Island', 'Other'.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 0 Ethnicity (MPO) | Ethnicity 1 (L0)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_0_ETHNICITY_1 **SQL Description:** Select LEVEL_0_ETHNICITY_1 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_ethnicity_1dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnicity 1 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnicity 1 (L1)

Description: This is the level 1 description of the first of the three ethnic groups recorded for the patient (healthcare

user). Level 1 groups ethnicities into: Maori, Pacific Island, Other, Asian, European, Unspecified.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 1 Ethnicity (MPOAEU) | Ethnicity 1

(L1)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_1_ETHNICITY_1 **SQL Description:** Select LEVEL_1_ETHNICITY_1 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_ethnicity_1dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnicity 1 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnicity 1 (L2)

Description: This is the level 2 description of the first of the three ethnic groups recorded for the patient (healthcare

user). e.g. African, Chinese, Maori.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 2 Ethnicity (10 - 99) | Ethnicity 1 (L2)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.ETHNICITY_1 **SQL Description:** Select ETHNICITY_1 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:ethnicity_1dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnicity 2 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnicity 2 (L0)

Description: This is the level 0 description of the second of the three ethnic groups recorded for the patient

(healthcare user). Level 0 groups ethnicities into: 'Maori', 'Pacific Island', 'Other'.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 0 Ethnicity (MPO) | Ethnicity 2 (L0)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_0_ETHNICITY_2 **SQL Description:** Select LEVEL_0_ETHNICITY_2 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level 0 ethnicity 2dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnicity 2 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnicity 2 (L1)

Description: This is the level 1 description of the second of the three ethnic groups recorded for the patient

(healthcare user). Level 1 groups ethnicities into: Maori, Pacific Island, Other, Asian, European,

Unspecified.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension Data Type: char

Location

Version: 2.0 NZHIS Page 121

Enclosing Class: Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 1 Ethnicity (MPOAEU) | Ethnicity 2

(L1)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_1_ETHNICITY_2 **SQL Description:** Select LEVEL_1_ETHNICITY_2 from DIM_AFFILIATION

Datamart Links:

Field: Table: Dictionary: SHARED DIMS level_1_ethnicity_2 dim_affiliation

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

Ethnicity 2 (L2)

Version Date: 12-Jun-2006 **Object Attributes** Version: 1.0

Name: Ethnicity 2 (L2)

Description: This is the level 2 description of the second of the three ethnic groups recorded for the patient

(healthcare user) e.g. African, Chinese, Maori.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Level 2 Ethnicity (10 - 99) Patient | Patient Transaction Ethnicity | Hierarchy:

Level 2 Ethnicity (10 - 99) | Ethnicity 2 (L2)

Definition

DSSADM.DIM_AFFILIATION.ETHNICITY_2 SQL Statement: SQL Description: Select ETHNICITY_2 from DIM_AFFILIATION

Datamart Links:

Field: Table: **Dictionary:** ethnicity_2 dim_affiliation SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

Ethnicity 3 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnicity 3 (L0)

Description: This is the level 0 description of the third of the three ethnic groups recorded for the patient (healthcare

user). Level 0 groups ethnicities into: 'Maori', 'Pacific Island', 'Other'.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 0 Ethnicity (MPO) | Ethnicity 3 (L0)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_0_ETHNICITY_3 **SQL Description:** Select LEVEL_0_ETHNICITY_3 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_ethnicity_3dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnicity 3 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnicity 3 (L1)

Description: This is the level 1 description of the third of the three ethnic groups recorded for the patient (healthcare

user). Level 1 groups ethnicities into: Maori, Pacific Island, Other, Asian, European, Unspecified.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 1 Ethnicity (MPOAEU) | Ethnicity 3

(L1)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_1_ETHNICITY_3

SQL Description: Select LEVEL_1_ETHNICITY_3 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_ethnicity_3dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ethnicity 3 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ethnicity 3 (L2)

Description: This is the level 2 description of the third of the three ethnic groups recorded for the patient (healthcare

user) e.g. African, Chinese, Maori.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 2 Ethnicity (10 - 99)

Hierarchy: Patient | Patient Transaction Ethnicity |

Level 2 Ethnicity (10 - 99) | Ethnicity 3 (L2)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.ETHNICITY_3 **SQL Description:** Select ETHNICITY_3 from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:ethnicity_3dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Expiry date

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Expiry date

Description: The date when the subsidy expires and changes to a new subsidy. Including the condition where the

Expiry Date is Null gives the current subsidy.

Guide For Use:

Qualification: Dimension Data Type: date

Location

Enclosing Class: Subsidy Details Hierarchy: Pharmaceutical Reference | Subsidy Details

| Expiry date

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.EXPIRY **SQL Description:** Select EXPIRY from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:expirydim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

File type

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: File type

Description: The source HealthPAC system. Identifies whether the claim is manual, or the version of the electronic

claim. Some manual claims are still made.

Guide For Use: 90 percent of claims are made in PEC (Pharmaceutical Electronic Claiming).

Data supplied since Claim approved date of 1 October 2000.

Uses the key Claimant number, Claim date and Catnip batch number.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claim Extract Hierarchy: Claim Extract | File type

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.FILE_TYPE **SQL Description:** Select FILE_TYPE from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:file_typefact_pha_claimPHARM DD2

Pro	perties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

File type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: File type

Description: The source HealthPAC system.

Guide For Use: Made up of how the claim is processed and the version and release of the data specification. For

example, '19300' is made up of 19 which relates to pharmacy processing and 300 which is the Version

and Release of this data specification.

Identifies whether the claim is manual, or the version of the electronic claim. Some manual claims are

still made.

90 percent of claims are made in PEC (Pharmaceutical Electronic Claiming).

Data supplied since Claim approved date of 1 October 2000.

Uses the key Claimant number, Claim date and Catnip batch number.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Claim info Hierarchy: Claim info | File type

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.FILE_TYPE **SQL Description:** Select FILE_TYPE from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:file_typefact_pha_claimPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial month number approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial month number approved

Description: The financial month number in which the claim was approved e.g. July = 1

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Date Approved | Financial

month number approved

Definition

SQL Statement: DSSADM.DIM_CLAIM_APPROVED_DATE.FINANCIAL_MONTH_NUMBER **SQL Description:** Select FINANCIAL_MONTH_NUMBER from DIM_CLAIM_APPROVED_DATE

Datamart Links:

Field:Table:Dictionary:financial_month_numberdim_global_timeGMSfinancial_month_numberglobal_timeMHDW

financial_month_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial month number claimed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial month number claimed

Description: The financial month number in which the claim was made e.g. - July = 1, June = 12

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Claimed | Hierarchy: Time Series | Date Claimed | Financial

month number claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.FINANCIAL_MONTH_NUMBER **SQL Description:** Select FINANCIAL_MONTH_NUMBER from DIM_CLAIM_DATE

Datamart Links:

Field:Table:Dictionary:financial_month_numberdim_global_timeGMSfinancial_month_numberglobal_timeMHDW

financial_month_number dim_global_time SHARED DIMS

Pro	perti	es
-----	-------	----

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial month number dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial month number dispensed

Description: The financial month number in which the pharmaceutical was dispensed e.g. - July = 1, June = 12

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Dispensed | Financial

month number dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.FINANCIAL_MONTH_NUMBER **SQL Description:** Select FINANCIAL_MONTH_NUMBER from DIM_DISPENSED_DATE

Datamart Links:

Field:Table:Dictionary:financial_month_numberdim_global_timeGMSfinancial_month_numberglobal_timeMHDW

financial_month_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial quarter approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial quarter approved

Description: Text description of the financial quarter in which the claim was approved e.g. Jul - Sept = first

Guide For Use:

Qualification: Dimension **Data Type:** char

Version: 2.0 NZHIS Page 128

Lo	ca	tic	on

Enclosing Class: Date Approved Time Series | Date Approved | Financial Hierarchy:

quarter approved

Definition

SQL Statement: DSSADM.DIM_CLAIM_APPROVED_DATE.FINANCIAL_QUARTER SQL Description: Select FINANCIAL QUARTER from DIM CLAIM APPROVED DATE

Datamart Links:

Field: Table: **Dictionary: GMS** financial_quarter dim_global_time financial_quarter global_time **MHDW** financial_quarter

dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial quarter claimed

Version Date: 08-Jun-2006 Version: 1.0 **Object Attributes**

Name: Financial quarter claimed

Description: Text description of the financial quarter in which the claim was made e.g. Jul - Sept = first

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Date Claimed Time Series | Date Claimed | Financial Hierarchy:

quarter claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.FINANCIAL_QUARTER SQL Description: Select FINANCIAL_QUARTER from DIM_CLAIM_DATE

Datamart Links:

Field: Table: **Dictionary:** financial_quarter dim_global_time **GMS** financial_quarter global_time **MHDW**

SHARED DIMS financial_quarter dim_global_time

Properties

Aggregate Function: **Object Format:**

Value List Associated: Value List Name: Value List Editible:

Version: 2.0 **NZHIS** Page 129

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial quarter dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial quarter dispensed

Description: Text description of the financial quarter in which the pharmaceutical was dispensed e.g. Jul - Sept = first

Guide For Use: Values:first, second, third, fourth For example, July to September is 'first'.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Date Dispensed Hierarchy: Time Series | Date Dispensed | Financial

quarter dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.FINANCIAL_QUARTER **SQL Description:** Select FINANCIAL_QUARTER from DIM_DISPENSED_DATE

Datamart Links:

Field:Table:Dictionary:financial_quarterdim_global_timeGMS

financial_quarter global_time MHDW

financial_quarter dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial quarter number approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial quarter number approved

Description: The financial quarter number of the year in which the claim was approved. July -Sept = 1

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Approved | Financial Hierarchy: Time Series | Date Approved | Financial

Version: 2.0 NZHIS Page 130

July 2006

quarter number approved

_						
n	ef	п	าเ	tı	റ	n

SQL Statement: DSSADM.DIM_CLAIM_APPROVED_DATE.FINANCIAL_QUARTER_NUMBER

SQL Description: Select

Datamart Links:

Field:Table:Dictionary:financial_quarter_numberdim_global_timeGMSfinancial_quarter_numberglobal_timeMHDW

financial_quarter_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial quarter number claimed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial quarter number claimed

Description: The financial quarter number of the year in which the claim was made e.g. July -Sept = 1

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Claimed Hierarchy: Time Series | Date Claimed | Financial

quarter number claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.FINANCIAL_QUARTER_NUMBER **SQL Description:** Select FINANCIAL_QUARTER_NUMBER from DIM_CLAIM_DATE

Datamart Links:

Field:Table:Dictionary:financial_quarter_numberdim_global_timeGMSfinancial_quarter_numberglobal_timeMHDW

financial_quarter_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Version: 2.0 NZHIS Page 131

Financial quarter number dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial quarter number dispensed

Description: The financial quarter number of the year in which the pharmaceutical was dispensed e.g. July -Sept = 1

Guide For Use: Values: 1, 2, 3, 4

For example, July to September is '1'.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Date Dispensed | Financial Hierarchy: Time Series | Date Dispensed | Financial

quarter number dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.FINANCIAL_QUARTER_NUMBER **SQL Description:** Select FINANCIAL_QUARTER_NUMBER from DIM_DISPENSED_DATE

No Datamart Links

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial year approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial year approved

Description: The financial year of the date the item was approved, which starts from 1 July and finishes 31 June e.g.

2000/01.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Date Approved | Financial | Hierarchy: Time Series | Date Approved | Financial

year approved

Definition

SQL Statement: DSSADM.DIM_CLAIM_APPROVED_DATE.FINANCIAL_YEAR **SQL Description:** Select FINANCIAL_YEAR from DIM_CLAIM_APPROVED_DATE

Datamart Links:

Field:Table:Dictionary:financial_yeardim_global_timeGMSfinancial_yearglobal_timeMHDW

financial_year dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial year claimed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial year claimed

Description: The financial year of the date the claim was received, which starts from 1 July and finishes 31 June e.g.

2000/01.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Date Claimed Hierarchy: Time Series | Date Claimed | Financial year

claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.FINANCIAL_YEAR **SQL Description:** Select FINANCIAL_YEAR from DIM_CLAIM_DATE

Datamart Links:

Field:Table:Dictionary:financial_yeardim_global_timeGMSfinancial_yearglobal_timeMHDW

financial_year dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Financial year dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Financial year dispensed

Description: The financial year of the date the item was dispensed, which starts from 1 July and finishes 31 June

e.g. 2000/01

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Date Dispensed | Financial

year dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.FINANCIAL_YEAR **SQL Description:** Select FINANCIAL_YEAR from DIM_DISPENSED_DATE

Datamart Links:

Field:Table:Dictionary:financial_yeardim_global_timeGMSfinancial_yearglobal_timeMHDW

financial_year dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Five year age bands

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Five year age bands

Description: A five year range of ages, eg, 6 to 10. Note: The first band (0 to 5) is 6 years.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Patient Age at Dispensing Hierarchy: Patient | Patient Age at Dispensing | Five

year age bands

Definition

SQL Statement: DSSADM.DIM_AGE_BAND.FIVE_YEAR_BAND
SQL Description: Select FIVE_YEAR_BAND from DIM_AGE_BAND

Datamart Links:

July 2006

Field:Table:Dictionary:five_year_banddim_age_bandGMSfive_year_bandage_bandMHDW

five_year_band dim_age_band SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort,

Form cost

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Form cost

Description: Total cost of prescription or items claimed on this form. Includes GST.

Guide For Use: This is the sum of all items on the form, and is copied into each dispensing record. As a result, this field

should not be aggregated. Includes GST.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Form cost

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.FORM_COST **SQL Description:** Select FORM_COST from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:form_costfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Form number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Form number

Version: 2.0 NZHIS Page 135 July 2006 **Description:** Identifier for each prescription item.

Guide For Use: Used as one of the keys to match form and item.

Recommend this is used in conjunction with date or claimant, depending on the level of aggregation.

For some pharmacies this is not a unique number.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Form number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Form_Number **SQL Description:** Seelct Form_Number from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:form_numberfact_pha_disp_adjustmentsPHARM DD2form_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Form number

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Form number

Description: Identifier for each prescription item. A unique number for a claimant which identifies the form or source

document for all pharmaceuticals dispensed.

Guide For Use: All pharmaceutical items from the same form (eg, prescription form) including repeat items should have

the same form number.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Form number

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.FORM_NUMBER **SQL Description:** Select FORM_NUMBER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:form_numberfact_pha_disp_adjustmentsPHARM DD2form_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function:	Obiect Format:
Ayyreyate runction.	Object Format.

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Form number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Form number

Description: Identifier for each prescription item. A unique number for a claimant which identifies the form or source

document for all pharmaceuticals dispensed.

Guide For Use: All pharmaceutical items from the same form (eq. prescription form) including repeat items should have

the same form number.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Form number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.FORM_NUMBER **SQL Description:** Select FORM_NUMBER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:form_numberfact_pha_disp_adjustmentsPHARM DD2form_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Form pack BK

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Form pack BK

Description: The form_pack_bk is generated to provide a business key to form/pack/subsidy relationships. This

allows a link between the Form Pack Subsidy table and the Dispensing table. NZHIS datamart

generated object.

Guide For Use: If there is a Pharmacode present the Form Pack BK will be prefixed by with the character P, if not the

Form Pack BK will be prefixed with the character F.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Form pack BK

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.FORM_PACK_BK **SQL Description:** Select FORM_PACK_BK from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:form_pack_bkdim_form_pack_subsidyPHARM DD2form_pack_bkfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Form type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Form type

Description: The type of the prescription form for claims. Based on Order Type and calculated by HealthPac.

Prescription Type:

1 = Pharmacy prescription; 2 = PSO; 3 = Controlled drug; 4 = Controlled PSO;

5 = Hospital Prescription; 6 = WSO; 7 = BSO; 8 = Controlled BSO; 9 = Allergy treatment set; 10,11,12 = Invalid codes assume 1.

Guide For Use: Order type should be used instead as HealthPAC derives the Form type from the Order type

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Form type

Definition

SQL Statement: DSSADM.DIM_DISPENSING_FLAGS.FORM_TYPE **SQL Description:** Select FORM_TYPE from DIM_DISPENSING_FLAGS

Datamart Links:

Field:Table:Dictionary:form_typedim_dispensing_flagsPHARM DD2form_typefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Version: 2.0 NZHIS Page 138 July 2006

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Form type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Form type

Description: The type of the prescription form for claims. Based on Order Type and calculated by HealthPac. **Guide For Use:** Order type should be used instead as HealthPAC derives the Form type from the Order type.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Form type

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.FORM_TYPE **SQL Description:** Select FORM_TYPE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:form_typedim_dispensing_flagsPHARM DD2form_typefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Formulation ID

Object Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Formulation ID

Description: Pharmac Identifier for each Formulation classification of a drug.

Guide For Use: Comprises 4 digit Chemical ID and a 2 digit Presentation ID (also known as Formulation Suffix).

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Formulation Hierarchy: Pharmaceutical Reference | Formulation |

Formulation ID

Version: 2.0 NZHIS Page 139

July 2006

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Formulation_ID **SQL Description:** Select Formulation_ID from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:formulation_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

Formulation ID by TG 1

Object Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Formulation ID by TG 1

Description: The list of values shows chemical and presentation id's under the Therapeutic Group 1 heading.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Formulation Hierarchy: Pharmaceutical Reference | Formulation |

Formulation ID by TG 1

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Chemical_ID*100+DSSADM.DIM_FORM_PACK_SUBSIDY.Pr

esentation_ID

SQL Description:

Datamart Links:

Field:Table:Dictionary:chemical_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

Formulation ID by TG 2

Object Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Formulation ID by TG 2

Description: The list of values shows chemical and presentation id's under the Therapeutic Group 1 and 2 headings.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Formulation Hierarchy: Pharmaceutical Reference | Formulation |

Formulation ID by TG 2

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Chemical_ID*100+DSSADM.DIM_FORM_PACK_SUBSIDY.Pr

esentation_ID

SQL Description:

Datamart Links:

Field:Table:Dictionary:chemical_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

Formulation ID by TG 3

Object Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Formulation ID by TG 3

Description: The list of values shows chemical and presentation id's under the Therapeutic Group 1, 2, and 3

headings.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Formulation Hierarchy: Pharmaceutical Reference | Formulation |

Formulation ID by TG 3

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Chemical_ID*100+DSSADM.DIM_FORM_PACK_SUBSIDY.Pr

esentation_ID

SQL Description:

Datamart I	Links:
------------	--------

Field: Table: **Dictionary:** chemical_id dim_form_pack_subsidy PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Editible: Value List Name:

Security Access

Security Rules: public Used In Query: result, condition, sort

Formulation ID by TGM

Object Attributes Version: 1.0 Version Date: 07-Jun-2006

Name: Formulation ID by TGM

Select sets of chemical and presentation id's based on the TGM. Description:

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Formulation Pharmaceutical Reference | Formulation | Hierarchy:

Formulation ID by TGM

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Chemical_ID*100+DSSADM.DIM_FORM_PACK_SUBSIDY.Pr

esentation_ID

SQL Description:

Datamart Links:

Field: Table: **Dictionary:** chemical_id PHARM DD2 dim_form_pack_subsidy

Properties

Object Format: Aggregate Function:

Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: public Used In Query: result, condition, sort

Formulation name

Version: 1.0 Version Date: 07-Jun-2006 **Object Attributes**

Version: 2.0 **NZHIS** Page 142 Name: Formulation name

Description: The name of the formulation that usually describes the form and strength. Can also include the flavour

or quality reference such as 'BP', but should not include Chemical, Brand or Pack attributes.

A combination of the Chemical name and the Presentation name, for example, 'aspirin tablets'.

Guide For Use: A combination of the Chemical name and the Presentation name, for example, 'aspirin tablets'.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Formulation Hierarchy: Pharmaceutical Reference | Formulation |

Formulation name

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Formulation_Name **SQL Description:** Select Formulation_Name from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:formulation_namedim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

Frequency

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Frequency

Description: How often the medication is supposed to be taken.

Dose x Frequency = Daily dose

Guide For Use: If not present, then it is derived by calculating Daily Dose divided by Dose (if they exist), unless the

result is too large to fit in the field.

Indiviual Frequency values - mainly used to determine whether there are outliers that might bias the

ADD values.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Frequency

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.FREQUENCY **SQL Description:** Select FREQUENCY from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:frequencyfact_pha_disp_adjustmentsPHARM DD2frequencyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Frequency

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Frequency

Description: How often the medication is supposed to be taken.

Guide For Use: If not present, then it is derived by calculating Daily Dose divided by Dose (if they exist).

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Frequency

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.FREQUENCY **SQL Description:** Select FREQUENCY from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:frequencyfact_pha_disp_adjustmentsPHARM DD2frequencyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Frequency

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Frequency

Description: How often the medication is supposed to be taken.

Dose x Frequency = Daily dose

Guide For Use: If not present, then it is derived by calculating Daily Dose divided by Dose (if they exist), unless the

result is too large to fit in the field.

Indiviual Frequency values - mainly used to determine whether there are outliers that might bias the

ADD values.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: ADD information Hierarchy: Prescriptions | ADD information | Frequency

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Frequency **SQL Description:** Select Frequency from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:frequencyfact_pha_disp_adjustmentsPHARM DD2frequencyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Full name

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Full name

Description: The full name of the person or organisation providing the service.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Provider | Full name

Definition

SQL Statement: DSSADM.DIM PHA PROVIDER.PERORG FIRST NAME||'.

'||DSSADM.DIM_PHA_PROVIDER.PERORG_SECOND_NÄME||',

'||DSSADM.DIM_PHA_PROVIDER.PERORG_NAME

SQL Description:

Datamart Links:

Field:Table:Dictionary:perorg_first_namedim_providerSHARED DIMSperorg_namedim_providerSHARED DIMSperorg_second_namedim_providerSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Funding DHB Code

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Funding DHB Code

Description: The three digit code of the funding DHB e.g. 121 - Canterbury, 022 - Auckland, MOH - Ministry of Health

Guide For Use: Represents the District Health Board responsible for funding the services under the contract.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Claimant | Funding DHB Code

Definition

SQL Statement: DSSADM.DIM_CLAIMANT.FUNDING_DHB_CODE **SQL Description:** Select FUNDING_DHB_CODE from DIM_CLAIMANT

Datamart Links:

Field:Table:Dictionary:funding_dhb_codedim_claimantPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Funding DHB name

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Funding DHB name

Description: Name of the District Health Board responsible for funding the services under the contract e.g.

Canterbury, Otago, Taranaki.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Claimant | Funding DHB name

Definition

SQL Statement: DSSADM.DIM_CLAIMANT.FUNDING_DHB_NAME **SQL Description:** Select FUNDING_DHB_NAME from DIM_CLAIMANT

Datamart Links:

Field:Table:Dictionary:funding_dhb_namedim_claimantPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

GMS age bands

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: GMS age bands

Description: The General Medical Subsidy Age Band (GMS) consists of 3 age groups:

Y = under 6 years J = 6 to 17 years; and A = 18 and above

Guide For Use: Used in GMS FFSvc payments and for Pharmacuetical payment categories.

Qualification: Dimension Data Type: varchar

Location

Enclosing Class: Patient Age at Dispensing Hierarchy: Patient | Patient Age at Dispensing | GMS

age bands

Definition

SQL Statement: DSSADM.DIM_AGE_BAND.GMS_BAND **SQL Description:** Select GMS_BAND from DIM_AGE_BAND

Datamart Links:

Field:Table:Dictionary:gms_banddim_age_bandSHARED DIMS

Properties

Aggregate Functi	ion:		Object Format:	
Value List Assoc	iated:	Value List Name:		Value List Editible:
Security Access	<u>s</u>			
Security Rules:	Public		Used In Query:	result, condition, sort

HB subsidy grouping

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: HB subsidy grouping

Description: This groups data by the level of subsidy at the time of dispensing. This is particular useful for identifying

units measured differently over time e.g. dose vs inhaler.

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | HB subsidy

grouping

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.Quantity >0 then

round(((DSSADM.FACT_PHA_DISPENSING_NI.HPAC_Cost_Ex_Supplier_INCL/1.125)/DSSADM.FAC

T_PHA_DISPENSING_NI.Quantity)-0.005,2) else 0

- 0100 0

end

SQL Description: ((HPAC_cost_ex_supplier/1.125/quantity) - 0.005)

No Datamart Links

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

HBL cost ex supplier (incl GST)

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: HBL cost ex supplier (incl GST)

Description: Total cost of medication in the schedule, which includes GST.

Cost ex supplier as calculated by HealthPac from Claims including GST. Should equal the Units

dispensed multiplied by the subsidy.

Guide For Use: Supplied by HealthPAC since Claim approved date of 3 August 1998.

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Cost Hierarchy: Prescriptions | Cost | HBL cost ex supplier

(incl GST)

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.HPAC_Cost_Ex_Supplier_INCL)

SQL Description: Cost ex supplier as calculated by HealthPac including GST

Datamart Links:

Field:Table:Dictionary:hpac_cost_ex_supplier_inclfact_pha_disp_adjustmentsPHARM DD2hpac_cost_ex_supplier_inclfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

HFA region

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: HFA region

Description: Regional Health Authority region.

Northern Region
 Midland Region
 Central Region
 Southern Region

Guide For Use: Alternative to DHB, or going to the Provider table to look up geocoded fields. Still geographically

useful, although RHAs no longer exist.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | HFA region

Definition

SQL Statement: DSSADM.DIM_GEOFILE.RHA **SQL Description:** Select RHA from DIM_GEOFILE

Datamart Links:

 Field:
 Table:
 Dictionary:

 rha
 dim_geofile
 SHARED DIMS

Properties

Aggregate Function: Object Format:

Version: 2.0 NZHIS Page 149
July 2006

						9
Value List Associa	ated:	Value List Name:			Value List Editible:	
Security Access						
Security Rules:	Public		Used In Query:	result, co	ondition, sort	
HUHC ind						
none ina						
Object Attributes	<u>5</u>		Versio	n: 1.0	Version Date: 12-Ju	un-2006
Name:	HUHC ind					
Description:		hether patient is a Hig at the time of the initi		holder (H	UHC) or a Care Plus en	rolee (from
	Null = No Card; 2	Z = Card				
Guide For Use:	Used when looki Prior to the 1st o the patient was a		ilisation. People wi use card indicator v d holder. From the	th higher tl vith a valu		
Qualification:	Dimension		Data Type:	char		
<u>Location</u>						
Enclosing Class:	Dispensing Extra	ct	Hierarchy:	Dispensi	ing Extract HUHC ind	
<u>Definition</u>						
SQL Statement:	DSSADM.FACT_	PHA_DISPENSING_I	NI.HUHC_IND			
SQL Description:	Select HUHC_IN	D from FACT_PHA_D	ISPENSING_NI			
Datamart Links:						
Field:		Table:			Dictionary:	
huhc_ind		dim_patie	nt_flags		PHARM DD2	
huhc_ind		fact_pha_	dispensing		PHARM DD2	
<u>Properties</u>						

Aggregate Function: Object Format:

Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: Public Used In Query: result, condition, sort

HUHC ind

Version: 1.0 Version Date: 12-Jun-2006 **Object Attributes**

HUHC ind Name:

Description: Flag indicating whether patient is a High Use Health Card holder (HUHC) or a Care Plus enrolee (from

1st of April 2005) at the time of the initial dispensing.

Version: 2.0 **NZHIS** Page 150 Null = No Card; Z = Card

Guide For Use: HUHC issued for patients who visit a GP 12 times in the preceding 12 months.

Used when looking at health service utilisation. People with higher than usual subsidy.

Prior to the 1st of April 2005, the High use card indicator with a value of 'Z' only had one meaning; that

the patient was a High Use Health Card holder.

From the 1st of April 2005, the High use card indicator with a value of 'Z' will have two meanings:

1 that the patient is a High Use Health Card holder, OR

2 that the patient is a PHO enrolee.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Patient Huhc ind

Definition

SQL Statement: DSSADM.DIM_PATIENT_FLAGS.HUHC_IND **SQL Description:** Select HUHC_IND from DIM_PATIENT_FLAGS

Datamart Links:

Field:Table:Dictionary:huhc_inddim_patient_flagsPHARM DD2huhc_indfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Item number

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Item number

Description: Sequential identifier of an item within a prescription form.

Guide For Use: Number of items per form, not including repeats.

Part of the major key for the Dispensings table.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Item number

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.ITEM_NUMBER **SQL Description:** Select ITEM_NUMBER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:item_numberfact_pha_disp_adjustmentsPHARM DD2item_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Item number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Item number

Description: Sequential identifier of an item within a prescription form.

Guide For Use: Number of items per form, not including repeats. Part of the major key for the Dispensings table.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Hierarchy: Dispensing Extract | Item number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.ITEM_NUMBER **SQL Description:** Select ITEM_NUMBER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:item_numberfact_pha_disp_adjustmentsPHARM DD2item_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnic code 1 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnic code 1 (L0)

Description: This is the level 0 code of the first of the three ethnic groups recorded for the patient (healthcare user).

Level 0 group ethnic codes are: 2 = Maori, 3 = Pacific Island, 5 = Other.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 0 Ethnicity (MPO) | Latest Ethnic code

1 (L0)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_0_ETHNIC_CODE_1

SQL Description: Select LEVEL_0_ETHNIC_CODE_1 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_ethnic_code_1dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnic code 1 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnic code 1 (L1)

Description: This is the level 1 code of the first of the three ethnic groups recorded for the patient (healthcare user).

Level 1 group ethnic codes are: 1= European, 2 = Maori, 3 = Pacific Island, 4 = Asian, 5 = Other, 9 =

Unspecified.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 1 Ethnicity (MPOAEU) | Latest Ethnic

code 1 (L1)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_1_ETHNIC_CODE_1

SQL Description: Select LEVEL_1_ETHNIC_CODE_1 from DIM_CURRENT_AFFILIATION

No Datamart Links

Properties

Aggregate Function: Object Format:

Version: 2.0 NZHIS Page 153

July 2006

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnic code 1 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnic code 1 (L2)

Description: This is the level 2 code of the first of the three ethnic groups recorded for the patient (healthcare user)

e.g. 21 = Maori, 32 = Cook Island Maori, 11 = NZ European / Pakeha.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 2 Ethnicity (10 - 99) | Latest Ethnic

code 1 (L2)

Definition

SQL Statement: DSSADM.DIM_HEALTH_CARE_USER_NI.ETHNIC_CODE_1 **SQL Description:** Select ETHNIC_CODE_1 from DIM_HEALTH_CARE_USER_NI

Datamart Links:

Field:Table:Dictionary:ethnic_code_1dim_affiliationSHARED DIMSethnic_code_1dim_hcu_identifiableSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnic code 2 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnic code 2 (L0)

Description: This is the level 0 code of the second of the three ethnic groups recorded for the patient (healthcare

user). Level 0 group ethnic codes are: 2 = Maori, 3 = Pacific Island, 5 = Other.

Guide For Use:

Qualification: Dimension **Data Type:** char

Version: 2.0 NZHIS Page 154

Location

Enclosing Class: Latest Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 0 Ethnicity (MPO) | Latest Ethnic code

2 (L0)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_0_ETHNIC_CODE_2

SQL Description: Select LEVEL_0_ETHNIC_CODE_2 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_ethnic_code_2dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnic code 2 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnic code 2 (L1)

Description: This is the level 1 code of the second of the three ethnic groups recorded for the patient (healthcare

user). Level 1 group ethnic codes are: 1= European, 2 = Maori, 3 = Pacific Island, 4 = Asian, 5 = Other,

9 = Unspecified.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Latest Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 1 Ethnicity (MPOAEU) | Latest Ethnic

code 2 (L1)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_1_ETHNIC_CODE_2

SQL Description: Select LEVEL_1_ETHNIC_CODE_2 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_ethnic_code_2dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Version: 2.0 NZHIS Page 155 July 2006 Security Rules: Public Used In Query: result, condition, sort

Latest Ethnic code 2 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnic code 2 (L2)

Description: This is the level 2 code of the second of the three ethnic groups recorded for the patient (healthcare

user) e.g. 21 = Maori, 32 = Cook Island Maori, 11 = NZ European / Pakeha.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 2 Ethnicity (10 - 99) | Latest Ethnic

code 2 (L2)

Definition

SQL Statement: DSSADM.DIM_HEALTH_CARE_USER_NI.ETHNIC_CODE_2 **SQL Description:** Select ETHNIC_CODE_2 from DIM_HEALTH_CARE_USER_NI

Datamart Links:

Field:Table:Dictionary:ethnic_code_2fact_nhi_ethnicityNHI DMethnic_code_2dim_hcu_identifiableSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnic code 3 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnic code 3 (L0)

Description: This is the level 0 code of the third of the three ethnic groups recorded for the patient (healthcare user).

Level 0 group ethnic codes are: 2 = Maori, 3 = Pacific Island, 5 = Other.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 0 Ethnicity (MPO) | Latest Ethnic code

Version: 2.0 NZHIS Page 156

July 2006

3 (L0)

_						
n	ef	п	าเ	tı	റ	n

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_0_ETHNIC_CODE_3

SQL Description: Select LEVEL_0_ETHNIC_CODE_3 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_ethnic_code_3dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnic code 3 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnic code 3 (L1)

Description: This is the level 1 code of the third of the three ethnic groups recorded for the patient (healthcare user).

Level 1 group ethnic codes are: 1= European, 2 = Maori, 3 = Pacific Island, 4 = Asian, 5 = Other, 9 =

Unspecified.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 1 Ethnicity (MPOAEU) | Latest Ethnic

code 3 (L1)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_1_ETHNIC_CODE_3

SQL Description: Select LEVEL_1_ETHNIC_CODE_3 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_ethnic_code_3dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnic code 3 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnic code 3 (L2)

Description: This is the level 2 code of the third of the three ethnic groups recorded for the patient (healthcare user).

E.g. 21 = Maori, 32 = Cook Island Maori, 11 = NZ European / Pakeha.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 2 Ethnicity (10 - 99) | Latest Ethnic

code 3 (L2)

Definition

SQL Statement: DSSADM.DIM_HEALTH_CARE_USER_NI.ETHNIC_CODE_3 **SQL Description:** Select ETHNIC_CODE_3 from DIM_HEALTH_CARE_USER_NI

Datamart Links:

Field:Table:Dictionary:ethnic_code_3fact_nhi_ethnicityNHI DMethnic_code_3dim_hcu_identifiableSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnicity 1 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnicity 1 (L0)

Description: This is the level 0 description of the first of the three ethnic groups recorded for the patient (healthcare

user). Level 0 groups ethnicities into: Maori, Pacific Island, Other.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Latest Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 0 Ethnicity (MPO) | Latest Ethnicity 1

(L0)

Definition

Version: 2.0 NZHIS Page 158

July 2006

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_0_ETHNICITY_1

SQL Description: Select LEVEL_0_ETHNICITY_1 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_ethnicity_1dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnicity 1 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnicity 1 (L1)

Description: This is the level 1 description of the first of the three ethnic groups recorded for the patient (healthcare

user). Level 1 groups ethnicities into: Maori, Pacific Island, Other, Asian, European, Unspecified.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 1 Ethnicity (MPOAEU) | Latest

Ethnicity 1 (L1)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_1_ETHNICITY_1

SQL Description: Select LEVEL_1_ETHNICITY_1 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_ethnicity_1dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnicity 1 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnicity 1 (L2)

Description: This is the level 2 description of the first of the three ethnic groups recorded for the patient (healthcare

user) e.g. African, Chinese, Maori.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Latest Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 2 Ethnicity (10 - 99) | Latest Ethnicity

1 (L2)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.ETHNICITY_1

SQL Description: Select ETHNICITY_1 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:ethnicity_1dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnicity 2 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnicity 2 (L0)

Description: This is the level 0 description of the second of the three ethnic groups recorded for the patient

(healthcare user). Level 0 groups ethnicities into: Maori, Pacific Island, Other.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 0 Ethnicity (MPO) | Latest Ethnicity 2

(L0)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_0_ETHNICITY_2

SQL Description: Select LEVEL_0_ETHNICITY_2 from DIM_CURRENT_AFFILIATION

Datamart Links:

Version: 2.0 NZHIS Page 160

July 2006

Field: Table: **Dictionary:** level_0_ethnicity_2 dim_affiliation SHARED DIMS **Properties** Aggregate Function: Object Format: Value List Editible: Value List Associated: Value List Name: **Security Access** Security Rules: Public Used In Query: result, condition, sort

Latest Ethnicity 2 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnicity 2 (L1)

Description: This is the level 1 description of the second of the three ethnic groups recorded for the patient

(healthcare user). Level 1 groups ethnicities into: Maori, Pacific Island, Other, Asian, European,

Unspecified.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 1 Ethnicity (MPOAEU) | Latest

Ethnicity 2 (L1)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_1_ETHNICITY_2

SQL Description: Select LEVEL_1_ETHNICITY_2 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_ethnicity_2dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnicity 2 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Version: 2.0 NZHIS Page 161 July 2006 Name: Latest Ethnicity 2 (L2)

Description: This is the level 2 description of the second of the three ethnic groups recorded for the patient

(healthcare user) e.g. African, Chinese, Maori.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Latest Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 2 Ethnicity (10 - 99) | Latest Ethnicity

2 (L2)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.ETHNICITY_2

SQL Description: Select ETHNICITY_2 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:ethnicity_2dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnicity 3 (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnicity 3 (L0)

Description: This is the level 0 description of the third of the three ethnic groups recorded for the patient (healthcare

user). Level 0 groups ethnicities into: Maori, Pacific Island, Other.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 0 Ethnicity (MPO) | Latest Ethnicity 3

(L0)

Definition

SQL Statement: DIM CURRENT AFFILIATION.LEVEL 0 ETHNICITY 3

SQL Description: Select LEVEL_0_ETHNICITY_3 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_ethnicity_3dim_affiliationSHARED DIMS

Pro	perties
-----	---------

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnicity 3 (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnicity 3 (L1)

Description: This is the level 1 description of the third of the three ethnic groups recorded for the patient (healthcare

user). Level 1 groups ethnicities into: Maori, Pacific Island, Other, Asian, European, Unspecified.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 1 Ethnicity (MPOAEU) | Latest

Ethnicity 3 (L1)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_1_ETHNICITY_3

SQL Description: Select LEVEL_1_ETHNICITY_3 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_ethnicity_3dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Ethnicity 3 (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Ethnicity 3 (L2)

Description: This is the level 2 description of the third of the three ethnic groups recorded for the patient (healthcare

user) e.g. African, Chinese, Maori.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 2 Ethnicity (10 - 99) | Latest Ethnicity

3 (L2)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.ETHNICITY_3

SQL Description: Select ETHNICITY_3 from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:ethnicity_3dim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Prioritised ethnic code (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Prioritised ethnic code (L0)

Description: This is the level 0 code of the most highly prioritised ethnicity of the three ethnic groups recorded for

the patient (healthcare user), determined according to a Statistics NZ algorithm. Level 0 groups ethnic

codes are: 2 = Maori, 3 = Pacific Island, 5 = Other.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 0 Ethnicity (MPO) | Latest Prioritised

ethnic code (L0)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_0_PRIORITY_ETHNIC_CODE

SQL Description: Select LEVEL_0_PRIORITY_ETHNIC_CODE from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_0_priority_ethnic_codedim_affiliationSHARED DIMSlevel_0_priority_ethnic_codedim_census_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editi	ble:
--	------

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Prioritised ethnic code (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Prioritised ethnic code (L1)

Description: This is the level 1 code of the most highly prioritised ethnicity of the three ethnic groups recorded for

the patient (healthcare user), determined according to a Statistics NZ algorithm. Level 1 group ethnic codes are: 1= European, 2 = Maori, 3 = Pacific Island, 4 = Asian, 5 = Other, 9 = Unspecified.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 1 Ethnicity (MPOAEU) | Latest

Prioritised ethnic code (L1)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_1_PRIORITY_ETHNIC_CODE

SQL Description: Select LEVEL_1_PRIORITY_ETHNIC_CODE from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_priority_ethnic_codedim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Prioritised ethnic code (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Prioritised ethnic code (L2)

Description: This is the level 2 code of the most highly prioritised ethnicity of the three ethnic groups recorded for

the patient (healthcare user), determined according to a Statistics NZ algorithm. E.g. 21 = Maori, 32 =

Cook Island Maori, 11 = NZ European / Pakeha.

Guide For Use: See Ethnicity & Ethnic Code in Shared Dimensions Data Dictionary for further information.

Qualification: Dimension Data Type: char

 Ca	•	_	-
 11:0	411		

Enclosing Class: Latest Level 2 Ethnicity (10 - 99) Patient | Patient Latest Ethnicity | Latest Hierarchy:

Level 2 Ethnicity (10 - 99) | Latest Prioritised ethnic code (L2)

Definition

SQL Statement: DSSADM.DIM_HEALTH_CARE_USER_NI.PRIORITY_ETHNIC_CODE SQL Description: Select PRIORITY_ETHNIC_CODE from DIM_HEALTH_CARE_USER_NI

Datamart Links:

Field: Table: **Dictionary:** priority_ethnic_code dim_hcu_identifiable SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

Latest Prioritised ethnicity (L0)

Version: 1.0 Version Date: 12-Jun-2006 **Object Attributes**

Name: Latest Prioritised ethnicity (L0)

Description: This is the level 0 description of the most highly prioritised ethnicity of the three ethnic groups recorded

for the patient (healthcare user), determined according to a Statistics NZ algorithm. Level 0 groups

ethnicities into: Maori, Pacific Island, Other.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Latest Level 0 Ethnicity (MPO) Patient | Patient Latest Ethnicity | Latest Hierarchy:

Level 0 Ethnicity (MPO) | Latest Prioritised

ethnicity (L0)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_0_PRIORITY_ETHNICITY

SQL Description: Select LEVEL_0_PRIORITY_ETHNICITY from DIM_CURRENT_AFFILIATION

Datamart Links:

Dictionary: Field: Table: level_0_priority_ethnicity dim affiliation SHARED DIMS level_0_priority_ethnicity SHARED DIMS dim_census_affiliation

Properties

Aggregate Function: Object Format:

Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Prioritised ethnicity (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Prioritised ethnicity (L1)

Description: This is the level 1 description of the most highly prioritised ethnicity of the three ethnic groups recorded

for the patient (healthcare user), determined according to a Statistics NZ algorithm. Level 1 groups

ethnicities into: Maori, Pacific Island, Other, Asian, European, Unspecified.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 1 Ethnicity (MPOAEU) | Latest

Prioritised ethnicity (L1)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.LEVEL_1_PRIORITY_ETHNICITY

SQL Description: Select LEVEL_1_PRIORITY_ETHNICITY from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_priority_ethnicitydim_affiliationSHARED DIMSlevel_1_priority_ethnicitydim_census_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Latest Prioritised ethnicity (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Latest Prioritised ethnicity (L2)

Description: This is the level 2 description of the most highly prioritised ethnicity of the three ethnic groups recorded

for the patient (healthcare user), determined according to a Statistics NZ algorithm e.g. African,

Chinese, Maori.

Guide For Use: See Ethnicity & Ethnic Code in Shared Dimensions Data Dictionary for further information.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Latest Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Latest Ethnicity | Latest

Level 2 Ethnicity (10 - 99) | Latest

Prioritised ethnicity (L2)

Definition

SQL Statement: DIM_CURRENT_AFFILIATION.PRIORITY_ETHNICITY

SQL Description: Select PRIORITY_ETHNICITY from DIM_CURRENT_AFFILIATION

Datamart Links:

Field:Table:Dictionary:priority_ethnicitydim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Life cycle stages bands

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name:Life cycle stages bandsDescription:0-4 early childhood5-14 childhood

15-24 youth 25-44 young adults 45-64 middle aged adults 65-74 older adults 75+ very old

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Patient Age at Dispensing Hierarchy: Patient | Patient Age at Dispensing | Life

cycle stages bands

Definition

SQL Statement: DSSADM.DIM_AGE_BAND.LIFE_STAGE_BAND

SQL Description:

No Datamart Links

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Version: 2.0 NZHIS Page 168
July 2006

Security Rules: Public Used In Query: result, condition, sort

Locum ID

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Locum ID

Description: The registration number of the healthcare provider if the provider was a locum (from Medical Council,

NZ Dental Association, etc).

Guide For Use: From Claim approved date of April 2002.

Usually temporary Doctor number. Usually reported as 6 digits.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Provider | Hierarchy: Provider | Locum ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Locum_ID **SQL Description:** Select Locum_ID from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:locum_idfact_pha_disp_adjustmentsPHARM DD2locum_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Locum ID

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Locum ID

Description: The registration number of the healthcare provider if the provider was a locum (from Medical Council,

NZ Dental Association, etc).

Guide For Use: From Claim approved date of April 2002.

Usually temporary Doctor number.
Usually reported as 6 digits.

Qualification: Dimension Data Type: char

Location

Version: 2.0 NZHIS Page 169

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Locum ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.LOCUM_ID **SQL Description:** Select LOCUM_ID from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:locum_idfact_pha_disp_adjustmentsPHARM DD2locum_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Locum ID

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Locum ID

Description: The registration number of the healthcare provider if the provider was a locum (from Medical Council,

NZ Dental Association, etc). Usually temporary Doctor number.

Guide For Use: From Claim approved date of April 2002. Usually reported as 6 digits.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Adjustments | Hierarchy: Dispensing Adjustments | Locum ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.LOCUM_ID **SQL Description:** Select LOCUM_ID from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:locum_idfact_pha_disp_adjustmentsPHARM DD2locum_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Manufacturer

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Manufacturer

Description: The manufacturer of the pharmaceutical. Pharmac identifier for a pharmaceutical manufacturing

company.

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Manufacturer

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Manufacturer **SQL Description:** Select Manufacturer from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:manufacturerdim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Max subsidy

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Max subsidy

Description: Used to test if the subsidy for a formulation is the same across all strengths. For example

Betamethasone Valerate has a different subsidy per gram for the 30g, 50g, 100g strengths.

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Measures Hierarchy: Pharmaceutical Reference | Subsidy Details

| Measures | Max subsidy

Definition

SQL Statement: (DSSADM.DIM_FORM_PACK_SUBSIDY.Subsidy)/(DSSADM.DIM_FORM_PACK_SUBSIDY.Quantity)

SQL Description: max(subsidy/quantity)

Datamart Links:

Field:Table:Dictionary:quantityID_VaccinationImms

quantitydim_form_pack_subsidyPHARM DD2subsidydim_form_pack_subsidyPHARM DD2subsidyfact_pha_disp_adjustmentsPHARM DD2subsidyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition ,sort

Medicode

Object Attributes Version: 1.0 Version Date: 04-Oct-2005

Name: Medicode

Description: The pharmaceutical identifier used by HealthPac in manual claiming.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Medicode Details Hierarchy: Pharmaceutical Reference | Medicode

Details | Medicode

Definition

SQL Statement: DSSADM.DIM_REQUIREMENT.Requirement_Number*1000 +

DSSADM.DIM_REQUIREMENT.Requirement_Suffix

SQL Description: Select Requirement_Number, Requirement_Suffix from DIM_REQUIREMENT

Datamart Links:

<u>Field:</u>	<u>Table:</u>	Dictionary:
requirement_number	dim_requirement	PHARM DD2
requirement_suffix	dim_requirement	PHARM DD2
requirement_number	fact_pha_disp_adjustments	PHARM DD2
requirement_suffix	fact_pha_disp_adjustments	PHARM DD2
requirement_number	fact_pha_dispensing	PHARM DD2
requirement suffix	fact pha dispensing	PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

Meshblock number 1991

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Meshblock number 1991

Description: Lowest level of Statistics NZ geocoding system (1991 boundaries).

Guide For Use: Derived from NZHIS geocoding of the claimant address.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | Meshblock

number 1991

Definition

SQL Statement: DSSADM.DIM_GEOFILE.MESH_BLOCK_1991 **SQL Description:** Select MESH_BLOCK_1991 from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:mesh_block_1991dim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Meshblock number 1996

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Meshblock number 1996

Description: Lowest level of Statistics NZ geocoding system (1996 boundaries).

Guide For Use: Derived from NZHIS geocoding of the claimant address.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | Meshblock

number 1996

Definition

SQL Statement: DSSADM.DIM_GEOFILE.MESH_BLOCK_1996 **SQL Description:** Select MESH_BLOCK_1996 from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:mesh_block_1996dim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Meshblock number 2001

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Meshblock number 2001

Description:Lowest level of Statistics NZ geocoding system (2001 boundaries).Guide For Use:Lowest level of Statistics NZ geocoding system (2001 boundaries).Qualification:DimensionData Type:char

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | Meshblock

number 2001

Definition

SQL Statement: DSSADM.DIM_GEOFILE.MESH_BLOCK_2001 **SQL Description:** Select MESH_BLOCK_2001 from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:mesh_block_2001dim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Meshblock NZDep01

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Meshblock NZDep01

Description: Nzdep 2001 is an updated version of the NZDep91 and NZDep96 indexes of deprivation. NZDep2001

is based on the 2001 census. There are 488 meshblocks.

Guide For Use: NZDep01 - Deprivation scale/poverty indicator. '1' is the least deprived and '10' is the most deprived.

NZdep01 is a component of funding of capitation payment rates for primary health organisations

(PHOs). This may be extended to other payments for PHOs in the future.

A null value means that a deprivation index could not be allocated to this meshblock because its

population is too small, or for technical reasons.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claimant | Hierarchy: Claimant | Meshblock NZDep01

Definition

SQL Statement: DSSADM.DIM_GEOFILE.NZDEP_01 **SQL Description:** Select NZDEP_01 from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:nzdep_01dim_census_geofileSHARED DIMSnzdep_01dim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Month approved

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Month approved

Description: The number of the month in the calendar year in which this day falls e.g. Jan = 1, Feb = 2, Mar = 3

Guide For Use: For example, January is '1'.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Approved | Month

approved

Definition

SQL Statement: DSSADM.DIM_CLAIM_APPROVED_DATE.CALENDAR_MONTH_NUMBER **SQL Description:** Select CALENDAR_MONTH_NUMBER from DIM_CLAIM_APPROVED_DATE

Datamart Links:

<u>Field:</u> <u>Table:</u> <u>Dictionary:</u>

calendar_month_numberdim_global_timeGMScalendar_month_numberglobal_timeMHDW

calendar_month_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Month claimed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Month claimed

Description: The number of the calendar month on which the claim was made e.g. Jan = 1, Feb = 2, Mar = 3

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Claimed | Month claimed | Hierarchy: Time Series | Date Claimed | Month claimed

Definition

SQL Statement: DSSADM.DIM_CLAIM_DATE.CALENDAR_MONTH_NUMBER **SQL Description:** Select CALENDAR_MONTH_NUMBER from DIM_CLAIM_DATE

Datamart Links:

Field:Table:Dictionary:calendar_month_numberdim_global_timeGMScalendar_month_numberglobal_timeMHDW

calendar_month_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Month dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Version: 2.0 NZHIS Page 176
July 2006

Name: Month dispensed

Description: The number of the month in the calendar year in which the dispensing date falls e.g. January is '1'.

Guide For Use: Values: 1 - 12

For example, January is '1'.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Date Dispensed | Month

dispensed

Definition

SQL Statement: DSSADM.DIM_DISPENSED_DATE.CALENDAR_MONTH_NUMBER **SQL Description:** Select CALENDAR_MONTH_NUMBER from DIM_DISPENSED_DATE

Datamart Links:

Field:Table:Dictionary:calendar_month_numberdim_global_timeGMScalendar_month_numberglobal_timeMHDW

calendar_month_number dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Multiple

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Multiple

Description: The smallest quantity that can be dispensed expressed in [Formulation].[Units]

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Multiple

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Multiple **SQL Description:** Select Multiple from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:multipledim_form_pack_subsidyPHARM DD2

Pro	perties
-----	---------

gregate Function:	Object Format
gregate Function:	Object Fo

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

National adjustment

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: National adjustment

Description: The Triple and Southern pharmacy contracts have clauses which attempt to provide consistent charges

to patients regardless of geography (and the contract a particular pharmacy will be paid under). Where payment for an item is less than the patient co-payment, then the National Consistency formula applies. If subsequently, a repeat claim is made (for example) which results in the total cost of all the supplies of the medicine (plus professional fee) being above the patient co-payment, the payment for the initial item must be recalculated under applicable contract. This recalculation (at the higher contract rate) often results in a 'wash-up' value owed on the initial supply (and paid on the repeat), and the

national adjustment figure is the 'wash-up' value.

Guide For Use: From Claim approved date of May 2002. No longer used from 2003.Qualification: Data Type: integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | National

adjustment

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.NATIONAL_ADJUSTMENT **SQL Description:** Select NATIONAL_ADJUSTMENT from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:national_adjustmentfact_pha_disp_adjustmentsPHARM DD2national_adjustmentfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

National adjustment

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Version: 2.0 NZHIS Page 178
July 2006

Name: National adjustment

Description: No longer used from 2003.

The Triple and Southern pharmacy contracts have clauses which attempt to provide consistent charges to patients regardless of geography (and the contract a particular pharmacy will be paid under). Where payment for an item is less than the patient co-payment, then the National Consistency formula applies. If subsequently, a repeat claim is made (for example) which results in the total cost of all the supplies of the medicine (plus professional fee) being above the patient co-payment, the payment for the initial item must be recalculated under applicable contract. This recalculation (at the higher contract rate) often results in a 'wash-up' value owed on the initial supply (and paid on the

repeat), and the national adjustment figure is the 'wash-up' value.

Guide For Use: From Claim approved date of May 2002. No longer used from 2003. **Qualification:** Measure **Data Type:** integer

Location

Enclosing Class: Cost Hierarchy: Prescriptions | Cost | National adjustment

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.National_Adjustment)

SQL Description:

Datamart Links:

Field:Table:Dictionary:national_adjustmentfact_pha_disp_adjustmentsPHARM DD2national_adjustmentfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

National adjustment

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: National adjustment

Description: The Triple and Southern pharmacy contracts have clauses which attempt to provide consistent charges

to patients regardless of geography (and the contract a particular pharmacy will be paid under). Where payment for an item is less than the patient co-payment, then the National Consistency formula applies. If subsequently, a repeat claim is made (for example) which results in the total cost of all the supplies of the medicine (plus professional fee) being above the patient co-payment, the payment for the initial item must be recalculated under applicable contract. This recalculation (at the higher contract rate) often results in a 'wash-up' value owed on the initial supply (and paid on the repeat), and the

national adjustment figure is the 'wash-up' value.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Hierarchy: Dispensing Extract | National adjustment

Definition

Version: 2.0 NZHIS Page 179

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.NATIONAL_ADJUSTMENT **SQL Description:** Select NATIONAL_ADJUSTMENT from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:national_adjustmentfact_pha_disp_adjustmentsPHARM DD2national_adjustmentfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

NHI reported

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: NHI reported

Description: Flag to state if NHI / HCU ID is on the claim or not.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Patient Hierarchy: Patient | NHI reported

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.DIM_HEALTH_CARE_USER_KEY= 0 then 'NHI not a constant of the constant of th

reported' else 'NHI reported' end

SQL Description:

Datamart Links:

Field:Table:Dictionary:dim_health_care_user_keyfact_immunisation_eventsNIR DMdim_health_care_user_keyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

No of dispensings

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: No of dispensings

Description: Count off all dispensings (each dispensing of a repeat counts as a separate item).

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Volumes | No of dispensings

Definition

SQL Statement: count(DSSADM.FACT_PHA_DISPENSING_NI.Item_Number)

SQL Description: Returns a count off all dispensings (each dispensing of a repeat counts as a separate item).

Datamart Links:

Field:Table:Dictionary:item_numberfact_pha_disp_adjustmentsPHARM DD2item_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

No of items

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: No of items

Description: Count off all items (each dispensing of a repeat counts as a separate item)

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Volume groupings Hierarchy: Prescriptions | Volumes | Volume groupings

| No of items

Definition

SQL Statement: count(DSSADM.FACT_PHA_DISPENSING_NI.Item_Number)

SQL Description: Count off all items

Datamart Links:

Field:Table:Dictionary:item_numberfact_pha_disp_adjustmentsPHARM DD2item_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

North health identifier

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

North health identifier

Description: Seperates North Health from the rest of the data for adjustment during 1997 & 1998.

N = North Health

MCS = Midland, Central, and Southern

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | North health

identifier

Definition

SQL Statement: case

when DSSADM.DIM_GEOFILE.RHA = 1 then 'N'

else 'MCS'

end

SQL Description:

Datamart Links:

Field:Table:Dictionary:rha_codedim_geoSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

NSS flag

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: NSS flag

Description: Non Social Security (NSS) flag - Indicates whether the claim is a standard claim, credit transaction,

nonclaim item or a resubmission of a previous claim.

Guide For Use: Pre Claim approved date of 1 August 1998:

Y - Not Subsidised, N - Subsidised, space - Undefined

Post Claim approved date of 1 August 1998:

C - Credit, I - Invoice, N - Not Subsidised, O - Balance owing, R - Resubmission

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | NSS flag

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.NSS_FLAG **SQL Description:** Select NSS_FLAG from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:nss_flagdim_costing_flagsPHARM DD2nss_flagfact_pha_disp_adjustmentsPHARM DD2nss_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: reslt, condition, sort

NSS flag

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: NSS flag

Description: Non Social Security (NSS) flag - Indicates whether the claim is a standard claim, credit transaction, non-

claim item or a resubmission of a previous claim.

Guide For Use: Pre Claim approved date of 1 August 1998:

Y - Not Subsidised, N - Subsidised, space - Undefined

Post Claim approved date of 1 August 1998:

C - Credit, I - Invoice, N - Not Subsidised, O - Balance owing, R - Resubmission

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | NSS flag

Definition

Version: 2.0 NZHIS Page 183

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.NSS_FLAG **SQL Description:** Select NSS_FLAG from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:nss_flagdim_costing_flagsPHARM DD2nss_flagfact_pha_disp_adjustmentsPHARM DD2nss_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

NSS flag

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: NSS flag

Description: Non Social Security (NSS) flag. Indicates whether the claim is a standard claim, credit transaction, non-

claim item or a resubmission of a previous claim.

Guide For Use: I = Standard Claim

N = Non Claim transaction

O = owed balance

The following transactions are removed from the data at this stage:

C = credit transaction R = Re-submission

NOTE: Data type H comes under the old definition as follows- Not Social Security (note double

negative).

Y = Nss Flag is set - ie Claim NOT approved N = Nss Flag not set - ie Claim has been approved

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | NSS flag

Definition

SQL Statement: DSSADM.DIM_COSTING_FLAGS.NSS_FLAG **SQL Description:** Select NSS_FLAG from DIM_COSTING_FLAGS

Datamart Links:

Field:Table:Dictionary:nss_flagdim_costing_flagsPHARM DD2nss_flagfact_pha_disp_adjustmentsPHARM DD2nss_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Version: 2.0 NZHIS Page 184
July 2006

Value List Associated:	Value List Name:	Value List Editible:	

Security Access

Security Rules: Public Used In Query: result, condition, sort

Number of claimants

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Number of claimants

Description: A distinct count of the number of claimants (pharmacy or other institutions).

Guide For Use:

Qualification: Measure Data Type:

Location

Enclosing Class: Claimant | Number of claimants

Definition

SQL Statement: count(DISTINCT DSSADM.FACT_PHA_DISPENSING_NI.CLAIMANT_NUMBER)

SQL Description: Count of the number of claimants (pharmacy or other institution).

Datamart Links:

Field:Table:Dictionary:claimant_numberdim_claimantPHARM DD2claimant_numberfact_pha_claimPHARM DD2claimant_numberfact_pha_disp_adjustmentsPHARM DD2claimant_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: COUNT Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Number of Patients

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Number of Patients

Description: A distinct count of the patients HCU IDs.

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Version: 2.0 NZHIS Page 185

Enclosing Class: Patient Hierarchy: Patient | Number of Patients **Definition** count(distinct DSSADM.DIM_HEALTH_CARE_USER_NI.DSS_COUNT_DISTINCT) SQL Statement: SQL Description: HCU unique count **No Datamart Links Properties** Aggregate Function: COUNT **Object Format:** Value List Associated: Value List Editible: Value List Name: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort **Number of providers Object Attributes** Version: 1.0 Version Date: 12-Jun-2006 Name: Number of providers Description: A distinct count of the provider number and provider type. Guide For Use: Qualification: Measure Data Type: integer Location Enclosing Class: Provider Hierarchy: Provider | Number of providers **Definition** SQL Statement: count(distinct DSSADM.FACT_PHA_DISPENSING_NI.Provider_Type||DSSADM.FACT_PHA_DISPENSING_NI.Provi der_Number) SQL Description: Count of distinct providers. **Datamart Links:** Field: Table: Dictionary: PHARM DD2 provider_number fact_pha_dispensing provider_type fact_pha_dispensing PHARM DD2 **Properties** Aggregate Function: COUNT **Object Format:** Value List Editible: Value List Associated: Value List Name:

Used In Query: result, condition, sort

Security Access
Security Rules:

Public

Number safety net cards

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Number safety net cards

Description: Number of Pharmaceutical Subsidy Cards issued by the claimant over the period of this claim.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claim Extract Hierarchy: Claim Extract | Number safety net cards

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.NUMBER_PHA_SUBSIDY_CARDS **SQL Description:** Select NUMBER_PHA_SUBSIDY_CARDS from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:number_pha_subsidy_cardsfact_pha_claimPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

NZDep96

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: NZDep96

Description: Level of deprivation by pharmacy location. A scale of material and social deprivation based on the 1996

census.

Guide For Use: The NZ Deprivation Index is a decile ranking assigned to a domicile code. It is calculated by combining

and ranking a range of social and economic variables across the NZ population.

The Deprivation index is a combination of nine census variables covering income, transport, living space, owned home, employment, qualifications, support, and communication within a 1996 meshblock.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claimant | NZDep96

Definition

SQL Statement: DSSADM.DIM_GEOFILE.NZDEP_96 **SQL Description:** Select NZDEP_96 from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:nzdep_96dim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Occupation code

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Occupation code

Description: The occupation of the provider.

Guide For Use: Similar to Provider type, but more detailed.

Not well-populated (mostly 'XX' or 'GP').

Qualification: Dimension Data Type: char

Location

Enclosing Class: Provider Hierarchy: Provider | Occupation code

Definition

SQL Statement: DSSADM.DIM_PHA_PROVIDER.PROVIDER_OCCUPATION **SQL Description:** Select PROVIDER_OCCUPATION from DIM_PHA_PROVIDER

Datamart Links:

Field:Table:Dictionary:provider_occupationdim_providerSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Oncology specialty patient group

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Oncology specialty patient group

Description: This field is used for PCT (Pharmaceutical Cancer Treatment) drugs.

Guide For Use: If the patient category is W, it signifies wastage. That is, the drug has been disposed of, as its expiry

date has been reached. In this case, there will be no NHI number associated with it.

Data Domain

where 1 = medical oncology inpatient
 where 2 = medical oncology outpatient
 where 3 = haematology inpatient
 where 4 = haematology outpatient
 where 5 = radiology oncology
 where 6 = paediatric oncology

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Oncology specialty

patient group

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Oncology_Specialty_Patient_Gro **SQL Description:** Select Oncology_Specialty_Patient_Gro from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:oncology_specialty_patient_grofact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Oncology specialty patient group

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Oncology specialty patient group

Description: This field is used for PCT (Pharmaceutical Cancer Treatment) drugs.

Guide For Use: If the patient category is W, it signifies wastage. That is, the drug has been disposed of, as its expiry

date has been reached. In this case, there will be no NHI number associated with it.

Data Domain:

1 where 1 = medical oncology inpatient 2 where 2 = medical oncology outpatient 3 where 3 = haematology inpatient 4 where 4 = haematology outpatient 5 where 5 = radiology oncology 6 where 6 = paediatric oncology

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Oncology specialty

patient group

Definition

Version: 2.0 NZHIS Page 189

SQL Statement:

SQL Description: Select ONCOLOGY_SPECIALTY_PATIENT_GRO from FACT_PHA_DISPENSING_NI **Datamart Links:** Field: Table: Dictionary: oncology_specialty_patient_gro fact_pha_dispensing PHARM DD2 **Properties** Aggregate Function: **Object Format:** Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort OP Version: 1.0 Version Date: 08-Jun-2006 **Object Attributes** Name: Indicates if the pharmaceutical is to be dispensed in the Original Pack. 1 equals OP and 0 indicates the Description: pharmaceutical is not an OP. Guide For Use: Qualification: Dimension Data Type: integer **Location** Enclosing Class: Subsidy Details Hierarchy: Pharmaceutical Reference | Subsidy Details I OP **Definition** SQL Statement: cast(DSSADM.DIM FORM PACK SUBSIDY.OP as int) SQL Description: Select OP from DIM_FORM_PACK_SUBSIDY **Datamart Links:** Table: Dictionary: Field: PHARM DD2 op dim_form_pack_subsidy **Properties** Aggregate Function: Object Format: Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort

DSSADM.FACT_PHA_DISPENSING_NI.ONCOLOGY_SPECIALTY_PATIENT_GRO

Order type

Version: 2.0 NZHIS Page 190 July 2006

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Order type

Description: Indicates the type of prescription or order.

1 - Prescription

3 - Practitioner's supply order (MPSO)4 - Bulk supply order (BSO)5 - Wholesale supply order (WSO)

6 - Nicotene replacement therapy (NRT)

Guide For Use: From Claim approved date of April 2002.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Order type

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.ORDER_TYPE **SQL Description:** Select ORDER_TYPE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:order_typedim_dispensing_flagsPHARM DD2order_typefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Order type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Order type

Description: Indicates the type of prescription or order.

1 - Prescription

3 - Practitioner's supply order (MPSO)4 - Bulk supply order (BSO)5 - Wholesale supply order (WSO)

6 - Nicotene replacement therapy (NRT)

Guide For Use: From Claim approved date of April 2002. Since electronic claiming used to work out the Form Type.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Order type

Definition

Version: 2.0 NZHIS Page 191

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.ORDER_TYPE **SQL Description:** Select ORDER_TYPE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:order_typedim_dispensing_flagsPHARM DD2order_typefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Outliers

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Outliers

Description: Used to identify dispensings that have a daily dose > 0 and <= 12.

<0 or > 12 = outlier otherwise = normal

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: ADD information Hierarchy: Prescriptions | ADD information | Outliers

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.Daily_Dose > 0 and DSSADM.FACT_PHA_DISPENSING_NI.Daily_Dose <= 12 then 'normal'

else 'outlier'

end

SQL Description:

Datamart Links:

Field:Table:Dictionary:daily_dosefact_pha_disp_adjustmentsPHARM DD2daily_dosefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Patient age in months at dispensing

Object Attributes Version: 1.0 Version Date: 25-Jul-2006

Name: Patient age in months at dispensing

Description: The age of the patient in months at the time of dispensing.

Guide For Use: Derived field calculated from patient date of birth.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Patient Age at Dispensing Hierarchy: Patient | Patient Age at Dispensing | Patient

age in months at dispensing

Definition

SQL Statement: SQL Description:

No Datamart Links

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: Result, Condition, Sort

Patient age in years at dispensing

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Patient age in years at dispensingDescription: The age of the patient in years e.g. 22, 76

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Patient Age at Dispensing | Hierarchy: Patient | Patient Age at Dispensing | Patient

age in years at dispensing

Definition

SQL Statement: DSSADM.DIM_AGE_BAND.AGE_IN_YEARS **SQL Description:** Select AGE_IN_YEARS from DIM_AGE_BAND

Datamart Links:

Field: Table: Dictionary: age_in_years dim_age_band SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Patient category

Version: 1.0 Version Date: 12-Jun-2006 **Object Attributes**

Name: Patient category

Description: Indicates the patient category at the time of the initial dispensing. Age and income category coded on

prescription form.

Guide For Use: $A = Adult; \ B = Benificiary; \ C = Ordinary \ Patient; \ E = Approved \ Fee \ Reduction;$

H = Hokianga; J = Child 6 years and over; L = Special Areas

O = All Contraception; P = Age Benificiary; Y = child under 6 years; Z = Chronically ill

Qualification: Dimension Data Type: char

Location

Enclosing Class: Patient Hierarchy: Patient | Patient category

Definition

SQL Statement: DSSADM.DIM_PATIENT_FLAGS.PATIENT_CATEGORY SQL Description: Select PATIENT_CATEGORY from DIM_PATIENT_FLAGS

Datamart Links:

Field: Table: **Dictionary:** dim_patient_flags PHARM DD2 patient_category patient_category fact_pha_dispensing PHARM DD2

Properties

Aggregate Function: **Object Format:**

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

Patient category

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Patient category

Description: Indicates the patient category at the time of the initial dispensing.

Guide For Use: Age and income category coded on prescription form.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Patient category

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PATIENT_CATEGORY **SQL Description:** Select PATIENT_CATEGORY from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:patient_categorydim_patient_flagsPHARM DD2patient_categoryfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Patient contibution

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Patient contibution

Description: The amount the patient has to pay for the medication (GST Inclusive).

Guide For Use: Note: This grouping could cause a high number of results when used in queries.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Patient Hierarchy: Patient | Patient contibution

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Patient_Contribution **SQL Description:** Select Patient_Contribution from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:patient_contributionfact_pha_disp_adjustmentsPHARM DD2patient_contributionfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Patient contribution

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Patient contribution

Description: The amount of co-payment that the patient should pay for the medicine. Calculated by HealthPac.

The amount the patient has to pay for the medication (GST Inclusive).

Guide For Use: Based on the patient category, Income Group, HUHC, Prescription Subsidy Card (abatement amount).

Supplied by HealthPAC from Claim approved date of 3 January 1996.

Qualification: Measure Data Type: integer

Location

Enclosing Class: Cost Hierarchy: Prescriptions | Cost | Patient contribution

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.Patient_Contribution)

SQL Description:

Datamart Links:

Field:Table:Dictionary:patient_contributionfact_pha_disp_adjustmentsPHARM DD2patient_contributionfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Patient contribution

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Patient contribution

Description: The amount the patient has to pay for the medication (GST Inclusive).

Guide For Use: Also called patient co-payment. Note: This grouping could cause a high number of results when used in

queries.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Patient contribution

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PATIENT_CONTRIBUTION **SQL Description:** Select PATIENT_CONTRIBUTION from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:patient_contributionfact_pha_disp_adjustmentsPHARM DD2patient_contributionfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Patient contribution

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Patient contribution

Description: The amount the patient has to pay for the medication (GST Inclusive).

Guide For Use: Based on the patient category, Income Group, HUHC, Prescription Subsidy Card (abatement amount).

Supplied by HealthPAC from Claim approved date of 3 January 1996.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Patient

contribution

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.PATIENT_CONTRIBUTION **SQL Description:** Select PATIENT_CONTRIBUTION from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:patient_contributionfact_pha_disp_adjustmentsPHARM DD2patient_contributionfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Version: 2.0 NZHIS Page 197

Patient contribution (excl GST)

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Patient contribution (excl GST)

Description: The amount that the patient should pay for the medicine excluding GST.

Guide For Use: Based on the patient category, Income Group, HUHC, Prescription Subsidy Card (abatement amount).

Supplied by HealthPAC from Claim approved date of 3 January 1996.

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Cost (excl GST) Hierarchy: Prescriptions | Cost (excl GST) | Patient

contribution (excl GST)

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.Patient_Contribution/1.125)

SQL Description:

Datamart Links:

Field:Table:Dictionary:patient_contributionfact_pha_disp_adjustmentsPHARM DD2patient_contributionfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Patient flag

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Patient flag

Description: To specify a Pharmacode where the pharmaceutical is used as an oral contraceptive rather than a

hormone treatment.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Patient flag

Definition

Version: 2.0 NZHIS Page 198

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PATIENT_FLAG **SQL Description:** Select PATIENT_FLAG from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:patient_flagdim_patient_flagsPHARM DD2patient_flagfact_pha_disp_adjustmentsPHARM DD2patient_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Patient flag

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Patient flag

Description: To specify a Pharmacode where the pharmaceutical is used as an oral contraceptive rather than a

hormone treatment.

Guide For Use: From Claim approved date of April 2002.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Patient flag

Definition

SQL Statement: DSSADM.DIM_PATIENT_FLAGS.PATIENT_FLAG **SQL Description:** Select PATIENT_FLAG from DIM_PATIENT_FLAGS

Datamart Links:

Field:Table:Dictionary:patient_flagdim_patient_flagsPHARM DD2patient_flagfact_pha_disp_adjustmentsPHARM DD2patient_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: Result, Condition, Sort

Patient flag

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Patient flag

Description: To specify a Pharmacode where the pharmaceutical is used as an oral contraceptive rather than a

hormone treatment.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Patient flag

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.PATIENT_FLAG **SQL Description:** Select PATIENT_FLAG from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:patient_flagdim_patient_flagsPHARM DD2patient_flagfact_pha_disp_adjustmentsPHARM DD2patient_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Patient RHA code

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Patient RHA code

Description: Regional Health Authority code.

Alternative to DHB, or going to the Provider table to look up geocoded fields. Still geographically

useful, although RHAs no longer exist.

Guide For Use: 1 - Northern Region

2 - Midland Region3 - Central Region4 - Southern Region

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Patient Location Hierarchy: Patient | Patient Location | Patient RHA

code

Definition

SQL Statement: DSSADM.DIM_GEO.RHA_CODE SQL Description: Select RHA_CODE from DIM_GEO

Datamart Links:

Table: **Dictionary:** Field: rha_code SHARED DIMS dim_geo

Properties

Aggregate Function: **Object Format:**

Value List Name: Value List Editible: Value List Associated:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

Payment agency chemical ID

Version: 1.0 Version Date: 13-Jun-2006 **Object Attributes**

Name: Payment agency chemical ID

Description: Stat identifier of primary active chemical ingredient.

Guide For Use: Assigned by HealthPAC since Claim approved date of 3 August 1998. Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Payment agency

chemical ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.HPAC_CHEMICAL_ID SQL Description: Select HPAC_CHEMICAL_ID from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field: Table: **Dictionary:** hpac_chemical_id fact_pha_disp_adjustments PHARM DD2 hpac_chemical_id fact_pha_dispensing PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Editible: Value List Name:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency chemical ID

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Payment agency chemical ID

Description: Stat identifier of primary active chemical ingredient.

Guide For Use: Assigned by HealthPAC since Claim approved date of 3 August 1998. **Qualification:** Dimension Data Type: integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Payment agency

chemical ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.HPAC_CHEMICAL_ID **SQL Description:** Select HPAC_CHEMICAL_ID from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:hpac_pack_sizefact_pha_disp_adjustmentsPHARM DD2hpac_pack_sizefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency chemical ID

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Payment agency chemical ID

Description: Stat identifier of primary active chemical ingredient.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Payment Agency Versions Hierarchy: Pharmaceutical Reference | Payment

Agency Versions | Payment agency

chemical ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.HPAC_Chemical_ID **SQL Description:** Select HPAC_Chemical_ID from FACT_PHA_DISPENSING_NI

Datamart Links:

 Field:
 Table:
 Dictionary:

 hpac_chemical_id
 fact_pha_disp_adjustments
 PHARM DD2

 hpac_chemical_id
 fact_pha_dispensing
 PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition ,sort

Payment agency cost ex supplier inc

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Payment agency cost ex supplier inc

Description: Total cost of medication in the schedule, which includes GST.

Guide For Use:Supplied by HealthPAC since Claim approved date of 3 August 1998.Qualification:DimensionData Type:integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Payment agency

cost ex supplier inc

Definition

 SQL Statement:
 DSSADM.FACT_PHA_DISP_ADJUSTMENTS.HPAC_COST_EX_SUPPLIER_INCL

 SQL Description:
 Select HPAC_COST_EX_SUPPLIER_INCL from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:hpac_cost_ex_supplier_inclfact_pha_disp_adjustmentsPHARM DD2hpac_cost_ex_supplier_inclfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency cost ex supplier inc

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Payment agency cost ex supplier inc

Description: Total cost of medication in the schedule, which includes GST.

Guide For Use:Supplied by HealthPAC since Claim approved date of 3 August 1998.Qualification:DimensionData Type:integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Payment agency cost

ex supplier inc

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.HPAC_COST_EX_SUPPLIER_INCL **SQL Description:** Select HPAC_COST_EX_SUPPLIER_INCL from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:hpac_cost_ex_supplier_inclfact_pha_disp_adjustmentsPHARM DD2hpac_cost_ex_supplier_inclfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency pack ID

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name:Payment agency pack IDDescription:The HealthPac Pack ID.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Payment agency

pack ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.HPAC_PACK_ID **SQL Description:** Select HPAC_PACK_ID from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:hpac_pack_idfact_pha_disp_adjustmentsPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency pack size

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Payment agency pack size

Description: The quantity (of base quantities) in a pack.

Guide For Use:Supplied by HealthPAC since Claim approved date of 3 August 1998.Qualification:DimensionData Type:integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Payment agency

pack size

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.HPAC_PACK_SIZE **SQL Description:** Select HPAC_PACK_SIZE from FACT_PHA_DISP_ADJUSTMENTS

No Datamart Links

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency pack size

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Payment agency pack size

Description: The quantity (of base quantities) in a pack.

Guide For Use:Supplied by HealthPAC since Claim approved date of 3 August 1998.Qualification:DimensionData Type:integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Payment agency pack

size

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.HPAC_PACK_SIZE

SQL Description: Select HPAC_PACK_SIZE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:hpac_pack_sizefact_pha_disp_adjustmentsPHARM DD2hpac_pack_sizefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency presentation ID

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Payment agency presentation ID

Description: Pharmac identifier of presentation.

Guide For Use: Now known as formulation for a Chemical ID.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Extract | Payment agency

presentation ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.HPAC_PRESENTATION_ID **SQL Description:** Select HPAC_PRESENTATION_ID from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:hpac_presentation_idfact_pha_disp_adjustmentsPHARM DD2hpac_presentation_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency presentation ID

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Payment agency presentation ID

Description: Pharmac identifier of presentation, now known as formulation for a chemical.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Payment Agency Versions Hierarchy: Pharmaceutical Reference | Payment

Agency Versions | Payment agency

presentation ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.HPAC_Presentation_ID **SQL Description:** Select HPAC_Presentation_ID from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:hpac_pack_sizefact_pha_disp_adjustmentsPHARM DD2hpac_pack_sizefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

Payment agency presentation ID

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Payment agency presentation ID

Description:Pharmac identifier of presentation, now known as formulation for a chemical.Guide For Use:Assigned by HealthPAC since Claim approved date of 3 August 1998.Qualification:Data Type:

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Payment agency

presentation ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.HPAC_PRESENTATION_ID **SQL Description:** Select HPAC_PRESENTATION_ID from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:hpac_presentation_idfact_pha_disp_adjustmentsPHARM DD2hpac_presentation_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency product ID

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Payment agency product ID

Description: The healthpac unique id for the product.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Payment agency

product ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.HPAC_PRODUCT_ID **SQL Description:** Select HPAC_PRODUCT_ID from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:hpac_presentation_idfact_pha_disp_adjustmentsPHARM DD2hpac_presentation_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency product pack ID

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Payment agency product pack ID

Version: 2.0 NZHIS Page 208 July 2006

Description: Comprised of the Product ID and the Pack ID.

Guide For Use:Supplied by HealthPAC since Claim approved date of 3 August 1998.Qualification:DimensionData Type:char

Location

Enclosing Class: Payment Agency Versions Hierarchy: Pharmaceutical Reference | Payment

Agency Versions | Payment agency product

pack ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.HPAC_Product_Pack_ID **SQL Description:** Select HPAC_Product_Pack_ID from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:hpac_product_pack_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment agency product pack ID

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Payment agency product pack ID

Description: Comprised of the Product ID and the Pack ID.

Guide For Use:Supplied by HealthPAC since Claim approved date of 3 August 1998.Qualification:DimensionData Type:char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Payment agency

product pack ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.HPAC_PRODUCT_PACK_ID **SQL Description:** Select HPAC_PRODUCT_PACK_ID from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:hpac_product_pack_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment authority

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Payment authority

Description: Code allocated to the IPA, practise, or other group which gives HealthPAC the authority to make

payments to them.

Guide For Use: The codes are allocated by HealthPAC to practitioners where classification is necessary.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Extract | Payment authority

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PAYMENT_AUTHORITY **SQL Description:** Select PAYMENT_AUTHORITY from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:payment_authorityfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment due date

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Payment due date

Description: The date of the day on which payment for the claim is due.

Guide For Use:

Qualification: Dimension Data Type: date

Location

Enclosing Class: Claim info Hierarchy: Claim info | Payment due date

Definition

Version: 2.0 NZHIS Page 210

July 2006

SQL Statement: DIM_CLAIM_PAYMENT_DUE_DATE2.SQL_DATE

SQL Description: Select SQL_DATE from DIM_CLAIM_PAYMENT_DUE_DATE2

Datamart Links:

<u>Field:</u> <u>Table:</u> <u>Dictionary:</u>

sql_date dim_global_time GMS

sql_date dim_global_time SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Payment due date

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Payment due date

Description: Date the payment is due to be made to the pharmacy by HealthPAC.

Guide For Use:

Qualification: Dimension Data Type: date

Location

Enclosing Class: Claim Extract | Payment due date

Definition

SQL Statement: DSSADM.FACT_PHA_CLAIM.PAYMENT_DUE_DATE **SQL Description:** Select PAYMENT_DUE_DATE from FACT_PHA_CLAIM

Datamart Links:

Field:Table:Dictionary:payment_due_datefact_pha_claimPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

PEC - Prescription Form Number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: PEC - Prescription Form Number

Description: The Pharmacy Electronic Claim form number, supplied by the pharmacy to identify a prescription.

All pharmaceutical items from the same prescription form, including repeat items, should have the

same PEC form number.

Guide For Use: Data supplied since Claim approved date of 1 October 2000.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | PEC -

Prescription Form Number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Pec_Form_Number **SQL Description:** Select Pec_Form_Number from .FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:pec_form_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: Result, Condition, Sort

PEC and Claimant

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: PEC and Claimant

Description: The claimant for a particular Precription/ Pharmacy Electronic Claim form number.

Guide For Use: Data supplied since Claim approved date of 1 October 2000.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | PEC and

Claimant

Definition

SQL Statement: DSSADM.FACT PHA DISPENSING NI.Pec Form Number * 10000 +

DSSADM.FACT_PHA_DISPENSING_NI.Claimant_Number

SQL Description:

Datamart Links:

Field: Table: **Dictionary:** claimant_number dim_claimant PHARM DD2 claimant_number PHARM DD2 fact_pha_claim claimant_number fact_pha_disp_adjustments PHARM DD2 claimant_number fact_pha_dispensing PHARM DD2 pec_form_number fact_pha_dispensing PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: Result, Condition, Sort

PEC form number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: PEC form number

Description: The Pharmacy Electronic Claim (PEC) form number, supplied by the pharmacy to identify a prescription.

Guide For Use: One number per patient. Data supplied since Claim approved date of 1 October 2000.

All pharmaceutical items from the same prescription form, including repeat items, should have the

same PEC form number.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | PEC form number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PEC_FORM_NUMBER **SQL Description:** Select PEC_FORM_NUMBER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:pec_form_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

PHA subsidy card ind

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: PHA subsidy card ind

Description: Indicates whether person has a PHA subsidy card or not at the time of the initial dispensing. If the

person is entitled to a subsidy card for some items on a prescription form, only these items are

classified as having a PHA subsidy card.

Guide For Use: Available for people/families who collectively have 20 or more prescriptions between in a 12 month

period beginning 1 Feburary.

Y - patient has a Pharmaceutical Subsidy Card

N, space, other values - patient does not have a Pharmaceutical Subsidy Card

Qualification: Dimension Data Type: varchar

Location

Enclosing Class: Patient Hierarchy: Patient | PHA subsidy card ind

Definition

SQL Statement: DSSADM.DIM_PATIENT_FLAGS.PHA_SUBSIDY_CARD_IND **SQL Description:** Select PHA_SUBSIDY_CARD_IND from DIM_PATIENT_FLAGS

Datamart Links:

Field:Table:Dictionary:pha_subsidy_card_inddim_patient_flagsPHARM DD2pha_subsidy_card_indfact_pha_disp_adjustmentsPHARM DD2pha_subsidy_card_indfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

PHA subsidy card ind

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: PHA subsidy card ind

Description: Indicates whether person has a PHA subsidy card or not at the time of the initial dispensing. If the

person is entitled to a subsidy card for some items on a prescription form, only these items are

classified as having a PHA subsidy card.

Guide For Use: Y - Patient has a Pharmaceutical Subsidy Card.

N, space, other values - Patient does not have a Pharmaceutical Subsidy Card

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | PHA subsidy card

ind

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.PHA_SUBSIDY_CARD_IND **SQL Description:** Select PHA_SUBSIDY_CARD_IND from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:pha_subsidy_card_inddim_patient_flagsPHARM DD2pha_subsidy_card_indfact_pha_disp_adjustmentsPHARM DD2pha_subsidy_card_indfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

PHA subsidy card indicator

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: PHA subsidy card indicator

Description: Indicates whether person has a PHA subsidy card or not at the time of the initial dispensing. If the

person is entitled to a subsidy card for some items on a prescription form, only these items are

classified as having a PHA subsidy card.

Guide For Use: Y - Patient has a Pharmaceutical Subsidy Card

N, space, other values - Patient does not have a Pharmaceutical Subsidy Card

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Extract | PHA subsidy card

indicator

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PHA_SUBSIDY_CARD_IND **SQL Description:** Select PHA_SUBSIDY_CARD_IND from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:pha_subsidy_card_inddim_patient_flagsPHARM DD2pha_subsidy_card_indfact_pha_disp_adjustmentsPHARM DD2pha_subsidy_card_indfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Pharmac provider code

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Pharmac provider code

Description: Unique Pharmac identifier for the provider.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Provider Hierarchy: Provider | Pharmac provider code

Definition

SQL Statement: DSSADM.DIM_PHA_PROVIDER.PHARMAC_REGISTRATION_NUMBER **SQL Description:** Select PHARMAC_REGISTRATION_NUMBER from DIM_PHA_PROVIDER

No Datamart Links

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Pharmac provider type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Pharmac provider type

Description: Unique Pharmac Indicator to identify the type of prescriber.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Pharmac provider type

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PHARMS_PROVIDER_TYPE **SQL Description:** Select PHARMS_PROVIDER_TYPE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:pharms_provider_typefact_pha_dispensingPHARM DD2

Properties

Aggregate Function:		Object Format:		
Value List Associated:	Value List Name:		Value List Editible:	
Security Access				

Used In Query: result, condition, sort

Pharmac provider type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Pharmac provider type

Public

Description: Unique Pharmac Indicator to identify the type of prescriber.

Guide For Use:

Security Rules:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Provider | Provider | Provider | Pharmac provider type

Definition

SQL Statement: DSSADM.DIM_PHA_PROVIDER.PHARMAC_PROVIDER_TYPE **SQL Description:** Seelct PHARMAC_PROVIDER_TYPE from DIM_PHA_PROVIDER

Datamart Links:

Field:Table:Dictionary:pharmac_provider_typedim_providerSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Pharmacode

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Pharmacode

Description: NZ Pharmacy Guild identifier of retail pack indicating the pharmaceutical dispensed.

Guide For Use: First supplied by HealthPAC from Claim approved date 17 December 1998. Expanded from 6 digits to

7 digits Claim approved date 1 October 2000. HealthPAC sends the 13 digit bar code and NZHIS loads

only the 6 or 7 digit portion relating to the drug.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Pharmacode

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.PHARMACODE **SQL Description:** Select PHARMACODE from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:pharmacodedim_form_pack_subsidyPHARM DD2pharmacodefact_pha_disp_adjustmentsPHARM DD2pharmacodefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Pharmacode

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Pharmacode

Description: NZ Pharmacy Guild identifier of retail pack indicating the pharmaceutical dispensed.

Guide For Use: First supplied by HealthPAC from Claim approved date 17 December 1998.

A 6 or 7 digit integer with a mod 11 check-digit. HealthPAC sends the 13 digit bar code and NZHIS

loads only the 6 or 7 digit portion relating to the drug.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Pharmacode

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PHARMACODE **SQL Description:** Select PHARMACODE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:pharmacodedim_form_pack_subsidyPHARM DD2pharmacodefact_pha_disp_adjustmentsPHARM DD2pharmacodefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Pharmacode

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Pharmacode

Description: NZ Pharmacy Guild identifier of retail pack indicating the pharmaceutical dispensed.

Guide For Use: HealthPAC sends the 13 digit bar code and NZHIS loads only the 6 or 7 digit portion relating to the

drug

A 6 or 7 digit integer with a mod 11 check-digit.

First supplied by HealthPAC from Claim approved date 17 December 1998. Expanded from 6 digits to

7 digits Claim approved date 1 October 2000.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Pharmacode

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Pharmacode **SQL Description:** Select Pharmacode from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:pharmacodedim_form_pack_subsidyPHARM DD2pharmacodefact_pha_disp_adjustmentsPHARM DD2pharmacodefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Practice address 1

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Practice address 1

Description: First address line of the practice address.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Version: 2.0 NZHIS Page 219

July 2006

Enclosing Class: Provider Address Hierarchy: Provider | Provider Address | Practice address 1 **Definition** DSSADM.DIM_PHA_PROVIDER.PRACTICE_ADDRESS_1 SQL Statement: SQL Description: Select PRACTICE_ADDRESS_1 from DIM_PHA_PROVIDER **Datamart Links:** Field: Table: **Dictionary:** practice_address_1 dim_provider SHARED DIMS **Properties** Aggregate Function: Object Format: Value List Editible: Value List Associated: Value List Name: **Security Access** Public Security Rules: Used In Query: result, condition, sort Practice address 2 Version: 1.0 Version Date: 12-Jun-2006 **Object Attributes** Name: Practice address 2 Second address line of the practice address. Description: Guide For Use: Qualification: Dimension Data Type: varchar **Location** Enclosing Class: Provider Address Provider | Provider Address | Practice Hierarchy: address 2 **Definition** SQL Statement: DSSADM.DIM_PHA_PROVIDER.PRACTICE_ADDRESS_2 SQL Description: Select PRACTICE_ADDRESS_2 from DIM_PHA_PROVIDER **Datamart Links:** Field: Table: Dictionary: SHARED DIMS practice_address_2 dim_provider

Security Access

Aggregate Function:

Value List Associated:

Properties

Security Rules: Public Used In Query: result, condition, sort

Value List Name:

Object Format:

Value List Editible:

Practice address 3

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Practice address 3

Description: The third address line of the practice address.

Guide For Use:

Qualification: Dimension **Data Type:** varchar

Location

Enclosing Class: Provider Address Hierarchy: Provider | Provider Address | Practice

address 3

Definition

SQL Statement: DSSADM.DIM_PHA_PROVIDER.PRACTICE_ADDRESS_3 **SQL Description:** Select PRACTICE_ADDRESS_3 from DIM_PHA_PROVIDER

Datamart Links:

<u>Field:</u> <u>Table:</u> <u>Dictionary:</u>
practice_address_3 dim_provider SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prescribed quantity

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Prescribed quantity

Description: The quantity of medication claimed.

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Prescribed

quantity

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.PRESCRIBED_QUANTITY **SQL Description:** Select PRESCRIBED_QUANTITY from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:prescribed_quantityfact_pha_disp_adjustmentsPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prescriber flag

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prescriber flag

Description: Flag field to indicate when a Practitioner's Supply Order is for use in a rural area.

Guide For Use: From Claim approved date of April 2002.

Y- litem is a Practitioner's Supply Order in a rural area.

N, space - Item is not a Practitioner's Supply Order in a rural area.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Extract | Prescriber flag

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PRESCRIBER_FLAG **SQL Description:** Select PRESCRIBER_FLAG from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:prescriber_flagdim_costing_flagsPHARM DD2prescriber_flagfact_pha_disp_adjustmentsPHARM DD2prescriber_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prescriber flag

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Prescriber flag

Description: Flag field to indicate when a Practitioner's Supply Order is for use in a rural area.

Guide For Use: Y- litem is a Practitioner's Supply Order in a rural area.

N, space - Item is not a Practitioner's Supply Order in a rural area.

From Claim approved date of April 2002.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Prescriber flag

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.PRESCRIBER_FLAG **SQL Description:** Select PRESCRIBER_FLAG from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:prescriber_flagdim_costing_flagsPHARM DD2prescriber_flagfact_pha_disp_adjustmentsPHARM DD2prescriber_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prescriber flag

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prescriber flag

Description: Flag field to indicate when a Practitioner's Supply Order is for use in a rural area

Guide For Use: Y - item is a Practitioner's Supply Order in a rural area.

N (or space) - item is not a Practitioner's Supply Order in a rural area.

From Claim approved date of April 2002.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Prescriber flag

Definition

SQL Statement: DSSADM.DIM_COSTING_FLAGS.Prescriber_Flag **SQL Description:** Select Prescriber_Flag from DIM_COSTING_FLAGS

Datamart Links:

Field: Table: Dictionary: prescriber_flag dim_costing_flags PHARM DD2 prescriber_flag fact_pha_disp_adjustments PHARM DD2 PHARM DD2 prescriber_flag fact_pha_dispensing

Properties

Aggregate Function: **Object Format:**

Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: **Public** Used In Query: Result< Condition, Sort

Prescription flag

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prescription flag

Flag to indicate that the prescription has congestive heart failure endorsement. Description:

Y - Item has congestive heart failure endorsement.

N, or space - Item has not congestive heart failure endorsement.

From Claim approved date of April 2002. Guide For Use:

Prescription Flag is set when the Prescriber has endorsed the prescription and when confirmation is

required by the Pharmaceutical schedule.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Prescription flag

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PRESCRIPTION_FLAG SQL Description: Select PRESCRIPTION_FLAG from FACT_PHA_DISPENSING_NI

Datamart Links:

Field: Table: **Dictionary:** prescription_flag dim_costing_flags PHARM DD2 PHARM DD2 prescription_flag fact_pha_disp_adjustments PHARM DD2 prescription_flag fact_pha_dispensing

Properties

Aggregate Function: **Object Format:**

Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

Prescription flag

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prescription flag

Description: Flag to indicate that the prescription has congestive heart failure endorsement.

Y - item has congestive heart failure endorsement.

N (or space) - item has not congestive heart failure endorsement.

Guide For Use: From Claim approved date of April 2002.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Annotations Hierarchy: Prescription | Annotations | Prescription

flag

Definition

SQL Statement: DSSADM.DIM_COSTING_FLAGS.Prescription_Flag **SQL Description:** Select Prescription_Flag from DIM_COSTING_FLAGS

Datamart Links:

Field:Table:Dictionary:prescription_flagdim_costing_flagsPHARM DD2prescription_flagfact_pha_disp_adjustmentsPHARM DD2prescription_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prescription flag

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Prescription flag

Description: Flag to indicate that the prescription has congestive heart failure endorsement.

Y - Item has congestive heart failure endorsement.

N, or space - Item has not congestive heart failure endorsement.

Guide For Use: From Claim approved date of April 2002.

Prescription Flag is set when the Prescriber has endorsed the prescription and when confirmation is

required by the Pharmaceutical schedule.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Adjustments | Prescription flag

Definition

Version: 2.0 NZHIS Page 225

July 2006

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.PRESCRIPTION_FLAG **SQL Description:** Select PRESCRIPTION_FLAG from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:prescription_flagdim_costing_flagsPHARM DD2prescription_flagfact_pha_disp_adjustmentsPHARM DD2prescription_flagfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prescription grouping

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Prescription grouping

Description: A prescription is counted as having no repeats (stat dispensing) or is the first repeat of a number of

dispensings.

Guide For Use: Values: prescription, repeat prescription

See: Repeat Sequence Grouping for further information.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Prescription

grouping

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.Repeat_Sequence_Number in (0,1)

then 'prescription' else 'repeat dispensing'

end

SQL Description:

Datamart Links:

Field:Table:Dictionary:repeat_sequence_numberfact_pha_disp_adjustmentsPHARM DD2repeat_sequence_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Version: 2.0 NZHIS Page 226

July 2006

Prescription ID

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prescription ID

Description: Prescription identification that uniquely identifies a form for claim date and claimant number.

Note: Developed before the Catnip batch number was introduced, and not reviewed. Now unreliable. This replaced the old identifier in January 2000, which was a 20-digit integer which was a combination

of claim date, claimant number and form number.

Developed before the Catnip batch number was introduced, and not reviewed. Now unreliable.

Qualification: Dimension **Data Type:** integer

Location

Guide For Use:

Enclosing Class: Dispensing Extract | Prescription ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PRESCRIPTION_ID **SQL Description:** Select PRESCRIPTION_ID from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:prescription_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prescription ID

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prescription ID

Description: Prescription identification that uniquely identifies a form for claim date and claimant number.

Note: Developed before the Catnip batch number was introduced, and not reviewed. Now unreliable.

Guide For Use: This replaced the old identifier in January 2000, which was a 20-digit integer which was a combination

of claim date, claimant number and form number.

Developed before the Catnip batch number was introduced, and not reviewed. Now unreliable.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Prescription ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Prescription_ID **SQL Description:** Select Prescription_ID from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:prescription_idfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, cort

Prescription number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prescription number

Description: Number given to each item by the pharmacy's system.

Where a number of pharmaceutical items are combined or compounded, each item should have the

same Prescription ID.

Guide For Use: Supplied from Claim approved date of 26 April 1996.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Prescription

number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Prescription_Number **SQL Description:** Select Prescription_Number from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:prescription_numberfact_pha_disp_adjustmentsPHARM DD2prescription_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: public Used In Query: result, condition, sort

Prescription number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prescription number

Description: Number given to each item by the pharmacy's system. **Guide For Use:** Supplied from Claim approved date of 26 April 1996.

Where a number of pharmaceutical items are combined or compounded, each item should have the

same Prescription ID.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Prescription number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PRESCRIPTION_NUMBER **SQL Description:** Select PRESCRIPTION_NUMBER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:prescription_numberfact_pha_disp_adjustmentsPHARM DD2prescription_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prescription number

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Prescription number

Description: Number given to each item by the pharmacy's system.

Guide For Use: Where a number of pharmaceutical items are combined or compounded, each item should have the

same Prescription ID.

Supplied from Claim approved date of 26 April 1996.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Prescription

number

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.PRESCRIPTION_NUMBER

SQL Description: Select PRESCRIPTION_NUMBER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:prescription_numberfact_pha_disp_adjustmentsPHARM DD2prescription_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Presentation ID

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Presentation ID

Description: Pharmac identifier of presentation. Part of formulation for a chemical.

Guide For Use: Part of the chemical formulation equation, which describes the form and strength of the chemical.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Presentation ID

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Presentation_ID **SQL Description:** Select Presentation_ID from .DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:presentation_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Price

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Price

Description: The supplier price for this pack.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Subsidy Details Hierarchy: Pharmaceutical Reference | Subsidy Details

| Price

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Price **SQL Description:** Select Price from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:pricedim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prioritised ethnic code (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prioritised ethnic code (L0)

Description: his is the level 0 code of the most highly prioritised ethnicity of the three ethnic groups recorded for the

patient (healthcare user), determined according to a Statistics NZ algorithm. Level 0 groups ethnic

codes are: 2 = Maori, 3 = Pacific Island, 5 = Other.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 0 Ethnicity (MPO) | Prioritised ethnic

code (L0)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_0_PRIORITY_ETHNIC_CODE **SQL Description:** Select LEVEL_0_PRIORITY_ETHNIC_CODE from DIM_AFFILIATION

Datamart Links:

Field: Table: **Dictionary:** level 0 priority ethnic code dim_affiliation SHARED DIMS SHARED DIMS level_0_priority_ethnic_code dim_census_affiliation **Properties** Aggregate Function: Object Format: Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort

Prioritised ethnic code (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prioritised ethnic code (L1)

Description: This is the level 1 code of the most highly prioritised ethnicity of the three ethnic groups recorded for

the patient (healthcare user), determined according to a Statistics NZ algorithm. Level 1 group ethnic codes are: 1= European, 2 = Maori, 3 = Pacific Island, 4 = Asian, 5 = Other, 9 = Unspecified.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 1 Ethnicity (MPOAEU) | Prioritised

ethnic code (L1)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_1_PRIORITY_ETHNIC_CODE **SQL Description:** Select LEVEL_1_PRIORITY_ETHNIC_CODE from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_priority_ethnic_codedim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prioritised ethnic code (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prioritised ethnic code (L2)

Description: This is the level 2 code of the most highly prioritised ethnicity of the three ethnic groups recorded for

the patient (healthcare user), determined according to a Statistics NZ algorithm e.g. 21 = Maori, 32 =

Cook Island Maori, 11 = NZ European / Pakeha.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnicity

Codes.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 2 Ethnicity (10 - 99) | Prioritised ethnic

code (L2)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.PRIORITY_ETHNIC_CODE **SQL Description:** Select PRIORITY_ETHNIC_CODE from DIM_AFFILIATION

Datamart Links:

<u>Field:</u> <u>Table:</u> <u>Dictionary:</u>

priority_ethnic_code dim_health_care_user GMS

priority_ethnic_code dim_affiliation SHARED DIMS priority_ethnic_code dim_health_care_user SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prioritised ethnicity (L0)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prioritised ethnicity (L0)

Description: This is the level 0 description of the most highly prioritised ethnicity of the three ethnic groups recorded

for the patient (healthcare user), determined according to a Statistics NZ algorithm. Level 0 groups

ethnicities into: 'Maori', 'Pacific Island', 'Other'.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 0 Ethnicity (MPO) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 0 Ethnicity (MPO) | Prioritised

ethnicity (L0)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_0_PRIORITY_ETHNICITY **SQL Description:** Select LEVEL_0_PRIORITY_ETHNICITY from DIM_AFFILIATION

Version: 2.0 NZHIS Page 233

July 2006

Datamart Links:

Field:Table:Dictionary:level_0_priority_ethnicitydim_affiliationSHARED DIMSlevel_0_priority_ethnicitydim_census_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prioritised ethnicity (L1)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prioritised ethnicity (L1)

Description: This is the level 1 description of the most highly prioritised ethnicity of the three ethnic groups recorded

for the patient (healthcare user), determined according to a Statistics NZ algorithm. Level 1 groups

ethnicities into: 'Maori', 'Pacific Island', 'Other', 'Asian', 'European', 'Unspecified'.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnic Codes.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 1 Ethnicity (MPOAEU) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 1 Ethnicity (MPOAEU) | Prioritised

ethnicity (L1)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.LEVEL_1_PRIORITY_ETHNICITY **SQL Description:** Select LEVEL_1_PRIORITY_ETHNICITY from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:level_1_priority_ethnicitydim_affiliationSHARED DIMSlevel_1_priority_ethnicitydim_census_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Prioritised ethnicity (L2)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Prioritised ethnicity (L2)

Description: This is the level 2 description of the most highly prioritised ethnicity of the three ethnic groups recorded

for the patient (healthcare user), determined according to a Statistics NZ algorithm e.g. African,

Chinese, Maori.

Guide For Use: See: Ethnicity in Shared Dimension Data Dictionary for further information on the use of Ethnicity

Codes.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Level 2 Ethnicity (10 - 99) Hierarchy: Patient | Patient Transaction Ethnicity |

Level 2 Ethnicity (10 - 99) | Prioritised

ethnicity (L2)

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.PRIORITY_ETHNICITY **SQL Description:** Select PRIORITY_ETHNICITY from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:priority_ethnicitydim_affiliationSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Product ID

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Product ID

Description: Pharmac identifier for a product (the brand suffix of a pharmaceutical). **Guide For Use:** The last two digits from Brand code from the Pharmac schedule.

This is always zero before 17 December 1998.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Product ID

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Product_ID **SQL Description:** Select Product_ID from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:product_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Provider code

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Provider code

Description: The registration number of the health care provider (from Medical Council, Dentist's association, etc),

padded with leading zeroes. All zeros denotes the unknown provider (Dr No)

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Provider Hierarchy: Provider | Provider code

Definition

SQL Statement: DSSADM.DIM_PHA_PROVIDER.PROVIDER_REGISTRATION_NUMBER **SQL Description:** Select PROVIDER_REGISTRATION_NUMBER from DIM_PHA_PROVIDER

Datamart Links:

<u>Field:</u> <u>Table:</u> <u>Dictionary:</u>
provider_registration_number dim_provider SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Provider first names

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Provider first names

Description: The first and second names of the person or organisation providing the service. Guide For Use: For use in payment processing. Qualification: Dimension varchar Data Type: Location Enclosing Class: Provider Hierarchy: Provider | Provider first names **Definition** SQL Statement: DSSADM.DIM_PHA_PROVIDER.PERORG_FIRST_NAME||', '||DSSADM.DIM_PHA_PROVIDER.PERORG_SECOND_NAME SQL Description: **Datamart Links:** Field: Table: **Dictionary:** dim_provider SHARED DIMS perorg_first_name dim_provider SHARED DIMS perorg_second_name **Properties** Aggregate Function: **Object Format:** Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort **Provider name Object Attributes** Version: 1.0 Version Date: 12-Jun-2006 Name: Provider name Description: The name of the person or organisation. Guide For Use: Perorg (data mart field name) is 'person or organisation'. Qualification: Dimension Data Type: char Location Enclosing Class: Provider Provider | Provider name Hierarchy: **Definition** SQL Statement: DSSADM.DIM_PHA_PROVIDER.PERORG_NAME **SQL Description:** Select PERORG_NAME from DIM_PHA_PROVIDER **Datamart Links:** Field: Table: **Dictionary:** SHARED DIMS dim_provider perorg_name

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Provider number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Provider number

Description: The registration number of the prescriber (from Medical Council, NZ Dental Association, etc).

Guide For Use: Used to condition on a provider name by the provider number.

Extended from 5 digits to 6 in October 2000. Zero denotes an unknown doctor.

Link to Provider Code in dim_provider Paired with Provider type. May contain invalid values.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Provider number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PROVIDER_NUMBER **SQL Description:** Select PROVIDER_NUMBER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:provider_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Provider Number (dispensing)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Provider Number (dispensing)

Description: The registration number of the prescriber (from Medical Council, NZ Dental Association, etc).

Guide For Use: Used to condition on a provider name by the provider number.

Extended from 5 digits to 6 in October 2000.

Zero denotes an unknown doctor. Link to Provider Code in dim_provider

Paired with Provider type. May contain invalid values.

Qualification: Dimension Data Type: char **Location** Enclosing Class: Provider Hierarchy: Provider | Provider Number (dispensing) **Definition** DSSADM.FACT_PHA_DISPENSING_NI.PROVIDER_NUMBER SQL Statement: SQL Description: Select PROVIDER_NUMBER from FACT_PHA_DISPENSING_NI **Datamart Links:** Field: Table: **Dictionary:** provider_number fact_pha_dispensing PHARM DD2 **Properties** Aggregate Function: Object Format: Value List Associated: Value List Name: Value List Editible: **Security Access** Security Rules: **Public** Used In Query: result, condition, sort Provider role type **Object Attributes** Version: 1.0 Version Date: 12-Jun-2006 Name: Provider role type Health Professional Group Code to define the Registration Body used to identify the Provider. Description: From Claim approved date of April 2002. HealthPAC maps this field to Provider type. Guide For Use: MC - Medical Council of NZ NC - Nursing Council of NZ DC - Dental Council of NZ MX - Temporary Medical Council of NZ code DX - Temporary Dental Council of NZ code Qualification: Dimension Data Type: char Location Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Provider role type **Definition** DSSADM.FACT_PHA_DISPENSING_NI.PROVIDER_ROLE_TYPE SQL Statement: SQL Description: Select PROVIDER_ROLE_TYPE from FACT_PHA_DISPENSING_NI **Datamart Links:** Field: Table: **Dictionary:** PHARM DD2 provider_role_type fact_pha_dispensing **Properties** Aggregate Function: **Object Format:** Value List Editible: Value List Associated: Value List Name:

Version: 2.0 NZHIS Page 239 July 2006

Security Access

Security Rules: Public Used In Query: result, condition, sort

Provider type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Provider type

Description: A code that defines the registration body that registers this health care provider.

M: Doctor registered by MCNZ N: Nurse registered by NCONZ

D: Dentist

C: Crown Health Entity F: North Health Contract O: Organisaton A or P: Undefined

Guide For Use: Indicates the provider's Registration Board.

Since electronic claiming (August 1998) this data has been converted by HealthPAC from the Role

Type.

Link to Provider Type in dim_provider. Paired field with Provider number.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Provider Hierarchy: Provider | Provider type

Definition

SQL Statement: DSSADM.DIM_PHA_PROVIDER.Provider_Type **SQL Description:** Select Provider_Type from DIM_PHA_PROVIDER

Datamart Links:

Field:Table:Dictionary:provider_typedim_providerSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Provider type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Provider type

Description: A code that defines the registration body that registers this health care provider.

Guide For Use: Since electronic claiming (August 1998) this data has been converted by HealthPAC from the Role

Type.

Link to Provider Type in dim_provider. Paired field with Provider number.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Provider type

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.PROVIDER_TYPE **SQL Description:** Select PROVIDER_TYPE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:provider_typefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Provider type description

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Provider type description

Description: Full description of the various provider types.

Guide For Use: See Provider Type in this class for further information.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Provider Provider | Provider | Provider type description

<u>Definition</u>

SQL Statement:DSSADM.DIM_PHA_PROVIDER.PROVIDER_TYPE_DESCSQL Description:Select PROVIDER_TYPE_DESC from DIM_PHA_PROVIDER

Datamart Links:

Field:Table:Dictionary:provider_type_descdim_providerSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Quantity

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Quantity

Description: The quantity of the pharmaceutical.

Guide For Use: The quantity per market Pack expressed in [Formulation].[Units]

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Extract | Quantity |

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.QUANTITY **SQL Description:** Select QUANTITY from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:quantityfact_pha_disp_adjustmentsPHARM DD2quantityfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Quantity

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Quantity

Description: The quantity of the pharmaceutical.

Guide For Use:The quantity per market Pack expressed in [Formulation].[Units]Qualification:DimensionData Type:integer

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Quantity

Definition

Version: 2.0 NZHIS Page 242

July 2006

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Quantity **SQL Description:** Select Quantity from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:quantityID_VaccinationImms

quantity dim_form_pack_subsidy PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Quantity

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Quantity

Description: Total quantity of medication that was paid, including wastage.

Guide For Use: Before 1 August 1998 it was total quantity of medication claimed for subsidy.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Quantity

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.QUANTITY **SQL Description:** Select QUANTITY from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:quantityfact_pha_disp_adjustmentsPHARM DD2quantityfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Quantity prescribed

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Quantity prescribed

Description: The quantity of medication claimed.

Guide For Use: Supplied by HealthPAC from Claim approved date of 3 August 1998. **Qualification:** Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Quantity

prescribed

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.QUANTITY_PRESCRIBED **SQL Description:** Select QUANTITY_PRESCRIBED from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:quantity_prescribedfact_pha_disp_adjustmentsPHARM DD2quantity_prescribedfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Quantity prescribed

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Quantity prescribed

Description: The quantity of medication claimed.

Guide For Use:Supplied by HealthPAC from Claim approved date of 3 August 1998.Qualification:DimensionData Type:integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Quantity prescribed

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.QUANTITY_PRESCRIBED **SQL Description:** Select QUANTITY_PRESCRIBED from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:quantity_prescribedfact_pha_disp_adjustmentsPHARM DD2quantity_prescribedfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Quantity units

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Quantity units

Description: The Units in which quantity is measured e.g. C = Capsules, G = Grams

Guide For Use: This is similar to Base units. However, if you want a unit of quantity, Base units is the recommended

value.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Quantity units

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.QUANTITY_UNITS **SQL Description:** Select QUANTITY_UNITS from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:quantity_unitsfact_pha_disp_adjustmentsPHARM DD2quantity_unitsfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Quantity units

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Quantity units

Version: 2.0 NZHIS Page 245 July 2006 Description:

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Volume groupings Hierarchy: Prescriptions | Volumes | Volume groupings

| Quantity units

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Quantity_Units **SQL Description:** Seelect Quantity_Units from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:quantity_unitsfact_pha_disp_adjustmentsPHARM DD2quantity_unitsfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Quantity units

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Quantity units

Description: The Units in which quantity is measured e.g. C = Capsules, G = Grams

Guide For Use: This is similar to Base units. However, if you want a unit of quantity, Base units is the recommended

value.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Quantity units

<u>Definition</u>

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.QUANTITY_UNITS **SQL Description:** Select QUANTITY_UNITS from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:quantity_unitsfact_pha_disp_adjustmentsPHARM DD2quantity_unitsfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Regional health authority

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Regional health authority

Description: Regional Health Authority associated with the claim.

Guide For Use: Alternative to DHB. Historical use only though. Still geographically useful, although RHAs no longer

exist.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Claim info Hierarchy: Claim info | Regional health authority

Definition

SQL Statement: DIM_CLAIM_GEOFILE.RHA

SQL Description: Select RHA from DIM_CLAIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:rhadim_geofileSHARED DIMS

Properties

Aggregate Function: Public Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: result, condition, sort Used In Query:

Regional health authority

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Regional health authority **Description:** Traditional 4 RHA's.

1 = North RHA (Note: During 1997/98 data is low due to seperate processing)

2 = Midland RHA 3 = Central 4 = Southern.

Guide For Use: For historical use only.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | Regional

health authority

Definition

SQL Statement: DSSADM.DIM_GEOFILE.RHA **SQL Description:** Select RHA from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:rhadim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Reimbursement cost

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Reimbursement cost

Description: Value reimbursed to the pharmacy, on this dispensing of a prescription item that includes GST, and

can be negative.

Guide For Use: One of the main reporting variables for expenditure.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Reimbursement cost

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.REIMBURSEMENT_COST **SQL Description:** Select REIMBURSEMENT_COST from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:reimbursement_costfact_pha_disp_adjustmentsPHARM DD2reimbursement_costfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Reimbursement cost

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Reimbursement cost

Description: Value reimbursed to the pharmacy, on this dispensing of a prescription item that includes GST, and

can be negative.

Guide For Use: One of the main reporting variables for expenditure.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Reimbursement

cost

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.REIMBURSEMENT_COST **SQL Description:** Select REIMBURSEMENT_COST from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:reimbursement_costfact_pha_disp_adjustmentsPHARM DD2reimbursement_costfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Reimbursement cost group

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Reimbursement cost group

Description: This groups the data by the subsidy paid by HealthPac to claimant. Excludes patient copayments,

includes GST.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Threshholds Hierarchy: Prescriptions | Cost | Threshholds |

Reimbursement cost group

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.REIMBURSEMENT_COST

SQL Description: Select REIMBURSEMENT_COST from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:reimbursement_costfact_pha_disp_adjustmentsPHARM DD2reimbursement_costfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Reimbursment cost (excl GST)

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Reimbursment cost (excl GST)

Description: Total paid by HealthPac to claimant. excludes GST.

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Cost (excl GST) Hierarchy: Prescriptions | Cost (excl GST) |

Reimbursment cost (excl GST)

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.REIMBURSEMENT_COST/1.125)

SQL Description: Total reimbursement paid by HealthPac to claimant excluding GST.

Datamart Links:

Field:Table:Dictionary:reimbursement_costfact_pha_disp_adjustmentsPHARM DD2reimbursement_costfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Reimbursment cost (GST incl.)

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Reimbursment cost (GST incl.)

Description: Total paid by HealthPac to claimant. Includes GST.

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Cost Hierarchy: Prescriptions | Cost | Reimbursment cost

(GST incl.)

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.REIMBURSEMENT_COST)

SQL Description: Returns the sum of the reimbursement cost.

Datamart Links:

Field:Table:Dictionary:reimbursement_costfact_pha_disp_adjustmentsPHARM DD2reimbursement_costfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Repeat sequence grouping

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Repeat sequence grouping

Description: Repeat Sequence Number 0 is 'stat dispensing' Repeat Sequence Number 1 is 'first repeat'

Repeat Sequence Number 1 is first repeat
Repeat Sequence Number 2 is 'second repeat'
Repeat Sequence Number 3 is 'third repeat'

Repeat Sequence Number > 3 is 'greater than 3 repeats'

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Repeat sequence

grouping

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.REPEAT_SEQUENCE_NUMBER = 0 then 'stat

dispensing'

when DSSADM.FACT_PHA_DISPENSING_NI.REPEAT_SEQUENCE_NUMBER = 1 then 'first

repeat'

when DSSADM.FACT_PHA_DISPENSING_NI.REPEAT_SEQUENCE_NUMBER = 2 then 'second

repeat'

when DSSADM.FACT_PHA_DISPENSING_NI.REPEAT_SEQUENCE_NUMBER = 3 then 'third

repeat^b

else 'greater than 3 repeats'

end

SQL Description:

Datamart Links:

Field:Table:Dictionary:repeat_sequence_numberfact_pha_disp_adjustmentsPHARM DD2repeat_sequence_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Repeat sequence number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Repeat sequence number

Description: Sequential identifier of repeat dispensings for a prescription item.

Guide For Use: Value in the range of 0 to 99 where 0 for a stat supply or single dispensing, or 1 for an initial repeat

dispensing and 2+ for repeats.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Repeat sequence

number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.REPEAT_SEQUENCE_NUMBER **SQL Description:** Select REPEAT_SEQUENCE_NUMBER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:repeat_sequence_numberfact_pha_disp_adjustmentsPHARM DD2repeat_sequence_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Repeat sequence number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Repeat sequence number

Description: Sequential identifier of repeat dispensings for a prescription item.

Guide For Use: Value in the range of 0 to 99 where 0 for a stat supply or single dispensing, or 1 for an initial repeat

dispensing and 2+ for repeats.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Repeat

sequence number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Repeat_Sequence_Number **SQL Description:** Select Repeat_Sequence_Number from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:repeat_sequence_numberfact_pha_disp_adjustmentsPHARM DD2repeat_sequence_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Repeat sequence number

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Repeat sequence number

Description: Sequential identifier of repeat dispensings for a prescription item.

Guide For Use: Value in the range of 0 to 99 where 0 for a stat supply or single dispensing, or 1 for an initial repeat

dispensing and 2+ for repeats.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Repeat sequence

number

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.REPEAT_SEQUENCE_NUMBER

SQL Description: Select REPEAT_SEQUENCE_NUMBER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:repeat_sequence_numberfact_pha_disp_adjustmentsPHARM DD2repeat_sequence_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Requirement Item Name

Object Attributes Version: 1.0 Version Date: 04-Oct-2005

Name: Requirement Item Name

Description: Definitive description of a pharmaceutical that a Medicode refers to.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Medicode Details Hierarchy: Pharmaceutical Reference | Medicode

Details | Requirement Item Name

Definition

SQL Statement:DSSADM.DIM_REQUIREMENT.REQUIREMENT_ITEM_NAMESQL Description:Select REQUIREMENT_ITEM_NAME from DIM_REQUIREMENT

Datamart Links:

Field:Table:Dictionary:requirement_item_namedim_requirementPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Requirement number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Requirement number

Description: First four digits of HealthPAC 6-digit Medicode that identifies chemicals.

Guide For Use: This was only used for manual claims, and these are now by Pharmacode. Medicode is retained for

historical purposes only.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Extract | Hierarchy: Dispensing Extract | Requirement number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.REQUIREMENT_NUMBER **SQL Description:** Select REQUIREMENT_NUMBER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:requirement_numberdim_requirementPHARM DD2requirement_numberfact_pha_disp_adjustmentsPHARM DD2requirement_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Requirement number

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Requirement number

Description: First four digits of HealthPAC 6-digit Medicode that identifies chemicals.

Guide For Use: This was only used for manual claims, and these are now by Pharmacode. Medicode is retained for

historical purposes only.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Requirement

number

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.REQUIREMENT_NUMBER **SQL Description:** Select REQUIREMENT_NUMBER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:requirement_numberdim_requirementPHARM DD2requirement_numberfact_pha_disp_adjustmentsPHARM DD2requirement_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Requirement Number

Object Attributes Version: 1.0 Version Date: 04-Oct-2005

Name: Requirement Number

Description: First four digits of HealthPAC 6-digit Medicode that identifies chemicals.

Guide For Use: This was only used for manual claims, and these are now by Pharmacode. Medicode is retained for

historical purposes only.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Medicode Details Hierarchy: Pharmaceutical Reference | Medicode

Details | Requirement Number

Definition

SQL Statement: DSSADM.DIM_REQUIREMENT.Requirement_Number **SQL Description:** Select Requirement_Number from DIM_REQUIREMENT

Datamart Links:

Field:Table:Dictionary:requirement_numberdim_requirementPHARM DD2requirement_numberfact_pha_disp_adjustmentsPHARM DD2requirement_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Requirement suffix

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Requirement suffix

Description: Last two digits of HealthPAC 6-digit Medicode, which identifies form and strength of a chemical for

manual claims only.

Guide For Use: For historical use only.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Requirement suffix

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.REQUIREMENT_SUFFIX **SQL Description:** select REQUIREMENT_SUFFIX from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:requirement_suffixdim_requirementPHARM DD2requirement_suffixfact_pha_disp_adjustmentsPHARM DD2requirement_suffixfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Requirement Suffix

Object Attributes Version: 1.0 Version Date: 04-Oct-2005

Name: Requirement Suffix

Description: Last two digits of HealthPAC 6-digit Medicode, which identifies form and strength of a chemical for

manual claims only.

Guide For Use: For historical use only.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Medicode Details Hierarchy: Pharmaceutical Reference | Medicode

Details | Requirement Suffix

Definition

 SQL Statement:
 DSSADM.DIM_REQUIREMENT.Requirement_Suffix

 SQL Description:
 Select Requirement_Suffix from DIM_REQUIREMENT

Datamart Links:

Field:Table:Dictionary:requirement_suffixdim_requirementPHARM DD2requirement_suffixfact_pha_disp_adjustmentsPHARM DD2requirement_suffixfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Retail subsidy

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Retail subsidy

Description: Total Schedule cost of medication plus mark-ups and GST.

Guide For Use:Supplied by HealthPAC from Claim approved date of 3 August 1998.Qualification:DimensionData Type:integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Retail subsidy

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.RETAIL_SUBSIDY **SQL Description:** Select RETAIL_SUBSIDY from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:retail_subsidyfact_pha_disp_adjustmentsPHARM DD2retail_subsidyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Retail subsidy

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Retail subsidy

Description: Total Schedule cost of medication plus mark-ups and GST.

Guide For Use: Supplied by HealthPAC from Claim approved date of 3 August 1998.Qualification: Data Type: integer

Location

Enclosing Class: Cost Hierarchy: Prescriptions | Cost | Retail subsidy

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.Retail_Subsidy)

SQL Description:

Datamart Links:

Field:Table:Dictionary:retail_subsidyfact_pha_disp_adjustmentsPHARM DD2retail_subsidyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Retail subsidy

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Retail subsidy

Description: Total Schedule cost of medication plus mark-ups and GST.

Guide For Use:Supplied by HealthPAC from Claim approved date of 3 August 1998.Qualification:DimensionData Type:integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Retail subsidy

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.RETAIL_SUBSIDY **SQL Description:** Select RETAIL_SUBSIDY from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:retail_subsidyfact_pha_disp_adjustmentsPHARM DD2retail_subsidyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Retail subsidy (excl GST)

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Retail subsidy (excl GST)

Description: Total Schedule cost of medication plus mark-ups and GST.

Guide For Use: Supplied by HealthPAC from Claim approved date of 3 August 1998.

Qualification: Data Type: integer

Location

Enclosing Class: Cost (excl GST) Hierarchy: Prescriptions | Cost (excl GST) | Retail

subsidy (excl GST)

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.Retail_Subsidy/1.125)

SQL Description: Sum of Retail Subsidy minus GST.

Datamart Links:

Field:Table:Dictionary:retail_subsidyfact_pha_disp_adjustmentsPHARM DD2retail_subsidyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

RHA region (Patient)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: RHA region (Patient)

Description: Name of Regional Health Authority of the health care user.

Historical alternative to DHB, still geographically useful, although RHAs no longer exist.

Guide For Use: 1 - Northern Region

2 - Midland Region3 - Central Region4 - Southern Region

Qualification: Dimension **Data Type:** char

Locat	ion
-------	-----

Enclosing Class: Patient Location Hierarchy: Patient | Patient Location | RHA region

(Patient)

Definition

SQL Statement: DSSADM.DIM_GEO.REGION **SQL Description:** Select REGION from DIM_GEO

Datamart Links:

 Field:
 Table:
 Dictionary:

 region
 dim_geo
 SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Rounding

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Rounding

Description: This field is used to round the transaction item (once all fees have been applied) to the nearest cent. **Guide For Use:** Example: if the amount to be paid = 6.5107, this is rounded to the nearest cent. Hence the payment

amount would be 6.51 and the rounding value would be -.0007.

From Claim approved date of May 2002.

Qualification: Measure Data Type: integer

Location

Enclosing Class: Cost Hierarchy: Prescriptions | Cost | Rounding

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.Rounding)

SQL Description:

Datamart Links:

Field:Table:Dictionary:roundingfact_pha_disp_adjustmentsPHARM DD2roundingfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Version: 2.0 NZHIS Page 261

July 2006

Rounding

Object Attributes Version Date: 12-Jun-2006

Name: Rounding

Description: This field is used to round the transaction item (once all fees have been applied) to the nearest cent. **Guide For Use:** Example: if the amount to be paid = 6.5107, this is rounded to the nearest cent. Hence the payment

amount would be 6.51 and the rounding value would be -.0007.

From Claim approved date of May 2002.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract | Rounding

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.ROUNDING **SQL Description:** Select ROUNDING from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:roundingfact_pha_disp_adjustmentsPHARM DD2roundingfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Rounding

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Rounding

Description: This field is used to round the transaction item (once all fees have been applied) to the nearest cent. **Guide For Use:** Example: if the amount to be paid = 6.5107, this is rounded to the nearest cent. Hence the payment

amount would be 6.51 and the rounding value would be -.0007.

From Claim approved date of May 2002.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments | Hierarchy: Dispensing Adjustments | Rounding

Definition

Version: 2.0 NZHIS Page 262

July 2006

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.ROUNDING **SQL Description:** Select ROUNDING from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:roundingfact_pha_disp_adjustmentsPHARM DD2roundingfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:

Value List Name:

Value List Editible:

✓

Security Access

Security Rules: Public Used In Query: result, condition, sort

S patient cont remainder

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: S patient cont remainder

Description: Southern Patient Contribution remainder. The amount of money the patient will have to pay on the

next repeat. Discontinued from 2003.

Guide For Use: This field applies to all contracts that are double priced.

The South Island has some special subsidy for dispensing.

From Claim approved date of April 2002.

Discontinued from 2003.

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Cost Hierarchy: Prescriptions | Cost | S patient cont

remainder

Definition

SQL Statement: sum(DSSADM.FACT_PHA_DISPENSING_NI.S_Patient_Cont_Remainder)

SQL Description:

Datamart Links:

Field:Table:Dictionary:s_patient_cont_remainderfact_pha_disp_adjustmentsPHARM DD2s_patient_cont_remainderfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

S patient cont remainder

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: S patient cont remainder

Description: Southern Patient Contribution remainder. The amount of money the patient will have to pay on the next

repeat. Historical use only: Discontinued from 2003.

Guide For Use: The South Island has some special subsidy for dispensing. This field applies to all contracts that are

double priced.

From Claim approved date of April 2002. Discontinued from 2003.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | S patient cont

remainder

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.S_PATIENT_CONT_REMAINDER **SQL Description:** Select S_PATIENT_CONT_REMAINDER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:s_patient_cont_remainderfact_pha_disp_adjustmentsPHARM DD2s_patient_cont_remainderfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

S patient cont remainder

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: S patient cont remainder

Description: Southern Patient Contribution remainder. The amount of money the patient will have to pay on the

next repeat.

Guide For Use: This field applies to all contracts that are double priced. The South Island has some special subsidy for

dispensing. From Claim approved date of April 2002. Discontinued from 2003.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | S patient cont

remainder

Definition

Version: 2.0 NZHIS Page 264

July 2006

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.S_PATIENT_CONT_REMAINDER **SQL Description:** Select S_PATIENT_CONT_REMAINDER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:s_patient_cont_remainderfact_pha_disp_adjustmentsPHARM DD2s_patient_cont_remainderfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Scripts

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Scripts

Description: A prescription is counted as having no repeats (stat dispensing) or is the first repeat of a number of

dispensings.

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Volumes | Hierarchy: Prescriptions | Volumes | Scripts

Definition

SQL Statement: sum(case

when DSSADM.FACT_PHA_DISPENSING_NI.Repeat_Sequence_Number in (0,1)

then 1 else 0 end)

SQL Description:

Datamart Links:

Field:Table:Dictionary:repeat_sequence_numberfact_pha_disp_adjustmentsPHARM DD2repeat_sequence_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Sex

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Sex

Description: The person's biological sex.

Guide For Use: M Male

F Female U Unknown

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Patient Hierarchy: Patient | Sex

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.GENDER **SQL Description:** Select GENDER from DIM_AFFILIATION

Datamart Links:

<u>Field:</u> <u>Table:</u> <u>Dictionary:</u>

gender dim_affiliation GMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Sex code

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Sex code

Description: Code for the person's biological sex.

Guide For Use: M Male

F Female U Unknown

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Patient Hierarchy: Patient | Sex code

Definition

SQL Statement: DSSADM.DIM_AFFILIATION.GENDER_CODE **SQL Description:** Select GENDER_CODE from DIM_AFFILIATION

Datamart Links:

Field:Table:Dictionary:gender_codefact_mortality_detail_iMortality DM DDgender_codedim_affiliationSHARED DIMSgender_codedim_hcu_identifiableSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Short Description

Object Attributes Version: 1.0 Version Date: 04-Oct-2005

Name: Short Description

Description: Short name for a pharmaceutical that a Medicode refers to. Used by HealthPac manual claiming.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Medicode Details Hierarchy: Pharmaceutical Reference | Medicode

Details | Short Description

Definition

SQL Statement: DSSADM.DIM_REQUIREMENT.Short_Description **SQL Description:** Select Short_Description from DIM_REQUIREMENT

Datamart Links:

Field:Table:Dictionary:short_descriptiondim_requirementPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Special authority grouping

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Version: 2.0 NZHIS Page 267
July 2006

Name: Special authority grouping

Description: Special authority number = 0 is 'no SA'

Special authority number > 0 is 'SA'

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Special authority

grouping

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.Special_Authority_Number = 0

then 'no SA' else 'SA'

end

SQL Description:

Datamart Links:

Field:Table:Dictionary:special_authority_numberfact_pha_disp_adjustmentsPHARM DD2special_authority_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Special authority number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Special authority number

Description: Special Authority Approval Number which is known as Section 99 Number. Used for drugs that are

treated differently by Pharmac, where authority is required to dispense the drug.

Guide For Use: NOTE: 0 = no special authority. >0 includes special authorities, exceptional circumstances etc.

Paired with Special authority type.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Special authority

number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.SPECIAL_AUTHORITY_NUMBER **SQL Description:** Select SPECIAL_AUTHORITY_NUMBER from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:special_authority_typefact_pha_disp_adjustmentsPHARM DD2special_authority_typefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Special authority number

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Special authority number

Description: Special Authority Approval Number which is known as Section 99 Number.

Guide For Use: For drugs that are treated differently by Pharmac, where authority is required to dispense the drug.

Paired with Special authority type.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Special authority

number

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.SPECIAL_AUTHORITY_NUMBER **SQL Description:** Select SPECIAL_AUTHORITY_NUMBER from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:special_authority_numberfact_pha_disp_adjustmentsPHARM DD2special_authority_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Special authority number

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Version: 2.0 NZHIS Page 269
July 2006

Name: Special authority number

Description: Special Authority Approval Number which is known as Section 99 Number.

Used for drugs that are treated differently by Pharmac, where authority is required to dispense the

drug.

Paired with Special authority type.

Guide For Use: NOTE: 0 = no special authority. >0 includes special authorities, exceptional circumstances etc.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Special Authority Reference | Hierarchy: Prescriptions | Special Authority Reference |

Special authority number

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Special_Authority_Number **SQL Description:** Select Special_Authority_Number from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:special_authority_numberfact_pha_disp_adjustmentsPHARM DD2special_authority_numberfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Special authority type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Special authority type

Description: The type of Special Authority. For drugs that are treated differently by Pharmac, where authority is

required to dispense the drug.

Guide For Use: Paired with Special authority number.

For Claim approved dates before May 2002, this field can be derived from the Special Authority Number. Refer to the Special Authority Reference table. The Special Authority Reference table has not been updated since September 2001, so between September 2001 and May 2002 the data is

incomplete. From May 2002, data supplied in the Dispensings table by HealthPAC.

Dimension Data Type: char

Qualification: Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Special authority type

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.SPECIAL_AUTHORITY_TYPE **SQL Description:** Select SPECIAL_AUTHORITY_TYPE from FACT_PHA_DISPENSING_NI

Datamart Links:

Version: 2.0 NZHIS Page 270

July 2006

Field: Table: **Dictionary:** special_authority_type fact_pha_disp_adjustments PHARM DD2 PHARM DD2 special_authority_type fact_pha_dispensing **Properties** Aggregate Function: Object Format: Value List Associated: Value List Editible: Value List Name: **Security Access** Security Rules: **Public** Used In Query: result, conditon, sort

Special authority type

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Special authority type

Description: Type of Special Authority.

Paired with Special Authority Number.

Guide For Use: Used For drugs that are treated differently by Pharmac, where authority is required to dispense the

drug

For Claim approved dates before May 2002, this field can be derived from the Special Authority Number. The Special Authority Reference table has not been updated since September 2001, so between September 2001 and May 2002 the data is incomplete. From May 2002, data supplied in the

Dispensings table by HealthPAC.

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Special Authority Reference | Hierarchy: Prescriptions | Special Authority Reference |

Special authority type

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Special_Authority_Type **SQL Description:** Select Special_Authority_Type from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:special_authority_typefact_pha_disp_adjustmentsPHARM DD2special_authority_typefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Special authority type

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Special authority type

Description: The type of Special Authority. For drugs that are treated differently by Pharmac, where authority is

required to dispense the drug.

Guide For Use: Paired with Special authority number.

For Claim approved dates before May 2002, this field can be derived from the Special Authority Number. Refer to the Special Authority Reference table. The Special Authority Reference table has not

been updated since September 2001, so between September 2001 and May 2002 the data is

incomplete. From May 2002, data supplied in the Dispensings table by HealthPAC.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Special authority

type

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.SPECIAL_AUTHORITY_TYPE **SQL Description:** Select SPECIAL_AUTHORITY_TYPE from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:special_authority_typefact_pha_disp_adjustmentsPHARM DD2special_authority_typefact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Specialist ID

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Specialist ID

Description: New Zealand Medical Council Number of specialist who recommended the prescription, or a Ministry of

Health number assigned to hospital staff who have written the prescription.

Guide For Use: From Claim approved date of July 2000.

Links with Provider Code in the Provider (dim_provider) table.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Specialist ID

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.SPECIALIST_ID

 SQL Description:
 Select SPECIALIST_ID from FACT_PHA_DISP_ADJUSTMENTS

 Datamart Links:

 Field:
 Table:
 Dictionary:

 specialist_id
 fact_pha_disp_adjustments
 PHARM DD2

 Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Specified

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Specified

Description: Identifies pack size for unit pricing and inclusion in the printed schedule.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Specified

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Specified **SQL Description:** Select Specified from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:specifieddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Stat indicator

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Version: 2.0 NZHIS Page 273 July 2006

Name: Stat indicator

Description: Whether or not more than 30 days of the prescribed medication can be given to the patient at one time.

Y - Extended supply

N or space - Not extended supply

Guide For Use: Access exemption criteria (described in the Pharmac schedule) have to be met.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Stat indicator

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.STAT_INDICATOR **SQL Description:** Select STAT_INDICATOR from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field:Table:Dictionary:stat_indicatordim_dispensing_flagsPHARM DD2stat_indicatorfact_pha_disp_adjustmentsPHARM DD2stat_indicatorfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Stat indicator

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Stat indicator

Description: Whether or not more than 30 days of the prescribed medication can be given to the patient at one

time.

Y = Stat dispensing / Extended supply

N = Non Stat dispensing / Not extended supply

Guide For Use: Access exemption criteria (described in the Pharmac schedule) have to be met.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Stat indicator

Definition

SQL Statement: DSSADM.DIM_DISPENSING_FLAGS.Stat_Indicator **SQL Description:** Select Stat_Indicator from DIM_DISPENSING_FLAGS

Datamart Links:

Field:Table:Dictionary:stat_indicatordim_dispensing_flagsPHARM DD2stat_indicatorfact_pha_disp_adjustmentsPHARM DD2stat_indicatorfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Stat indicator

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Stat indicator

Description: Whether or not more than 30 days of the prescribed medication can be given to the patient at one time.

Y = Stat dispensing / Extended supply

N = Non Stat dispensing / Not extended supply

Guide For Use: Access exemption criteria (described in the Pharmac schedule) have to be met.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Extract | Hierarchy: Dispensing Extract | Stat indicator

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.STAT_INDICATOR **SQL Description:** Select STAT_INDICATOR from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:stat_indicatordim_dispensing_flagsPHARM DD2stat_indicatorfact_pha_disp_adjustmentsPHARM DD2stat_indicatorfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Strength per unit

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Strength per unit

Description: The amount of the active ingredient in the formulation.

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Pharmaceutical Details Hierarchy: Pharmaceutical Reference | Pharmaceutical

Details | Strength per unit

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.weight **SQL Description:** Select WEIGHT from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:weightdim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Subsidy

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Subsidy

Description: This is the unit subsidy i.e. subsidy divided by the number in the pack. The current subsidy can be

found by setting the Expiry date equal to Null.

Guide For Use:Note: Delisted subsidies are set to zero and should also be excluded.Qualification:Data Type:integer

Location

Enclosing Class: Measures Hierarchy: Pharmaceutical Reference | Subsidy Details

| Measures | Subsidy

Definition

SQL Statement: (DSSADM.DIM_FORM_PACK_SUBSIDY.Subsidy)/(DSSADM.DIM_FORM_PACK_SUBSIDY.Quantity)

SQL Description: sum(quantity/quantity)

Datamart Links:

<u>Field:</u>	<u>Table:</u>	<u>Dictionary:</u>
quantity	ID_Vaccination	Imms
quantity	dim_form_pack_subsidy	PHARM DD2
subsidy	dim_form_pack_subsidy	PHARM DD2
subsidy	fact_pha_disp_adjustments	PHARM DD2
subsidy	fact_pha_dispensing	PHARM DD2
Properties Aggregate Function: Value List Associated:	Object Format: Value List Name:	Value List Editible:
Security Access		
Security Rules: Public	Used In Query:	result, condition, sort

Subsidy grouping

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Subsidy grouping

Description: This groups data by the level of subsidy at the time of dispensing. This is particularly useful for

identifying units measured differently over time eg. dose vs inhaler.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Subsidy grouping

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.Quantity >0 then

round((DSSADM.FACT_PHA_DISPENSING_NI.Cost_Ex_Supplier/DSSADM.FACT_PHA_DISPENSIN

G_NI.Quantity)-0.005,2)

else 0

end

SQL Description: (cost ex supplier/quantity) - 0.005

Datamart Links:

<u>Field:</u>	<u>Table:</u>	<u>Dictionary:</u>
quantity	fact_pha_disp_adjustments	PHARM DD2
cost_ex_supplier	fact_pha_dispensing	PHARM DD2
quantity	fact_pha_dispensing	PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Subsidy type

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Subsidy type

Description: Subsidy type e.g. No Subsidy, Govt Subsidy etc **Guide For Use:** If reimbursement cost is 0 then 'no subsidy'

else if reimbursement cost < 0 then 'negative subsidy'

else 'govt subsidy'

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Dispensing Groupings Hierarchy: Dispensing Groupings | Subsidy type

Definition

SQL Statement: case

when DSSADM.FACT_PHA_DISPENSING_NI.REIMBURSEMENT_COST = 0 then 'no subsidy' when DSSADM.FACT_PHA_DISPENSING_NI.REIMBURSEMENT_COST < 0 then 'negative

subsidy'

else 'govt subsidy'

end

SQL Description:

Datamart Links:

Field:Table:Dictionary:reimbursement_costfact_pha_disp_adjustmentsPHARM DD2reimbursement_costfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Subsidy value

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Subsidy value

Description: Unit subsidy per pack. At price ex-supplier level (GST excl).

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Annotations Hierarchy: Prescriptions | Annotations | Subsidy value

Definition

Version: 2.0 NZHIS Page 278

July 2006

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.SUBSIDY_VALUE **SQL Description:** Select SUBSIDY_VALUE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:subsidydim_form_pack_subsidyPHARM DD2subsidyfact_pha_disp_adjustmentsPHARM DD2subsidyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Subsidy value

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Subsidy value

Description: Unit subsidy per pack. At price ex-supplier level (GST excl).

Guide For Use: For a comparison of subsidies exclude subsidies equal to 0 or ignore delisted products.

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Extract Hierarchy: Dispensing Extract | Subsidy value

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.SUBSIDY_VALUE **SQL Description:** Select SUBSIDY_VALUE from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:subsidydim_form_pack_subsidyPHARM DD2subsidyfact_pha_disp_adjustmentsPHARM DD2subsidyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Subsidy value

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Subsidy value

Description: For a comparison of subsidies exclude subsidies equal to 0 or ignore delisted products.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Subsidy Details Hierarchy: Pharmaceutical Reference | Subsidy Details

| Subsidy value

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.Subsidy **SQL Description:** Select Subsidy from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:subsidydim_form_pack_subsidyPHARM DD2subsidyfact_pha_disp_adjustmentsPHARM DD2subsidyfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Subsidy value

Object Attributes Version: 1.0 Version Date: 13-Jun-2006

Name: Subsidy value

Description: The value of the subsidy paid by Pharmac for the dispensed pharmaceutical.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Dispensing Adjustments Hierarchy: Dispensing Adjustments | Subsidy value

Definition

SQL Statement: DSSADM.FACT_PHA_DISP_ADJUSTMENTS.SUBSIDY_VALUE **SQL Description:** Select SUBSIDY_VALUE from FACT_PHA_DISP_ADJUSTMENTS

Datamart Links:

Field: Table: **Dictionary:** subsidy dim_form_pack_subsidy PHARM DD2 subsidy fact_pha_disp_adjustments PHARM DD2 PHARM DD2 subsidy fact_pha_dispensing

Properties

Aggregate Function: Object Format:

Value List Editible: Value List Associated: Value List Name:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

TA code (Patient)

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: TA code (Patient)

NZ Statistics Territorial Local Authority Number (1995 boundaries). Description:

Guide For Use: Territorial authorities are composed of meshblocks and area units, so the area covered by the local

authority can be defined at either of these levels.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Patient Location Hierarchy: Patient | Patient Location | TA code (Patient)

Definition

DSSADM.DIM_GEO.TA_CODE SQL Statement: SQL Description: Select TA_CODE from DIM_GEO

Datamart Links:

Field: Table: **Dictionary:** SHARED DIMS ta_code dim_geo

Properties

Aggregate Function: **Object Format:**

Value List Name: Value List Editible: Value List Associated:

Security Access

Security Rules: **Public** Used In Query: result, condition sort

Ten year age bands

Version Date: 12-Jun-2006 **Object Attributes** Version: 1.0

Name: Ten year age bands

Version: 2.0 **NZHIS** Page 281

Description: Guide For Use:	A ten year range of ages e.	g 0 - 9, 10 -	19, 20 - 29 until 99	then 100 a	and over.	
Qualification:	Dimension		Data Type:	char		
<u>Location</u>						
Enclosing Class:	Patient Age at Dispensing		Hierarchy:	Patient F	Patient Age at Disp bands	ensing Ten
<u>Definition</u>						
SQL Statement:	DSSADM.DIM_AGE_BAND	TEN_YEAR	R_BAND			
SQL Description:	Select TEN_YEAR_BAND f	rom DIM_A	GE_BAND			
Datamart Links:						
<u>Field:</u>		Table:			<u>Dictionary:</u>	
ten_year_band		dim_age_b	and		SHARED DIMS	
<u>Properties</u>						
Aggregate Function	on:		Object Format:			
Value List Associa	ated: U Value Lis	st Name:			Value List Editik	ble:
Security Access						
Security Rules:	Public		Used In Query:	result, co	ndition, sort	
Territorial a	uthority (patient)					
Object Attributes	s		Versio	n: 1.0	Version Date: 1	2-Jun-2006
Name:						
Name. Description:	Territorial authority (patient) NZ Statistics Territorial Loca		name (1995 bound	aries) e.a l	Hastings District. L	ower Hutt City
Guide For Use:	Territorial authorities are co authority can be defined at	mposed of r	meshblocks and ar		-	-
Qualification:	Dimension		Data Type:	char		
<u>Location</u>						
Enclosing Class:	Patient Location		Hierarchy:	Patient Fauthority	Patient Location T (patient)	erritorial
<u>Definition</u>						
SQL Statement:	DSSADM.DIM_GEO.TA					
SQL Description:	Select TA from DIM_GEO					
Datamart Links:						
<u>Field:</u>		Table:			Dictionary:	
ta		dim_geo			SHARED DIMS	
<u>Properties</u>						
Aggregate Function	on:		Object Format:			
Value List Associa	_	st Name:	-		Value List Editik	ble:

Version: 2.0 NZHIS Page 282 July 2006

Security Access

Security Rules: Public Used In Query: result, condition, sort

TG 1 ID

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: TG 1 ID

Description: Identifier for ATC 1st level - anatomical main group.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: TG ID's Hierarchy: Pharmaceutical Reference | Theraputic

Group | TG ID's | TG 1 ID

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.TG_Level1_ID **SQL Description:** Select TG_Level1_ID from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:tg_level1_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

TG 2 ID

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: TG 2 ID

Description: Identifier for ATC 2nd level - therapeutic main group.

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: TG ID's Hierarchy: Pharmaceutical Reference | Theraputic

Group | TG ID's | TG 2 ID

Definition

Version: 2.0 NZHIS Page 283 July 2006

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.TG_Level2_ID **SQL Description:** Select TG_Level2_ID from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:tg_level2_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

TG 3 ID

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: TG 3 ID

Description: Identifier for ATC 3rd level - therapeutic/pharmacological subgroup.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: TG ID's Hierarchy: Pharmaceutical Reference | Theraputic

Group | TG ID's | TG 3 ID

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.TG_Level3_ID **SQL Description:** Select TG_Level3_ID from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:tg_level3_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

TG ID

July 2006

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: TG ID

Description: This is the international pharmaceutical standard way of grouping drugs. Some drugs are in more than

one group. Pharmac uses Therapeutic Groups for administration.

Structured 5 or 6 digit integer comprising TG level 1 ID, TG level 2 ID and TG level 3 ID. (Made up of 2

digits for each level, with no leading zero on TG level 1.)

The Therapeutic Group Reference table is created by Pharmac for Pharms. It is updated monthly,

before the Dispensings load process runs.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: TG ID's Hierarchy: Pharmaceutical Reference | Theraputic

Group | TG ID's | TG ID

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.TG_ID **SQL Description:** Select TG_ID from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:tg_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

TG level 1 name

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: TG level 1 name

Description: Anatomical main group.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Theraputic Group Hierarchy: Pharmaceutical Reference | Theraputic

Group | TG level 1 name

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.TG_NAME1 **SQL Description:** Select TG_NAME1 from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field: Table: **Dictionary:** tg_name1 dim_form_pack_subsidy PHARM DD2 **Properties** Aggregate Function: Object Format: Value List Editible: Value List Associated: Value List Name: **Security Access** Security Rules: Public Used In Query: result, condition, sort TG level 2 name Version Date: 08-Jun-2006 Version: 1.0 **Object Attributes** Name: TG level 2 name Therapeutic main group. Description: Guide For Use: Qualification: Dimension Data Type:

Location

Enclosing Class: Theraputic Group Pharmaceutical Reference | Theraputic Hierarchy:

Group | TG level 2 name

char

Definition

DSSADM.DIM_FORM_PACK_SUBSIDY.TG_Name2 SQL Statement: SQL Description: Select TG_Name2 from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field: Table: Dictionary: tg_name2 dim_form_pack_subsidy PHARM DD2

Properties

Aggregate Function: **Object Format:**

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: **Public** Used In Query: result, condition, sort

TG level 3 name

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

TG level 3 name Name:

Description: Therapeutic/pharmacological subgroup. Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Theraputic Group Hierarchy: Pharmaceutical Reference | Theraputic

Group | TG level 3 name

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.TG_Name3 **SQL Description:** Select TG_Name3 from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:tg_name3dim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: public Used In Query: result, condition, sort

TGM

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: TGM

Description: The Therapeutic Group Manager at PHARMAC responsible for the group of drugs classified under

therapeutic group level 3.

Guide For Use:

Qualification: Dimension Data Type: char

Location

Enclosing Class: Theraputic Group Hierarchy: Pharmaceutical Reference | Theraputic

Group | TGM

Definition

SQL Statement: DSSADM.DIM_FORM_PACK_SUBSIDY.TGM_ID **SQL Description:** Select TGM_ID from DIM_FORM_PACK_SUBSIDY

Datamart Links:

Field:Table:Dictionary:tgm_iddim_form_pack_subsidyPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated:
Value List Name:
Value List Editible:

Version: 2.0 NZHIS Page 287

Security Access

Security Rules: Public Used In Query: result, condition, sort

TLA name 1995

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: TLA name 1995

Description: Statistics NZ Territorial Local Authority name (1995 boundaries), for example, 'Waitakere City'.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | TLA name

1995

Definition

SQL Statement: DSSADM.DIM_GEOFILE.TLA_NAME **SQL Description:** Select TLA_NAME from DIM_GEOFILE

Datamart Links:

 Field:
 Table:
 Dictionary:

 tla_name
 Provider_Index
 Imms

 tla_name
 Provider_Index
 Labs

 tla_name
 Provider_Index
 MNIS

 $\begin{array}{lll} \text{tla_name} & \text{dim_census_geofile} & \text{SHARED DIMS} \\ \text{tla_name} & \text{dim_geofile} & \text{SHARED DIMS} \\ \end{array}$

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

TLA number 1995

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: TLA number 1995

Description: Statistics NZ Territorial Local Authority number (1995 boundaries), for example, 'Waitakere City'.

Guide For Use:

Qualification: Dimension **Data Type:** char

Location

Version: 2.0 NZHIS Page 288

July 2006

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | TLA number

1995

Definition

SQL Statement: DSSADM.DIM_GEOFILE.TLA_CODE_1995 **SQL Description:** Select TLA_CODE_1995 from DIM_GEOFILE

Datamart Links:

 Field:
 Table:
 Dictionary:

 tla_code_1995
 dim_geofile
 SHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: ☐ Value List Name: Value List Editible: ☐

Security Access

Security Rules: Public Used In Query: result, condition, sort

Total cost

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Total cost

Description: Drug cost + dispensing fee + mark-up

Guide For Use:

Qualification: Dimension Data Type: integer

Location

Enclosing Class: Threshholds Hierarchy: Prescriptions | Cost | Threshholds | Total

cost

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Retail_Subsidy+DSSADM.FACT_PHA_DISPENSING_NI.Disp

ensing_Fee_Value

SQL Description: Drug cost + dispensing fee + mark-up

Datamart Links:

<u>Field:</u>	<u>Table:</u>	<u>Dictionary:</u>
dispensing_fee_value	fact_pha_disp_adjustments	PHARM DD2
retail_subsidy	fact_pha_disp_adjustments	PHARM DD2
dispensing_fee_value	fact_pha_dispensing	PHARM DD2
retail_subsidy	fact_pha_dispensing	PHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Version: 2.0 NZHIS Page 289

Security Rules: Public Used In Query: result, condition, sort

Total days supply

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Total days supply

Description: The total days supply for the dispensed prescription.

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: ADD information Hierarchy: Prescriptions | ADD information | Total days

supply

Definition

SQL Statement: Sum(DSSADM.FACT_PHA_DISPENSING_NI.Quantity/(DSSADM.FACT_PHA_DISPENSING_NI.Daily_

Dose))

SQL Description: Returns the total days supply for the dispensed prescription.

Datamart Links:

Field:Table:Dictionary:daily_dosefact_pha_disp_adjustmentsPHARM DD2quantityfact_pha_disp_adjustmentsPHARM DD2daily_dosefact_pha_dispensingPHARM DD2quantityfact_pha_dispensingPHARM DD2PHARM DD2PHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Trading name

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Trading name

Description: Claimant's trading name.

Guide For Use: Usually the name of the pharmacy.

If the pharmacy is no longer in business, this may be indicated in the name.

Qualification: Dimension Data Type: char

Location

Enclosing Class: Claimant Hierarchy: Claimant | Trading name

Version: 2.0 NZHIS Page 290

July 2006

Definition

SQL Statement: DSSADM.DIM_CLAIMANT.TRADING_NAME **SQL Description:** Select TRADING_NAME from DIM_CLAIMANT

Datamart Links:

Field:Table:Dictionary:trading_namedim_claimantPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Units dispensed

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Units dispensed

Description: The sum of the number of pharmaceutical units dispensed.

Guide For Use:

Qualification: Measure **Data Type:** integer

Location

Enclosing Class: Volumes | Units dispensed

Definition

SQL Statement: Sum(DSSADM.FACT_PHA_DISPENSING_NI.Quantity)

SQL Description: The sum of the number of pharmaceutical units dispensed measured in Quantity units,

Datamart Links:

Field:Table:Dictionary:quantityfact_pha_disp_adjustmentsPHARM DD2quantityfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: SUM Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Units grouping

Object Attributes Version: 1.0 Version Date: 08-Jun-2006

Name: Units grouping

Description: The amount dispensed for each prescription or repeat.

Guide For Use:

Qualification: Dimension **Data Type:** integer

Location

Enclosing Class: Volume groupings Hierarchy: Prescriptions | Volumes | Volume groupings

| Units grouping

Definition

SQL Statement: DSSADM.FACT_PHA_DISPENSING_NI.Quantity **SQL Description:** Select Quantity from FACT_PHA_DISPENSING_NI

Datamart Links:

Field:Table:Dictionary:quantityfact_pha_disp_adjustmentsPHARM DD2quantityfact_pha_dispensingPHARM DD2

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Ward name 1995

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ward name 1995

Description: Statistics NZ Ward name (1995 boundaries). **Guide For Use:** Local body wards such as Wellington West.

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | Ward name

1995

Definition

SQL Statement:DSSADM.DIM_GEOFILE.WARD_NAMESQL Description:Select WARD_NAME from DIM_GEOFILE

Datamart Links:

 Field:
 Table:
 Dictionary:

 ward_name
 dim_geofile
 SHARED DIMS

 Properties
 Aggregate Function:
 Object Format:

 Value List Associated:
 □
 Value List Name:
 Value List Editible:
 □

Ward number 1995

Object Attributes Version: 1.0 Version Date: 12-Jun-2006

Name: Ward number 1995

Public

Description: Statistics NZ Ward number (1995 boundaries).

Guide For Use:

Security Access
Security Rules:

Qualification: Dimension **Data Type:** char

Location

Enclosing Class: Claimant Location Hierarchy: Claimant | Claimant Location | Ward

number 1995

Used In Query: result, condition, sort

Definition

SQL Statement: DSSADM.DIM_GEOFILE.WARD_1995SQL Description: Select WARD_1995 from DIM_GEOFILE

Datamart Links:

Field:Table:Dictionary:ward_1995dim_geofileSHARED DIMS

Properties

Aggregate Function: Object Format:

Value List Associated: Value List Name: Value List Editible:

Security Access

Security Rules: Public Used In Query: result, condition, sort

Appendix A: Glossary

Table of Terms

The following table provides a glossary of terms relevant to **Pharms**.

Term	Definition
ВО	See BusinessObjects™.
BOU BusinessObjects™ Universe	The BusinessObjects™ universe (BOU) is a representation of a datamart. It is a business-oriented mapping of the data structure found in data warehouse: tables, columns, joins, etc.
	In BusinessObjects [™] , universes enable end users to build queries from which they can generate and perform analysis.
	Universes isolate end users from the complexities of the database structure as well as the intricacies of SQL syntax.
BusinessObjects ™	BusinessObjects [™] is a computer software program that enables users to access and query database information.
Class	Classes represent a logical grouping of fields chosen from one or more tables within the universe.
	Classes can be a composite of a number of tables, enabling data from a variety of tables to be presented as a single unit.
Condition	A condition acts as a filter including or excluding data.
Data Warehouse	A collection of datamarts plus the underlying data collection of transaction data.
Datamart	A schema of tables focused on one or more fact tables; in this case, the Pharms fact tables are:
	FACT_PHA_DISPENSING
	 FACT_PHA_DISP_ADJUSTMENTS
	FACT_PHA_CLAIM.
	Data marts are designed to make reporting easier and faster than would be possible on the transactional data store from which the data is derived.
Detail	A detail object is and object associated to one dimension object. One dimension can have a number of detail objects.
	Detail objects provide a description of a dimension but are not the focus of the analysis.
Dimension	Dimensions are the fields from the tables within the universe. The Designer may select one or more fields from a table and place them in a particular class.
InfoView™	A Business Objects web tool that enables users to query and report from datamarts.
Measure	Measures are objects that the System Designer creates using a formula, for example, Count, Sum, Average etc. They retrieve numeric data that is the result of calculations on data in the database.
NZHIS	The New Zealand Health Information Service, a unit within the Ministry of Health responsible for collecting and disseminating health-related data and associated analysis.
Objects	Objects are the items within classes. They can be either:

- Fields selected from tables
- Formulas

Universe

Universes are a business orientated image of the underlying data mart. Universes are made up of *classes* and classes contain *objects*.

See BOU above.

Appendix B: Constraints

Constraints

The following constraints apply to the **Pharms** universe:

1. Size limit of result set unchecked

2. Size limit of long text objects 1000 characters

3. Execution limit 240 minutes

Appendix C: Tables

Tables List

The following is a list of the tables queried by the **Pharms** universe:

- 1. DIM_CLAIMANT_ON_CLAIM
- 2. DIM_CLAIM_APPROVED_DATE2
- 3. DIM_CLAIM_DATE_ON_CLAIM
- 4. DIM_CLAIM_GEOFILE
- 5. DIM_CLAIM_PAYMENT_DUE_DATE2
- 6. DIM_CURRENT_AFFILIATION
- 7. DSSADM.DIM_AFFILIATION
- 8. DSSADM.DIM_AGE_BAND
- 9. DSSADM.DIM_CLAIMANT
- 10. DSSADM.DIM_CLAIM_APPROVED_DATE
- 11. DSSADM.DIM_CLAIM_DATE
- 12. DSSADM.DIM_CLAIM_PAY_DUE_DATE
- 13. DSSADM.DIM_COS
- 14. DSSADM.DIM_COSTING_FLAGS
- 15. DSSADM.DIM_DISPENSED_DATE
- 16. DSSADM.DIM_DISPENSING_FLAGS
- 17. DSSADM.DIM_FORM_PACK_SUBSIDY
- 18. DSSADM.DIM_GEO
- 19. DSSADM.DIM_GEOFILE
- 20. DSSADM.DIM_HEALTH_CARE_USER_NI
- 21. DSSADM.DIM_PATIENT_FLAGS
- 22. DSSADM.DIM_PHA_PROVIDER
- 23. DSSADM.DIM_REQUIREMENT
- 24. DSSADM.FACT_PHA_CLAIM
- 25. DSSADM.FACT_PHA_DISPENSING_NI
- 26. DSSADM.FACT_PHA_DISP_ADJUSTMENTS

Appendix D: Joins

Join List

The following is a list of the joins in the Pharms universe:

Join 0:

DSSADM.DIM_GEOFILE.DIM_GEOFILE_KEY=DSSADM.FACT_PHA_DISPENSING_NI.DIM _CLAIMANT_GEOFILE_KEY

■ Join 1

DSSADM.FACT_PHA_DISPENSING_NI.DIM_HCU_GEO_KEY=DSSADM.DIM_GEO.DIM_GE O KEY

Join 2:

DSSADM.DIM_AFFILIATION.DIM_AFFILIATION_KEY=DSSADM.FACT_PHA_DISPENSING_NI.DIM_HCU_DISP_AFFILIATION_KEY

Join 3

DSSADM.DIM_HEALTH_CARE_USER_NI.DIM_HEALTH_CARE_USER_N_KEY=DSSADM.F ACT_PHA_DISPENSING_NI.DIM_HEALTH_CARE_USER_KEY

Join 4:

DSSADM.DIM_COSTING_FLAGS.DIM_COSTING_FLAGS_KEY=DSSADM.FACT_PHA_DIS PENSING_NI.DIM_COSTING_FLAGS_KEY

Join 5:

DSSADM.FACT_PHA_DISPENSING_NI.DIM_DISPENSED_DATE_KEY=DSSADM.DIM_DISPENSED_DATE_LOIM_DISPENSED_DATE_KEY

Join 6:

DSSADM.FACT_PHA_DISPENSING_NI.DIM_DISPENSING_FLAGS_KEY=DSSADM.DIM_DISPENSING_FLAGS.DIM_DISPENSING_FLAGS_KEY

Join 7

DSSADM.FACT_PHA_DISPENSING_NI.DIM_CLAIM_DATE_KEY=DSSADM.DIM_CLAIM_DATE.DIM_CLAIM_DATE_KEY

Join 8:

 ${\tt DSSADM.DIM_CLAIMANT.DIM_CLAIMANT_KEY=DSSADM.FACT_PHA_DISPENSING_NI.DIM_CLAIMANT_KEY}$

Join 9:

DSSADM.FACT_PHA_DISPENSING_NI.DIM_CLAIM_APPROVED_DATE_KEY=DSSADM.DI M_CLAIM_APPROVED_DATE.DIM_CLAIM_APPROVED_DATE_KEY

Join 10:

DSSADM.DIM_PHA_PROVIDER.DIM_PHA_PROVIDER_KEY=DSSADM.FACT_PHA_DISPE NSING_NI.DIM_PROVIDER_KEY

Join 11:

DSSADM.DIM_PATIENT_FLAGS.DIM_PATIENT_FLAGS_KEY=DSSADM.FACT_PHA_DISP ENSING_NI.DIM_PATIENT_FLAGS_KEY

Join 12:

DSSADM.FACT_PHA_DISPENSING_NI.DIM_AGE_BAND_KEY=DSSADM.DIM_AGE_BAND. DIM_AGE_BAND_KEY

Join 13:

DSSADM.DIM_REQUIREMENT.DIM_REQUIREMENT_KEY=DSSADM.FACT_PHA_DISPEN SING_NI.DIM_REQUIREMENT_KEY

Join 14:

 ${\tt DSSADM.FACT_PHA_CLAIM.DIM_CLAIMANT_KEY=DIM_CLAIMANT_ON_CLAIM.DIM_CLAIMANT_KEY}$

Join 15:

DIM_CLAIM_DATE_ON_CLAIM.DIM_CLAIM_DATE_KEY=DSSADM.FACT_PHA_CLAIM.DIM _CLAIM_DATE_KEY

Continued on next page

Appendix D: Joins, Continued

Join List

cont'd

Join 16:

DSSADM.FACT_PHA_CLAIM.DIM_CLAIM_PAY_DUE_DATE_KEY=DIM_CLAIM_PAYMENT_DUE_DATE2.DIM_CLAIM_PAY_DUE_DATE_KEY

Join 17:

DSSADM.FACT_PHA_DISPENSING_NI.DIM_CLAIM_PAY_DUE_DATE_KEY=DSSADM.DIM _CLAIM_PAY_DUE_DATE.DIM_CLAIM_PAY_DUE_DATE_KEY

Join 18:

DSSADM.FACT_PHA_CLAIM_DIM_CLAIM_APPROVED_DATE_KEY=DIM_CLAIM_APPROVED_DATE_KEY=DIM_CLAIM_APPROVED_DATE_KEY

Join 19:

DSSADM.FACT_PHA_DISPENSING_NI.DIM_FORM_PACK_SUBSIDY_KEY=DSSADM.DIM_FORM_PACK_SUBSIDY_DIM_FORM_PACK_SUBSIDY_KEY

Join 20:

 ${\tt DIM_CLAIM_GEOFILE_KEY=DSSADM.FACT_PHA_CLAIM.DIM_GEOFILE_KEY}$

Join 21:

Join 22:

DIM_CURRENT_AFFILIATION.DIM_AFFILIATION_KEY=DSSADM.DIM_HEALTH_CARE_US ER_NI.DIM_AFFILIATION_KEY

Appendix E: List of Classes and Objects

Table

This page provides a list of all classes and objects that appear in the Pharms BOU.

¤ Claim Extract

- Date suffix
- · Adjustment amount
- · Catnip batch number
- Claimant number
- · Claim approved date
- Claim date
- Claim value
- File type
- Number safety net cards
- Payment due date

¤ Claim info

- File type
- Claim year
- Claim month
- Claim date
- Claimant number
- · Approved year
- Approved month
- Claim approved date
- Claim value
- Adjustment amount
- Payment due date
- · Regional health authority

¤ Claimant

- Claimant name
- Claimant number
- Funding DHB Code
- Domicile 2001
- Funding DHB name
- Trading name
- NZDep96
- Meshblock NZDep01
- Number of claimants

¤ Claimant Address

- Address1
- Address2
- Address3
- **¤** Contract
 - Contract description
 - COS code

¤ Claimant Location

- HFA region
- DHB code
- DHB name
- Regional health authority
- TLĂ name 1995
- TLA number 1995
- Ward number 1995
- Area unit number 1996
- Area unit number 1991
- Area unit number 2001
- Meshblock number 1991
- Meshblock number 1996
- Meshblock number 2001
- Ward name 1995
- Area unit description

¤ Dispensing Adjustments

- Catnip batch number
- CBS flag
- CBS unit price
- Child resistant container
- Claimant number
- Claim amount
- Claim date
- Component number
- COS code
- Daily dose
- Data type
- Date dispensed
- Date suffix
- · Days supply
- · Dispensings prescribed
- Dispensing fee value
- Dose
- Encrypted HCU ID
- Form number
- Frequency
- Payment agency chemical ID
- Payment agency cost ex supplier inc
- Payment agency pack ID
- Payment agency pack size
- · Payment agency presentation ID
- Payment agency product ID
- Item number
- Locum ID
- National adjustment
- NSS flag
- Patient contribution
- Patient flag
- Pharmacode
- PHA subsidy card indicator
- Prescribed quantity
- Prescriber flag
- Prescription flag
- Prescription number
- Quantity
- Quantity prescribed
- Quantity units
- Reimbursement cost
- Repeat sequence number
- Requirement number
- Requirement suffix
- Retail subsidy
- RoundingSpecialist ID
- Special authority number
- Special authority type
- Stat indicator
- Subsidy value
- S patient cont remainder

Continued on next page

¤ Dispensing Extract

- Encrypted HCU ID
- Date suffix
- Age at dispensing
- · Catnip batch number
- · CBS flag
- CBS unit price
- Child resistant container
- Claimant number
- Claim approved date
- Claim date
- Component number
- Reimbursement cost
- Cost ex supplier
- COS code
- · Daily dose
- Data source
- Date dispensed
- Days supply
- Dispensings prescribed
- Dispensing fee code
- · Dispensing fee value
- Dose
- PHA subsidy card indicator
- Form cost
- Form number
- Form pack BK
- Form type
- Frequency
- · Payment agency chemical ID
- Payment agency cost ex supplier inc
- · Payment agency pack size
- Payment agency presentation ID
- Payment agency product pack ID
- HUHC ind
- CSC ind
- Item number
- Locum ID
- National adjustment
- NSS flag
- Oncology specialty patient group
- Order type
- Patient category
- Patient contribution
- Claim amount
- Patient flag
- Payment authority
- PEC form number
- Quantity units
- Pharmacode
- Pharmac provider type
- Prescriber flag
- Prescription flag
- Prescription ID
- Prescription number
- Provider number
- Provider type
- Quantity
- Quantity prescribed
- Repeat sequence number

¤ Dispensing Extract Continued

- Requirement number
- Requirement suffix
- Retail subsidy
- Provider role type
- Rounding
- · Special authority number
- · Special authority type
- Stat indicator
- Subsidy value
- S patient cont remainder

¤ Dispensing Groupings

- Drug cost grouping
- Compound identifier
- Dr Zero
- Cost breakdown
- Subsidy type
- · North health identifier
- Special authority grouping
- Prescription grouping
- · Repeat sequence grouping
- Subsidy grouping
- HB subsidy grouping
- Compound group
- Component grouping
- Data grouping
- Oncology specialty patient group

¤ Patient

- Patient category
- Patient contibution
- HUHC indicator
- CSC ind (Community Services Card)
- PHA subsidy card indicator
- NHI reported
- Sex code
- Sex
- Deprivation index
- Number of Patients
- ¤ Patient Age at Dispensing
 - Five year age bands
 - Life cycle stages bands
 - Ten year age bands
 - CBF funding age bands
 - · GMS age bands
 - Patient age in years at dispensing
- **¤** Patient Transaction Ethnicity
 - ¤ Level 2 Ethnicity (10 99)
 - Prioritised ethnicity (L2)
 - Prioritised ethnic code (L2)
 - Ethnicity 1 (L2)
 - Ethnicity 2 (L2)
 - Ethnicity 3 (L2)
 - Ethnic code 1 (L2)
 - Ethnic code 2 (L2)
 - Ethnic code 3 (L2)
 - ¤ Level 1 Ethnicity (MPOAEU)
 - Prioritised ethnicity (L1)
 - Prioritised ethnic code (L1)
 - Ethnicity 1 (L1)
 - Ethnicity 2 (L1)
 - Ethnicity 3 (L1)
 - Ethnic code 1 (L1)
 - Ethnic code 2 (L1)
 - Ethnic code 3 (L1)
 - ¤ Level 0 Ethnicity (MPO)
 - Prioritised ethnicity (L0)
 - Prioritised ethnic code (L0)
 - Ethnicity 1 (L0)
 - Ethnicity 2 (L0)
 - Ethnicity 3 (L0)
 - Ethnic code 1 (L0)
 - Ethnic code 2 (L0)
 - Ethnic code 3 (L0)
- **¤** Patient Location
 - DHB (patient)
 - DHB code (patient)
 - Domicile (Patient)
 - Domicile code (patient)
 - Territorial authority (patient)
 - TA code (Patient)
 - Area unit (patient)
 - Area unit code (patient)
 - RHA region (Patient)
 - Patient RHA code

¤ Patient Continued

- ¤ Patient Latest Ethnicity
 - ¤ Latest Level 2 Ethnicity (10 99)
 - Latest Prioritised ethnicity (L2)
 - Latest Prioritised ethnic code (L2)
 - Latest Ethnicity 1 (L2)
 - Latest Ethnicity 2 (L2)
 - Latest Ethnicity 3 (L2)
 - Latest Ethnic code 1 (L2)
 - Latest Ethnic code 2 (L2)
 - Latest Ethnic code 3 (L2)
 - ¤ Latest Level 1 Ethnicity (MPOAEU)
 - Latest Prioritised ethnicity (L1)
 - Latest Prioritised ethnic code (L1)
 - Latest Ethnicity 1 (L1)
 - Latest Ethnicity 2 (L1)
 - Latest Ethnicity 3 (L1)
 - Latest Ethnic code 1 (L1)
 - Latest Ethnic code 1 (L1)
 - Latest Ethnic code 2 (L1)
 - Latest Ethnic code 3 (L1)
 - ¤ Latest Level 0 Ethnicity (MPO)
 - Latest Prioritised ethnicity (L0)
 - Latest Prioritised ethnic code (L0)
 - Latest Ethnicity 1 (L0)
 - Latest Ethnicity 2 (L0)
 - Latest Ethnicity 3 (L0)
 - Latest Ethnic code 1 (L0)
 - Latest Ethnic code 2 (L0)
 - Latest Ethnic code 3 (L0)

¤ Pharmaceutical Reference

- ¤ Payment Agency Versions
 - Payment agency chemical ID
 - Payment agency presentation ID
 - Payment agency product pack ID
- ¤ Subsidy Details
 - Effective date
 - Expiry date
 - Change details
 - CBS
 - OP
 - Subsidy value
 - Alternate subsidy
 - Price
 - ¤ Measures
 - Max subsidy
 - Subsidy
- **¤** Theraputic Group
 - TG level 1 name
 - TG level 2 name
 - TG level 3 name
 - TGM
 - ¤ TG ID's
 - TG ID
 - TG 1 ID
 - TG 2 ID
 - TG 3 ID
- ¤ Pharmaceutical Details
 - Pharmacode
 - Presentation ID
 - Base units
 - Strength per unit
 - Brand name
 - Brand ID
 - Multiple
 - Quantity
 - Manufacturer
 - Distributor
 - Specified
 - Product ID
- ¤ Medicode Details
 - Requirement Item Name
 - Short Description
 - Requirement Number
 - Requirement Suffix
 - Medicode
- ¤ Formulation
 - Formulation name
 - Formulation ID
 - Formulation ID by TG 1
 - Formulation ID by TG 2
 - Formulation ID by TG 3
 - Formulation ID by TGM
- ¤ Chemical
 - Chemical name
 - Chemical ID
 - Chemical ID by TG 1
 - Chemical ID by TG 2
 - Chemical ID by TG 3

¤ Prescriptions

- ¤ Special Authority Reference
 - Special authority number
 - Special authority type
- ¤ Annotations
 - Cost Brand Source (CBS) flag
 - · Prescriber flag
 - Patient flag
 - Prescription flag
 - Prescription form number (PEC)
 - Prescription form number (PEC) and Claimant
 - Cost Brand Source (CBS)
 - Data type
 - Component number
 - Subsidy value
 - Form number
 - Order type
 - Prescription number
 - Form type
 - Repeat sequence number
 - Dispensings prescribed
 - Stat indicator
 - NSS flag
 - Prescription ID
 - Child resistant container
 - Catnip batch number
- ¤ ADD information
 - Outliers
 - Daily dose
 - Dose
 - Frequency
 - Average days supply
 - Average daily dose
 - Total days supply
- ¤ Volumes
 - Scripts
 - Count SA (Special Authority)
 - No of dispensings
 - Units dispensed
 - ¤ Volume groupings
 - Quantity unitsNo of items
 - Units grouping
- ¤ Cost
 - Reimbursment cost (GST incl.)
 - Retail subsidy
 - HBL cost ex supplier (incl GST)
 - Cost ex supplier (GST excl.)
 - Dispensing fee value
 - Patient contribution
 - S patient cont remainder
 - Rounding
 - National adjustment
 - ¤ Threshholds
 - Total cost
 - Reimbursement cost group
 - Cost ex supplier group
- ¤ Cost (excl GST)
 - Reimbursment cost (excl GST)
 - Drug cost (excl GST)
 - Retail subsidy (excl GST)
 - Dispensing fee value (excl GST)
 - Patient contribution (excl GST)

¤ Provider

- Provider Number (dispensing)
- Provider code
- Provider type
- Provider type description
- Pharmac provider code
- Pharmac provider type
- Locum ID
- Provider name
- Provider first names
- Full name
- Occupation code
- Number of providers
- **¤** Provider Location
 - DHB code
- ¤ Provider Address
 - Address 1
 - Address 2
 - City town
 - Practice address 1
 - Practice address 2
 - Practice address 3

¤ Time Series

¤ Date Dispensed

- Calendar year dispensed
- · Calendar quarter dispensed
- Calendar quarter number dispensed
- · Month dispensed
- Calendar month number dispensed
- Day of month dispensed
- Day of week dispensed
- Financial year dispensed
- Financial quarter dispensed
- Financial quarter number dispensed
- Financial month number dispensed
- Date dispensed


¤ Date Approved

- Calendar year approved
- Calendar quarter approved
- Calendar quarter number approved
- Month approved
- · Calendar month number approved
- Day of month approved
- Day of week approved
- Financial year approved
- Financial quarter approved
- Financial quarter number approved
- Financial month number approved
- Date approved

¤ Date Claimed

- Calendar quarter claimed
- Calendar year claimed
- Calendar quarter number claimed
- Month claimed
- · Calendar month number claimed
- Day of month claimed
- Day of week claimed
- Financial year claimed
- Financial quarter claimed
- Financial quarter number claimed
- Financial month number claimed
- Date claimed

Appendix F: Universe Model



Appendix G: Collection of Ethnicity Data

Introduction

This appendix contains information about collecting and coding ethnic group code data. To help with correct allocations of ethnicities, it includes a detailed list of ethnicities and their corresponding codes.

Points to remember

- Ethnicity is self-identified and can change over time.
- NZHIS can record up to three ethnic group codes for a healthcare user.
- An algorithm is used to automatically prioritise ethnic group codes if more than one is reported.
- If a person chooses not to specify their ethnicity, it should be recorded as '99' (Not specified), not as '54' (Other).
- The NHI database should be updated if a healthcare user provides a more specific or different specific ethnicity than that already held for that person.

About ethnicity

The term 'ethnic group' is defined as 'a group of people who have culture, language, history or traditions in common.' Ethnicity is not the same as race, ancestry, or country of birth.

Because ethnicity is self-identified, it can change over time. This is why NZHIS collects ethnicity data whenever information is collected for different datasets, rather than relying on the National Health Index (which does not include historical data).

Collecting ethnicity data has always been problematic because of the reluctance of some data providers to collect the information, the unwillingness of some healthcare users to label themselves, and the confusion between ethnicity, nationality, citizenship, and race.

Purpose

Information about ethnicity is used extensively in planning and resourcing health services, developing and monitoring health policies, and measuring health outcomes.

Collection of data

It is very important that the ethnicity data from the health sector is collected in the same way as the data in the Census because rates of hospitalisation are calculated by comparing the two datasets (to determine proportions of the population). The 2001 Census question is provided below as a guide.

Important: For NZHIS collections, up to three ethnic group codes can be collected for a healthcare user. Providers should make sure that healthcare users are aware of this. NZHIS stores all reported ethnic group codes, and also prioritises them based on a Statistics NZ algorithm.

Which ethnic group do you belong to? Mark the space or spaces that apply to you.			
New Zealand European			
Māori			
Samoan			
Cook Island Māori			
Tongan			
Niuean			
Chinese			
Indian			
other (such as Dutch, Japanese, Tokelauan). Please state:			

Coding data

Use the Classification of Ethnicity table below to code the healthcare user's ethnic group.

If they have ticked one or more specific ethnicities, or if they have ticked 'other' and written in an ethnicity, look on the table to find the code.

If they have written an invalid ethnicity, such as 'Kiwi' or 'NZer', which does not map to any item on the code table, or if they have ticked 'other' but not stated an ethnicity, you can:

- discuss this with them and encourage them to choose a valid ethnic group
- · ignore it if one or more other ethnicities are provided, or
- code as '99' (Not specified).

If they have written 'pakeha', this can be coded as '11' (New Zealand European).

'Not Specified' and 'Other'

If a person chooses not to answer the ethnicity question, record their ethnicity as '99' (Not specified).

Important: The code '54' (Other) applied to only 0.024% of the New Zealand population in the 2001 census. It is limited to about 5 ethnic groups (such as Inuit/Eskimos, North, Central or South American Indians, Seychelles Islanders, and Mauritians). It must not be used as a generic 'other' code.

Recording ethnicity as 'Other' or 'Not specified' skews statistics on rates of hospitalisation and this affects health policy. Where possible, encourage healthcare users to choose a valid ethnic group.

Detailed code table

The codes used to report ethnicity to NZHIS are taken from the Statistics NZ Standard Classification of Ethnicity. This classification is a very detailed 5-digit code: only the first two digits (shown in the table below) are reported to NZHIS.

Use this table to code healthcare user's self-identified ethnicities.

NZHIS	Country of Ethnicity
Ethnicity	Affiliation
code	
37	Admiralty Islander
44	Afghani
53	African American
53	African nfd
32	Aitutaki Islander
12	Albanian
51	Algerian
12	American (US)
51	Arab
52	Argentinian
12	Armenian
40	Asian nfd
51	Assyrian
32	Atiu Islander
37	Austral Islander
12	Australian
37	Australian Aboriginal
12	Austrian
44	Bangladeshi
37	Belau/Palau Islander
12	Belgian
43	Bengali
37	Bismark Archipelagoan
53	Black
52	Bolivian
37	Bougainvillean
52	Brazilian
12	British nec
12	British nfd
12	Bulgarian
12	Burgher
41	Burmese
12	Byelorussian
12	Canadian
37	Caroline Islander
12	Celtic
54	Central American Indian
12	Channel Islander
52	Chilean
42	Chinese nec
42	Chinese nfd
52	Colombian
32	Cook Island Maori nfd
12	Cornish
12	Corsican
52	Costa Rican
52	Creole (Latin America)
53	Creole (US)
12	Croat/Croatian
12	Cypriot nfd
L	I

NZHIS Ethnicity	Country of Ethnicity Affiliation
code	Aimation
12	Czech
12	Dalmatian
12	Danish
	2 6.1.10.1
12	Dutch/Netherlands
37	Easter Islander
52	Ecuadorian
51	Egyptian
12	English
12	Estonian
10	European nfd
12	Falkland Islander/Kelper
36	Fijian (except Fiji Indian/ Indo-Fijian)
43	Fijian Indian/Indo-Fijian
41	Filipino
12	Finnish
12	Flemish
12	French
12	Gaelic
37	Gambier Islander
12	German
12	Greek (incl Greek Cypriot)
12	Greenlander
37	Guadalcanalian
37	Guam Islander/Chamorro
52	Guatemalan
43	Gujarati
52	Guyanese
37	Hawaiian
52	Honduran
42	Hong Kong Chinese
12	Hungarian
12	Icelander
37	I-Kiribati/Gilbertese
43	Indian nec
43	Indian nfd
43	Indian fild Indonesian (incl Javanese/
41	Sundanese/Sumatran)
54	Inuit/Eskimo
51	Iranian/Persian
51	Iraqi
12	Irish
51	Israeli/Jewish/Hebrew
12	Italian
53	Jamaican
44	Japanese
51	Jordanian
42	Kampuchean Chinese
37	Kampuchean Chinese Kanaka/Kanak
53	Kenyan

NZHIS	Country of Ethnicity
Ethnicity	Affiliation
code	
41	Khmer/Kampuchean/ Cambodian
44	Korean
51	Kurd
41	Lao/Laotian
52	Latin American/Hispanic
	nec
52	Latin American/Hispanic nfd
12	Latvian
51	Lebanese
51	Libyan
12	Lithuanian
12	Macedonian
37	Malaitian
41	Malay/Malayan
42	Malaysian Chinese
12	Maltese
52	Malvinian (Spanish-
00	speaking Falkland Islander)
32	Mangaia Islander
32	Manihiki Islander
37	Manus Islander
12	Manx
37	Marianas Islander
37	Marquesas Islander
37	Marshall Islander
32	Mauke Islander
54	Mauritian
52	Mexican
51	Middle Eastern nec
51	Middle Eastern nfd
32	Mitiaro Islander
51	Moroccan
37	Nauru Islander
44	Nepalese
37	New Britain Islander
12	New Caledonian
37	New Georgian
37	New Irelander
11	New Zealand European
21	New Zealand Maori
52	Nicaraguan
53	Nigerian
34	Niuean
54	North American Indian
12	Norwegian
99	Not Specified
37	Ocean Islander/Banaban
51	Omani
12	Orkney Islander
53	Other African nec
44	Other Asian nec

NZHIS	Country of Ethnicity	
Ethnicity	Affiliation	
code		
12	Other European	
54	Other nec	
54	Other nfd	
37	Other Pacific Island Groups nfd	
37	Other Pacific Island nec	
41	Other Southeast Asian nec	
30	Pacific Island nfd	
44	Pakistani	
51	Palestinian	
32	Palmerston Islander	
52	Panamanian	
37	Papuan/New Guinean/Irian	
	Jayan	
52	Paraguayan	
32	Penrhyn Islander	
52	Peruvian	
37	Phoenix Islander	
37	Pitcairn Islander	
12	Polish	
12	Portuguese	
52	Puerto Rican	
32	Pukapuka Islander	
43	Punjabi	
32	Rakahanga Islander	
32	Rarotongan	
12	Romanian/Rumanian	
12	Romany/Gypsy	
37	Rotuman/Rotuman Islander	
12	Russian	
31	Samoan	
37	Santa Cruz Islander	
12	Sardinian	
12	Scottish (Scots)	
12	Serb/Serbian	
54	Seychelles Islander	
12	Shetland Islander	
43	Sikh	
42	Singaporean Chinese	
44	Sinhalese	
12	Slavic/Slav	
12	Slovak	
12	Slovene/Slovenian	
37	Society Islander (including Tahitian)	
37	Solomon Islander	
53	Somali	
12	South African	
54	South American Indian	
12	South Slav (formerly	
	Yugoslav groups) nfd	
12	South Slav (formerly	

	Country of Ethnicity Affiliation	
Yugo	Yugoslav) nec	
41 Sout	heast Asian nfd	
12 Spai	nish	
44 Sri L	ankan nec	
44 Sri L	ankan nfd	
44 Sri L	ankan Tamil	
12 Swe	dish	
12 Swis	SS	
51 Syria	an	
42 Taiw	anese Chinese	
37 Tahi Islar	tian (including Society ider)	
43 Tam	il	
41 Thai	/Tai/Siamese	
44 Tibe	tan	
35 Toke	elauan	
33 Tong	jan	
-	es Strait	
	der/Thursday Islander	
	motu Islander	
51 Tuni		
Сурі		
	Tuvalu Islander/Ellice Islander	
53 Ugai	ndan	
12 Ukra	inian	
52 Urug	guayan	
	uatu Islander/New ridean	
52 Vene	ezuelan	
41 Vietr	namese	
42 Vietr	namese Chinese	
37 Wak	e Islander	
37 Wall	is Islander	
12 Wels	sh	
53 Wes	t Indian/Caribbean	
37 Yap	Islander	
51 Yem	eni	

nfd = Not further defined nec = Not elsewhere classified